

®



# TEAMSTAR PRODUCTS CATALOGUE



**2021**.version

TEAMSTAR



®

**THEAMSTAR**

# Our Story

We are a company incorporated in Malaysia since 2008, With our aggressive intention to provide customer with a piece of mind in buying, searching and ease of hectic traffic,

We have expanded our chain store across Malaysia which made our product easily reach to customer.

Our 12 present branch in Klang Valley include Puchong, Sg. Buloh, Subang 2, Kepong, Ampang, Kajang Sg. Chua, Balakong, Klang Sentosa, S.K Sedang, Bandar Teknologi Semenyih, Batu Caves, Klang Utama, Meanwhile, we got also another 4 branch across the state which include Seremban, Seremban 2, Melaka and Muar.....

We adopt shortest supply chain concept where major parts are supplied directly from manufacturer.

With massive stocking, Customer enjoyed ready stock convenient in our stores.

We are working diligently to represent the latest developments in the world of furniture accessories and fitting & wood tools. Many new technologies in fittings and accessories will be updated from time to time in our retail show room.

Please visit our retail show room, your satisfaction both in quality and affordability is guaranteed!



# 鼎時達 有限公司

## TEAMSTAR SOLUTIONS SDN BHD

Location QR Code



Company No. 200601028524( 748280-M )

Specialise In: Furniture Hardware, Kitchen Fitting Tools, Formica, DUNLOP Glue, Anti Jump, Acrylic Door Panel, Wood Door, Door Lock, Glass Accessories Etc.

专营: 傢俬五金及装修配件, 机械工具, Formica, DUNLOP胶水, 订做铝门, 木门, Acrylic门, 门锁与玻璃配件等等。

HQ : No. 1, Jalan Utama 2/8, Taman Perindustrian Puchong Utama, 47100 Puchong, Selangor Darul Ehsan.  
Tel : 03 - 8068 2585 / 03 - 8052 1315 H/P : 012 - 328 9332 / 017 - 308 2323

### Ampang

No. 58, Jalan 4, Taman Industri Pandan Indah, 55100 Kuala Lumpur, Wilayah Persekutuan.  
Tel : 03 - 4297 2585  
H/P : 012 - 687 4931



### Sungai Buloh

AL-129-1, Jalan Welfare U19, Kg. Baru Seri Sungai Buloh, 47000 Selangor Darul Ehsan.  
Tel : 03 - 6140 1649  
H/P : 012 - 329 7931 / 012 - 310 4332



### Kepong

No. 56, Jalan Development, Taman Kepong 52100 Kuala Lumpur, Wilayah Persekutuan.  
Tel/Fax : 03 - 6279 9368  
H/P : 016 - 223 2585



### Kajang

No. 64, Jalan SC 3, Pusat Perindustrian Sungai Chua, 43000 Kajang, Selangor Darul Ehsan.  
Tel/Fax : 03 - 82113606  
H/P : 012 - 366 5176



### Klang

No.30, Lorong Laksamana 20, Off Jalan Sungai Jati, Taman Sentosa Perdana, 41200 Klang Selangor.  
Tel/Fax : 03 - 5166 7052  
H/P : 016 - 262 2585



### Balakong

No. 13, Jalan PCR 3, Perniagaan Cheras Jaya, Batu 11, Bandar Cheras, 43200 Balakong Selangor.  
Tel/Fax : 03 - 9076 9566  
H/P : 012 - 235 9332



### Subang 2

No. 54, Jalan Apollo U5/189, Bandar Pinggiran Subang, Seksyen U5, 40150 Shah Alam, Selangor Darul Ehsan.  
Tel/Fax : 03 - 7734 2585  
H/P : 012 - 203 6692



### Bandar Teknologi

No. 48, Jalan 1/9, Seksyen 1, Bandar Teknologi Kajang, 43500 Semenyih, Selangor Darul Ehsan.  
Tel/Fax : 03 - 8727 8158  
H/P : 016 - 228 9932



### Batu Caves

No. 21, Jalan SG 1/9, Taman Sri Gombak, 68100 Batu Caves, Selangor Darul Ehsan.  
Tel/Fax : 03 - 6178 3983  
H/P : 012 - 266 1699



### Serdang

No. 12, Jalan BS 14/1, Taman Bukit Serdang, Seksyen14, Perdagangan Bukit Serdang, 43300 Seri Kembangan, Selangor.  
Tel/Fax : 03 - 8940 6925  
H/P : 012 - 226 9123



### Klang Utama

No 38, Jalan Sungai Keramat 1A, Taman Klang Utama 42100 Klang Selangor. Malaysia  
H/P: 017-238 6619



### Teamstar (Melaka) Sdn. Bhd.

Company No. 201501001317 ( 112640-K )  
No.16, Jalan PB 1A, Taman Puncak Bertam, 75260 Melaka.  
Tel/Fax : 06 - 337 3166  
H/P : 012 - 916 3933



### Teamstar (Seremban) Sdn. Bhd.

Company No. 201501023475 ( 1148004-A )  
Lot 1508/436, (Ground Floor), Jalan Temiang, 70200 Seremban, Negeri Sembilan.  
Tel/Fax : 06 - 763 6613  
H/P : 011 - 2316 3331



### Muar

No. 4, Jalan Seri 1, Taman Sri Bakri II, 84000 Muar, Johor.  
Tel/Fax : 06 - 986 9166  
H/P : 017 - 683 0916



### Seremban 2

No. 17, Ground Floor, Jalan S2 C1, Sports Complex Square, Seremban 2, 70300 Seremban 2, Negeri Sembilan.  
Tel/Fax : 06 - 601 1670  
H/P : 011 - 1112 8588



Website



Facebook



# Contents

Color	Item Description	Pages
	Kitchen Basket / Wardrobe	Pg5~46
	Lift Up Stay	Pg47~52
	Handles	Pg53~66
	Cabinet Hinges / Door Hinges	Pg67~85
	Door Lock / Drawer Lock	Pg86~106
	Drawer Runner System	Pg107~117
	Door Fitting / Door Catch	Pg118~128
	Brackets	Pg129~133
	Door Closer / Floor Spring	Pg134~140
	Sliding / Folding Door System	Pg141~153
	Shelf Fitting / Aluminium Profile	Pg154~161
	Glass Fitting / Cable Clamp	Pg162~166
	Table Accessories / Air Hole	Pg167~172
	Power Tools / Tools Machinery	Pg173~197
	Hands Tools	Pg198~225
	Screw & Nut	Pg226~227
	Silicone / Glue / Glassicoat	Pg228~236
	Laminates / PVC Foam Board	Pg237~240
	Light / Lighting Profile	Pg241~254
	PU Door / Aluminium Door	Pg255~259





# PREMIUM SERIES STORAGE SYSTEM





A.G Deluxe Larder 12Layer Basket			
		TS60545.450	
Carcase		450mm	RM1,490.00
Width		400mm	
Dept		495mm	
High		1830mm min.	
		TS60545.600	
Carcase		600mm	RM1,690.00
Width		550mm	
Dept		495mm	
High		1830mm min.	



A.G Magic Corner Basket			
		TS60545.450	
Carcase		900mm	RM1,290.00
Width		864mm	
Dept		500mm	
High		600mm	



**TS60330.030**



**TS60340.040**

A.G 3Layer Multi Fuction Basket			
Item Code	Carcase	Width x Dept x High	Price
TS60330.030	300mm	250mm x 452mm x 496mm	RM590.00
TS60340.040	400mm	350mm x 452mm x 496mm	RM640.00





A.G Multi Function Basket		
TS60660.060		
Carcase	600mm	RM520.00
Width	564-568mm	
Dept	440mm	
High	175mm	
TS60690.090		
Carcase	900mm	RM610.00
Width	864-868mm	
Dept	440mm	
High	175mm	



A.G Pull Out Basket		
TS60560.060		
Carcase	600mm	RM440.00
Width	564-568mm	
Dept	440mm	
High	175mm	
TS60560.090		
Carcase	900mm	RM500.00
Width	864-868mm	
Dept	440mm	
High	175mm	



A.G Small Bottom Basket		
TS60215.150		
Carcase	150mm	RM360.00
Width	100mm	
Dept	452mm	
High	496mm	
TS60220.020		
Carcase	200mm	RM400.00
Width	150mm	
Dept	452mm	
High	496mm	
TS60230.030		
Carcase	300mm	RM430.00
Width	200mm	
Dept	452mm	
High	496mm	





## ALUMINIUM FOUR SIDE PULLOUT BASKET





### HBP28960M


Model	HBP28960M
Width	564 mm
Depth	425 mm
Height	168 mm
Carcase	600 mm
List Price	RM 370.00

### HBP28990M

Model	HBP28990M
Width	864 mm
Depth	425 mm
Height	168 mm
Carcase	900 mm
List Price	RM 425.00







## ALUMINIUM FOUR SIDE MULTIFUNCTION PULL OUT BASKET



### HBP27860M

Model	HBP27860M
Width	564 mm
Depth	425 mm
Height	168 mm
Carcase	600 mm
List Price	RM 505.00


### HBP27890M

Model	HBP27890M
Width	864 mm
Depth	425 mm
Height	168 mm
Carcase	900 mm
List Price	RM 605.00





## ALUMINIUM THREE SIDE PULL OUT BASKET





### HBP218960M

Model	HBP218960M
Width	564 mm
Depth	425 mm
Height	168 mm
Carcase	600 mm
List Price	RM 350.00


### HBP218990M

Model	HBP218990M
Width	864 mm
Depth	425 mm
Height	168 mm
Carcase	900 mm
List Price	RM 400.00





## ALUMINIUM THREE SIDE MULTIFUNCTION PULL OUT BASKET



### HBP217860M

Model	HBP217860M
Width	564 mm
Depth	425 mm
Height	168 mm
Carcase	600 mm
List Price	RM 480.00


### HBP217890M

Model	HBP217890M
Width	864 mm
Depth	425 mm
Height	168 mm
Carcase	900 mm
List Price	RM 575.00






# ALUMINIUM GLASS MAGIC CORNER



Door Basket







Inner Basket

## HBP2020L

Model	HBP2020L
Width	864 mm
Depth	480 mm
Height	525 mm
Carcase	900 mm
List Price	RM 1038.00

## HBP2020R

Model	HBP2020R
Width	864 mm
Depth	480 mm
Height	525 mm
Carcase	900 mm
List Price	RM 1038.00





# ALUMINIUM GLASS BASE UNIT DELUXE LARDER



Inner Basket




Door Basket



## HBP48445

Model	HBP48445
Width	410 mm
Depth	450 mm
Height	532 mm
Carcase	450 mm
List Price	RM 520.00







## ALUMINIUM UTILITY 3 LAYER PULL OUT BASKET



### HBP47540

Model	HBP47540
Width	350 mm
Depth	425 mm
Height	480 mm
Carcase	400 mm
List Price	RM 700.00



Basket




Runner



## MAGIC COLECTOR ALUMINIUM GLASS MENTAL DEFICIENCY FUNCTIONS

<b>B407</b>	
Model	B407
Width	867 mm
Depth	265 mm
Height	540 mm
Carcase	900 mm
List Price	RM 1200.00





# ALUMINIUM GLASS TALL LARDER




## Aluminium And Glass Larder 4 Basket

Model	HBP43440A
Width	345 mm
Depth	460 mm
Height	1150 - 1450 mm
Carcase	400 mm
List Price	RM 1250.00

## Aluminium And Glass Larder 6 Basket

Model	HBP43640AH
Width	345 mm
Depth	460 mm
Height	1850 - 2150 mm
Carcase	400 mm
List Price	RM 1550.00

**Soft Closing** 



# ALUMINIUM GLASS DELUXE LARDER

## Aluminium And Glass Deluxe Larder 12 Basket (450 mm)

Model	HBP42645M
Width	420 mm
Depth	450 mm
Height	1850 - 2150 mm
Carcase	450 mm
List Price	RM 1700.00

## Aluminium And Glass Deluxe Larder 12 Basket (600 mm)


Model	HBP42660M
Width	520 mm
Depth	450 mm
Height	1850 - 2150 mm
Carcase	600 mm
List Price	RM 2000.00



Inner Basket



Door Basket







# CLASSIC SERIES





## SOFT CLOSE PULL OUT BASKET






Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
S-HBJ04040	S-HBJ04040 Chrome P.O.B c/w Undermount runner	400 mm	345mm x 428mm x 140 mm	Chrome	RM 207.00
S-HBJ04045	S-HBJ04045 Chrome P.O.B c/w Undermount runner	450 mm	404mm x 428mm x 140 mm	Chrome	RM 212.00
S-HBJ04050	S-HBJ04050 Chrome P.O.B c/w Undermount runner	500 mm	454mm x 428mm x 140 mm	Chrome	RM 216.00
S-HBJ04060	S-HBJ04060 Chrome P.O.B c/w Undermount runner	600 mm	564mm x 428mm x 140 mm	Chrome	RM 224.00
S-HBJ04080	S-HBJ04080 Chrome P.O.B c/w Undermount runner	800 mm	764mm x 428mm x 140 mm	Chrome	RM 240.00
S-HBJ04090	S-HBJ04090 Chrome P.O.B c/w Undermount runner	900 mm	864mm x 428mm x 140 mm	Chrome	RM 251.00
S-HBJ24040	S-HBJ24040 S/Steel P.O.B c/w Undermount runner	400 mm	345mm x 428mm x 140 mm	S/Steel	RM 254.00
S-HBJ24045	S-HBJ24045 S/Steel P.O.B c/w Undermount runner	450 mm	404mm x 428mm x 140 mm	S/Steel	RM 262.00
S-HBJ24050	S-HBJ24050 S/Steel P.O.B c/w Undermount runner	500 mm	454mm x 428mm x 140 mm	S/Steel	RM 269.00
S-HBJ24060	S-HBJ24060 S/Steel P.O.B c/w Undermount runner	600 mm	564mm x 428mm x 140 mm	S/Steel	RM 284.00
S-HBJ24080	S-HBJ24080 S/Steel P.O.B c/w Undermount runner	800 mm	764mm x 428mm x 140 mm	S/Steel	RM 313.00
S-HBJ24090	S-HBJ24090 S/Steel P.O.B c/w Undermount runner	900 mm	864mm x 428mm x 140 mm	S/Steel	RM 333.00







## SOFT CLOSE BOWL AND PLATE PULL OUT BASKET



the four screws on the slide can revise according to the cabinet width



Model	Description	Carcass	Dimension ( W x D x H )	Finishing	List Price
S-HBJ09090	S-HBJ09090 Chrome Bowl & Plate c/w Undermount runner	900 mm	845mm x 428mm x 140mm	Chrome	RM 308.00
S-HBJ29090	S-HBJ29090 S/Steel Bowl & Plate c/w Undermount runner	900 mm	845mm x 428mm x 140mm	S/Steel	RM 410.00



**SOFT CLOSE  
 CONCORD CORNER KIT**



Inner Frame




Door Frame



Inner Basket



Door Basket






Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
2021 040 031	B04031 Concord Corner Left	900 mm	438/260mm x 428mm x 221mm	Chrome	RM 1028.00
2021 040 032	B04032 Concord Corner Right	900 mm	438/260mm x 428mm x 221mm	Chrome	RM 1028.00






## SOFT CLOSE SMALL SIDE MOUNTED KIT



Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
BB715A	BB715A Side Mounted Kit c/w Ball Bearing Soft Close - Anthracite	150 mm	95mm x 455mm x 95mm	Chrome	RM 234.00
BB720A	BB720A Side Mounted Kit c/w Ball Bearing Soft Close - Anthracite	200 mm	110mm x 455mm x 95mm	Chrome	RM 252.00
BB730A	BB730A Side Mounted Kit c/w Ball Bearing Soft Close - Anthracite	300 mm	210mm x 455mm x 95mm	Chrome	RM 273.00



## SOFT CLOSE CLEANING MATERIAL BASKET







Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
HBC52535H	HBC52535H Claening Material Pull Out Basket	350 mm	318mm x 440mm x 405mm	Chrome	RM 510.00





## SOFT CLOSE SWING TRAY



Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
2021 044 090	F101009 Swing Trays Left	900 mm	815mm x 400mm x 600 - 700mm	Chrome	RM 900.00
2021 045 090	F101010 Swing Trays Right	900 mm	815mm x 400mm x 600 - 700mm	Chrome	RM 900.00





## SOFT CLOSE TALL LARDER

### Wire Tall Larder 4 Basket

Model	HBC43440
Width	350 mm
Depth	460 mm
Height	1150 - 1450 mm
Carcase	400 mm
List Price	RM 940.00

### Wire Tall Larder 6 Basket

Model	HBC43640H
Width	350 mm
Depth	460 mm
Height	1850 - 2150 mm
Carcase	400 mm
List Price	RM 1170.00







# WIRE DELUXE LARDER 12 BASKET

## Deluxe Larder 12 Basket 450mm

Model	HBC42645H
Width	414 mm
Depth	500 mm
Height	1850 - 2150 mm
Carcase	450 mm
List Price	RM 1300.00


## Deluxe Larder 12 Basket 600mm

Model	HBC42660H
Width	564 mm
Depth	500 mm
Height	1850 - 2150 mm
Carcase	600 mm
List Price	RM 1500.00





## PULL OUT BASKET





Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
HBJ04040	HBJ04040 Chrome Pull Out Basket & Runner	400 mm	345mm x 428mm x 140 mm	Chrome	RM 114.00
HBJ04045	HBJ04045 Chrome Pull Out Basket & Runner	450 mm	404mm x 428mm x 140 mm	Chrome	RM 118.00
HBJ04050	HBJ04050 Chrome Pull Out Basket & Runner	500 mm	454mm x 428mm x 140 mm	Chrome	RM 122.00
HBJ04060	HBJ04060 Chrome Pull Out Basket & Runner	600 mm	564mm x 428mm x 140 mm	Chrome	RM 129.00
HBJ04080	HBJ04080 Chrome Pull Out Basket & Runner	800 mm	764mm x 428mm x 140 mm	Chrome	RM 146.00
HBJ04090	HBJ04090 Chrome Pull Out Basket & Runner	900 mm	864mm x 428mm x 140 mm	Chrome	RM 156.00
HBJ24040	HBJ24040 S/Steel Pull Out Basket & Runner	400 mm	345mm x 428mm x 140 mm	S/Steel	RM 160.00
HBJ24045	HBJ24045 S/Steel Pull Out Basket & Runner	450 mm	404mm x 428mm x 140 mm	S/Steel	RM 168.00
HBJ24050	HBJ24050 S/Steel Pull Out Basket & Runner	500 mm	454mm x 428mm x 140 mm	S/Steel	RM 174.00
HBJ24060	HBJ24060 S/Steel Pull Out Basket & Runner	600 mm	564mm x 428mm x 140 mm	S/Steel	RM 190.00
HBJ24080	HBJ24080 S/Steel Pull Out Basket & Runner	800 mm	764mm x 428mm x 140 mm	S/Steel	RM 219.00
HBJ24090	HBJ24090 S/Steel Pull Out Basket & Runner	900 mm	864mm x 428mm x 140 mm	S/Steel	RM 239.00






## BOWL AND PLATE PULL OUT BASKET





Basket



Runner



the four screws on the slide can revise according to the cabinet width




Fix the tray here

Model	Description	Carcass	Dimension ( W x D x H )	Finishing	List Price
HBJ09090	HBJ09090 Bowl And Plate Basket c/w Runner	900 mm	845mm x 428mm x 140mm	Chrome	RM 214.00
HBJ29090	HBJ29090 Bowl And Plate Basket c/w Runner	900 mm	845mm x 428mm x 140mm	S/Steel	RM 316.00



## UTILITY BASKET 2 LAYER






Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
2021 008 040	A09921 Utility Basket 2 Layer 400mm	400 mm	330mm x 465mm x 443mm	Chrome	RM 291.00








## UTILITY BASKET 3 LAYER



Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
2021 008 045	A09931 Utility Basket 3 Layer 450mm	450 mm	370mm x 465mm x 494mm	Chrome	RM 373.00



## CLEANING MATERIAL PULL OUT BASKET




Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
2021 006 030	A09061 Cleaning Material Basket Pull Out	350 mm	215mm x 450mm x 402mm	Chrome	RM 190.00






## SPACE GENIE PULL OUT



Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
B07315A	B07315A Chrome Space Genie Pull Out - Anthracite	150 mm	96mm x 460mm x 478mm	Chrome	RM 225.00



## 180 ° SWIVEL BASKET KIT



Basket



Top Bracket



Pole



Bottom Bracket



Bracket



Pin




Door Bracket

Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
2021 018 080	B08100 'HAUSS' 180° Swivel Basket Kit	800 mm	740mm x 394mm x 115mm	Chrome	RM 295.00





## 270 ° PIE-CUT SWIVEL BASKET KIT



Basket



Bracket



Bracket





Pole



Pin




Bottom Bracket



Model	Description	Carcase	Dimension ( W x H )	Finishing	List Price
2021 020 080	B08200 270° 'HAUSS' Pie-Cut Swivel Basket Kit	800 mm	710mm x 90mm 740mm x 90mm	Chrome	RM 360.00



## WALL UNIT INOMATIC DISH RACK



Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
SB3604-600	SB3604-600mm Inoxmatic Dish Rack	600 mm	560mm x 250mm x 80mm	S/Steel	RM 108.00
SB3604-800	SB3604-800mm Inoxmatic Dish Rack	800 mm	760mm x 250mm x 80mm	S/Steel	RM 138.00
SB3604-900	SB3604-900mm Inoxmatic Dish Rack	900 mm	860mm x 250mm x 80mm	S/Steel	RM 153.00





**STAINLESS STEEL  
FREE STANDING DISH RACK**

**HB9901A**

Model	HB9901A
Width	470 mm
Depth	370 mm
High	445 mm
List Price	RM 460.00



**D060 STAINLESS STEEL  
FREE STANDING DISH RACK  
600mm**

**D060+FA1004/5**

Model	D060+FA1004/5
Width	590 mm
Depth	252 mm
High	387 mm
List Price	RM 260.00

Remark :c/w FA1004 Chopsticks Holder - 1pc , FA1005 Knife Holder - 1pc

**ADDITIONAL ADD ON**



**FA1004 STAINLESS STEEL CHOPSTICKS HOLDER**

Model	FA1004
Width	155 mm
Depth	55 mm
High	160 mm
List Price	RM 26.00



**FA1005 STAINLESS STEEL KNIFE HOLDER**

Model	FA1005
Width	155 mm
Depth	55 mm
High	160 mm
List Price	RM 26.00

# Kitchen Basket

## RENO 05200 12 Basket Deluxe Larder

Carcase Width (mm)	Internal High (mm)
450mm	1850 - 2150
600mm	1850 - 2150
<b>Material &amp; Finish: Steel with Chrome Plated</b>	

## Magic Corner Basket With Soft Closing Slide



Accessories:



Description	Code	Size (WxD) (mm)	Cabinet Size (H)	Material	Finish	Packing
MGC10A	IF-MGC10A-CN	600*480*510	600mm	Steel	Polish Chrome	1 Set/Box





# Kitchen Basket



## DR666 SS 2 Layer Stand Dish Rack (RENO)

ST-606-SS


Size: 592mm W x 280mm D x 390mm H  
Material: Stainless Steel  
Finish: Nickel



### Accessories:



## Small Side Mounted Kit 2 Layer, CH soft closing




Model	Carcase Width (mm)	Dimension (mm) WxDxH
AK150	150mm	95mmx450mm x80m
AK200	200mm	110mmx450mm x80m
AK300	300mm	230mmx450mm x80m

**Material & Finish: Steel with Chrome Plated**

# Kitchen Basket

## SSB 30" SEMIROUND BASKET CHROME

"Df005-A" 002-SSB-30"




Model	Carcase Width (mm)	Dimension (mm) WxDxH
Df005-A	800mm	725mmx390mm x65m

Material & Finishing : Steel & Chrome

## DF005 >180 deg 2 TIER CHROME BASKET (W751) 002-008-180



Model	Carcase Width (mm)	Dimension (mm) WxDxH
DF005	800mm	740mmx390mm x70m








WARDROBE SYSTEM





## SOFT CLOSE DECORATION SHELF




Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
WAH2106G-600	WAH2106G-600mm Soft Close Decorations Shelf 600mm	600 mm	564mm x 478mm x 73mm	Dark Gray	RM 495.00
WAH2106G-900	WAH2106G-900mm Soft Close Decorations Shelf 900mm	900 mm	864mm x 478mm x 73mm	Dark Gray	RM 625.00






## SOFT CLOSE TROUSER RACK



Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
WAH2177G-600	WAH2177G-600mm Soft Close Trousers Rack 600mm	600 mm	564mm x 478mm x 73mm	Dark Gray	RM 310.00
WAH2177G-900	WAH2177G-900mm Soft Close Trousers Rack 900mm	900 mm	864mm x 478mm x 73mm	Dark Gray	RM 355.00



**SOFT CLOSE  
GLASS STORAGE RACK**





Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
WAH2108G-600	WAH2108G-600mm Soft Close Storage Rack 600mm	600 mm	564mm x 478mm x 73mm	Dark Gray	RM 390.00
WAH2108G-900	WAH2108G-900mm Soft Close Storage Rack 900mm	900 mm	864mm x 478mm x 73mm	Dark Gray	RM 465.00






## SOFT CLOSE STORAGE RACK



Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
WAH2101G-600	WAH2101G-600mm Soft Close Storage Rack 600mm	600 mm	564mm x 478mm x 73mm	Dark Gray	RM 415.00
WAH2101G-900	WAH2101G-900mm Soft Close Storage Rack 900mm	900 mm	864mm x 478mm x 73mm	Dark Gray	RM 490.00



**SOFT CLOSE  
STORAGE RACK**




Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
WAH2104G-600	WAH2104G-600mm Soft Close Shoe Rack 600mm	600 mm	564mm x 478mm x 73mm	Dark Gray	RM 410.00
WAH2104G-900	WAH2104G-900mm Soft Close Shoe Rack 900mm	900 mm	864mm x 478mm x 73mm	Dark Gray	RM 490.00






## SOFT CLOSE TOP PANTS RACK



Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
WAH2103	WAH2103 Top Pants Rack	800 mm	620mm x 472mm x 135mm	Chaco	RM 300.00



## SOFT CLOSE COAT HANGER



Model	Description	Carcase	Dimension ( W x D x H )	Finishing	List Price
WAH2109	WAH2109 Single Extension Slide Coat Hanger	600 mm	113mm x 472mm x 135mm	Chaco	RM 175.00



# Wardrobe

## RENO 31135 Iron Board

003-IRN-MAP



Carcase Width (mm)	Basket Size (mm)
350mm	300 W x 455 D x 120 H


## Mobile MI-370/24" Dehumidifier Lamp

LM-370-24




**LAMP**  
by SUGATSUNE

**NEW  
AVAILABLE**



# AILERON STAY FOR Olympia Hinge



[Selection Graph] (upward and top-opening models)



Maximum Door Moment	Type	Number of AILERON
4.0-6.0	M	1 pc
6.0-8.0	H	
8.0-12.0	M	2 pcs
12.0-16.0	H	

As a guide for model selection, please refer to the graph on the left.  
For use with doors outside of the scope of this graph, use the calculation below.  
(The door weight includes attached decorations such as handles.)

- The selection should be based on Max. door moment. (Two types are available.)
- Maximum Door Moment (N · m) = Door weight (kg) × 9.80665 × Distance from rotation centre to door centre of gravity (m)





# Stays System

**LAMP**  
by SUGATSUNE


**AILERON STAY FOR Olympia Hinge**



**LAMP**  
by SUGATSUNE

**SLS-ELAN L/R Lift Assist Stay**

For upward-opening flap doors  
Lift-assist function for easy and smooth opening  
Soft closing function for silent and safe closing  
Simple installation by aligning body to edge of cabinet  
Single or pair use allows wide range of door size/ weight  
Quality certified by LGA  
Optional bracket for thin aluminium frame door available



**LAMP**  
by SUGATSUNE

**NSDX-10 L/R Downward Opening Stay**



NSDX-10 is designed to securely latch a flap closed

Per piece: 1.96- 6.686N.m  
Per pair: 3.92- 13.72N.m



**LAMP**  
by SUGATSUNE

**NSDX-35 L/R Upward Opening Stay**

Two stop version (hold door at 65° and 90°) is also available



Per piece: 1.96- 4.9N.m  
Per pair: 3.92- 9.8N.m



**LAMP**  
by SUGATSUNE

**HDS-20 Heavy Duty Soft Down Stay**

For top-opening doors



Can be used with concealed, piano, or butt hinges.

Designed to hold the door in fully opened position.

Used in pairs.

Torque	Model	Qty
13.7-19.5 N.m	K	1pair
19.6-24.4 N.m	M	1pair
24.5-29.4 N.m	H	1pair



**LAMP**  
by SUGATSUNE

**HDS-10S Heavy Duty Self-Close Stay**


For downward opening flaps  
Used in pairs  
Torque calculation:

M type - 95-130f.cm/pair  
H type - 110-160f.cm/pair




**LAMP**  
by SUGATSUNE

**Lift-Assist Damper LAMP LAD**



■ Door Size Ranges: 1 pc Use (※2 pcs use possible. Torque moment becomes double.)



Maximum Door Moment  
13.5-16.0 N .m/pc  
(137.7-163.2 kgf .cm/pc)

Specifications:

● Operating temperature: 0c ~40c

# STAYS SYSTEM

**bramah**

105° **88-10 Lift Mechanism Stay**



**Door Height (KH) : 240 - 600mm**

力矩LF 500-1500 /pc

\*柜体高度 KH (mm) x 含双倍拉手重量的面板重量(kg)



**bramah**

107° **Bramah A2 Lift Assist Mechanism With Soft Closing (pair)**



**Door Height (KH) : 240 - 500mm**

力矩LF 750-2500

\*柜体高度 KH (mm) x 含双倍拉手重量的面板重量(kg)






# STAYS SYSTEM




## RENO pneumatic support

Specifications:



Installation:



Model	Door Weight/Kg
60N	2.0kg~4.0kg
80N	2.5kg~5.0kg




\*Door Height Mix. 450mm

Model	Door Weight/Kg
100N	2.8kg~5.6kg
150N	3.2kg~6.4kg



\*Door Height Mix. 500mm

## RENO pneumatic support

Specifications:



Installation:



# Stays System

## FS100 Soft Down Stay

Right 124-002-001  
Left 124-002-002





Torque=Door Calculation  
Loading: per piece: 0.2kg - 0.5kg (20-50kgf.cm)  
per pair: 0.3kg - 1.3kg (40-100kgf.cm)

## H106 Swing Down Stay

124-H106-000




Torque=Door Calculation  
Loading: per piece: 0.2kg - 0.5kg (20-70kgf.cm)  
per pair: 0.5kg - 1.5kg (40-100kgf.cm)

## bramah 250mm Gas Spring with Damper (White)

80N GAS-SPR-BRA  
100N 124-BRM-100  
150N 124-BRM-150

Instructions:




Torque=Door Calculation  
Loading: per piece: 0.2kg - 0.5kg (20-50kgf.cm)  
per pair: 0.3kg - 1.3kg (40-100kgf.cm)

## RENO GERMANY Plastic Head Pneumatic Support

Model 100N.m 124-003-120  
150N.m 124-003-130



Model	Door Weight/Kg
100N	2.8kg~5.6kg
150N	3.2kg~6.4kg




## RENO GERMANY Pneumatic Support

Model 100N.m 124-003-150  
150N.m 124-003-610

Model	Door Weight/Kg
60N	2.0kg~4.0kg
80N	2.5kg~5.0kg

## RENO GERMANY Lift Up Saty (748280)



RIGHT 124-581R-STAY  
LEFT 124-581L-STAY

Torque=Door Calculation  
Loading: per piece: 1.5kg - 4.0kg (40-80kgf.cm)  
per pair: 4.0kg - 8kg (55-100kgf.cm)




## 88-15 Heavy Duty Soft Down Stay

124-288-15

Torque=Door Calculation  
Loading: per piece: 3.0kg - 6kg (50-100kgf.cm)  
per pair: 5kg - 8kg (60-110kgf.cm)

## 88-12 Heavy Duty Soft Down Stay

124-288-12




Torque=Door Calculation  
Loading: per piece: 2kg~5kg (45-80kgf.cm)  
per pair: 3kg~7.0kg (50-100kgf.cm)

## H007-250N Heavy Duty Stay

124-H007-250N



Hydraulic Stay




Torque=Door Calculation  
Loading: per piece: 10kg - 12kg (80-1500kgf.cm)  
per pair: 13kg - 18kg (100-1500kgf.cm)

## 6" Stay S/S AD150 SUS304

124-S/S-006

Torque=Door Calculation  
Loading: per piece: 0.5kg - 3kg (40-100kgf.cm)  
per pair: 3kg - 5kg (55-120kgf.cm)



# Stays System

## WS Window Arm Stainless Steel

128-WS-102



190mm/300mm



## XP31 Lid Stay

124-XP31-STAY



Torque=Door Calculation  
Loading: per piece: 0.5kg - 1.5kg (40-80kgf.cm)  
per pair: 1.5kg - 3.5kg (50-100kgf.cm)

## 5" & 9" Ball Stay

5"

124-005-005



Upward

9"

124-005-009



Downward




## T317 Flap Stay Left / Right

124-T317-L LEFT

124-T317-R RIGHT

Torque=Door Calculation  
Loading: per piece: 2.0kg - 3.5kg (40-80kgf.cm)  
per pair: 4kg - 6kg (50-100kgf.cm)



## X3409 Lift Up Stay Steel Nickel Plated

124-012-3409



Max flap weight: 2 kg

Top box flap support suitable only as a set consisting of a left-hand and right-hand stay.



Closing angle

Torque=Door Calculation  
Loading: per pair: 0.5kg - 2kg (35-70kgf.cm)

## Tatami Stay (S) 100N


124-006-000



Torque=Door Calculation  
Loading: per piece: 2.0kg - 3.5kg (50-90kgf.cm)  
per pair: 4kg - 8kg (60-120kgf.cm)

## Horizontal Bi-Folding Door Mechanism

TS12 124-594-TS12



## Soft Closing Mechanism Hinge TS13


124-TS-13



Door Width	Applicable Door Width	Arm Adjustment point
380	375-385	1
390	385-395	2
400	395-405	3
410	405-415	4
420	415-425	5
430	425-435	6
440	435-445	7
450	445-455	8
460	455-465	9

## CY-35 Extendable Rod Stay (L/R)

STG-300-19



30mm

240mm

## 8" Movable Stay

124-007-008



8"




Downward


# Aluminium Handle

## 1623 Aluminium Handle 12ft

200-H836-3.66




Material : Aluminium  
Finish : AL



## 1630 Aluminium Handle 12ft


200-081-1630




Material : Aluminium  
Finish : AL

## 1923 Aluminium Handle 12ft

200-H837-3.66




Material : Aluminium  
Finish : AL



## 1930 Aluminium Handle 12ft

515-1930-18.8




Material : Aluminium  
Finish : AL

## 3018 Aluminium Handle 12ft

200-082-688




Material : Aluminium  
Finish : AL




## 5018 Aluminium Handle 12ft

200-081-688



Material : Aluminium  
Finish : AL



## 35000 Aluminium Handle 3.0meter

200-35-000



Material : Aluminium  
Finish : AL




## 3551 Aluminium Handle 3.0meter


012-562-606



Material : Aluminium  
Finish : AL



## Aluminium Profile (Flat NA & Wavy Surface) 12ft




16mm Wavy Surface	510-165-012
16mm Flat NA	510-16M-F12
19mm Flat NA	510-190-F12

## Aluminium Profile End Bracket



Size: 16mm, 19mm

Material : PVC



16mm	510-16-CSV
19mm	510-19-CSV



# Aluminium Handle

## 777 Aluminium Handle

Aluminium (AL)

Matt Black (MB)



Model	Material	Finish
777-80x64	Aluminium	AL / MB
777-150x128	Aluminium	AL / MB
777-300x256	Aluminium	AL / MB

## 8005 Aluminium Handle



Screw Hole Size	Finish
96mm	AL/ MB
128mm	AL/ MB
160mm	AL/ MB
192mm	AL/ MB

Matt Black (MB)

## 3551 Aluminium Handle

Aluminium (AL)

Matt Black (MB)



Model	Material	Finish
3551-50x32	Aluminium	AL / MB
3551-150x128	Aluminium	AL / MB
3551-300x256	Aluminium	AL / MB

## Aluminium Handle C118 3.6meter



Material: Aluminium  
Finish : AL

## Aluminium Handle C119 3.6meter



Material: Aluminium  
Finish : AL

## 3550 / 35150 / 35300 Aluminium Handle

Aluminium (AL)

Matt Black (MB)



Model	Material	Finish
3550-32	Aluminium	AL / MB
35150-128	Aluminium	AL / MB
35300-256	Aluminium	AL / MB



Model	Finish
0503-32	AL
0503-64	
0503-96	

EV118C, EV119L, EV128C & EV129L  
Aluminium Handle Bracket



## 4002E-Aluminium Handle



Screw Hole Size	Finish
160mm	AL
192mm	AL
256mm	AL
320mm	AL

## EV138- C HANDLE -4M



Rubber

Material & Finish :Aluminium  
Finish : AL

## EV139- L HANDLE - 4M



Material & Finish :Aluminium  
Finish : AL

Rubber

## 2271 Aluminium Handle



Screw Hole Size	Finish
160mm	AL
192mm	AL
256mm	AL

# Door Handle



Model	A
0803	128mm
0803	160mm
0803	192mm

Material : Zinc Diecast  
Finish : SN



Model	A
0902	128mm
0902	160mm

Material : Zinc Diecast  
Finish : SN



Model	A
0902	128mm
0902	160mm

Material : Zinc Diecast  
Finish : Matt Black



Model	A
2704	96mm

Material : Zinc Diecast  
Finish : SN



Model	A
2163	96mm

Material : Zinc Diecast  
Finish : SN



Model	A
823	96mm
823	128mm

Material : Zinc Diecast  
Finish : SN



Model	A
7709	96mm

Material : Zinc Diecast  
Finish : SN



Model	A
2278	96mm

Material : Zinc Diecast  
Finish : SN



Model	A
504	128mm

Material : Zinc Diecast  
Finish : SN



# Door Handle



Model	A
8128	128mm

Material : Zinc Diecast  
Finish : SN



Model	A
150	128mm

Material : Stainless Steel  
Finish : SS



Model	A
1970	128mm

Material : Zinc Diecast  
Finish : SN



Model	A
182	160mm

Material : Stainless Steel  
Finish : SS



Model	A
6107	128mm

Material : Zinc Diecast  
Finish : SN




Model	A
2391	128mm

Material : Zinc Diecast  
Finish : SN



Model	A
2092	96mm

Material : Zinc Diecast  
Finish : SN



Model	A
2304	96mm

Material : Zinc Diecast  
Finish : SN



Model	A
8122	128mm
8122	160mm

Material : Zinc Diecast  
Finish : SN



Model	A
1602	96mm
1602	128mm

Material : Zinc Diecast  
Finish : SN

# Door Handle

## HF Bar Handle Stainless Steel 10mm



Screw Hole Size	Size
96mm	6"
128mm	8"
160mm	10"
192mm	12"

## HF Bar Handle Stainless Steel Ø12mm



Screw Hole Size	Size
96mm	6"
128mm	8"
192mm	12"



Model	A
6132	96mm

Material : Zinc Diecast  
Finish : Chrome / SN



Model	A
6132	96mm

Material : Zinc Diecast  
Finish : Chrome / SN



Model	A
2016	96mm

Material : Zinc Diecast  
Finish : Chrome / SN



Model	A
2201	96mm

Material : Zinc Diecast  
Finish : SN




Model	A
701	96mm

Material : Steel  
Finish : Chrome



Model	A
701	96mm
701	128mm
701	160mm

Material : Steel  
Finish : Black



Model	A
2532	96mm
2532	128mm
2532	160mm
2532	192mm

Material : Zinc Diecast  
Finish : SN




Material : Zinc Diecast  
Finish : Matt Black

Model	A
2532	96mm
2532	128mm
2532	160mm
2532	192mm



# Door Handle




Model	A
2256	128mm
2256	160mm
2256	192mm

Material : Zinc Diecast  
Finish : SN

## 001 Pull Handel With Plate SS 300x100

019-DL-U001



Material : Stainless Steel  
Finish : SS

## Glass Sliding Handle SS Round

200-11002-50

Glass Open Hole: 50mm

Material : Stainless Steel  
Finish : SS



## 002 Push Plate SS 300x100

019-DL-U002



Material : Stainless Steel  
Finish : SS

## TTR-110 Handle SN

202-026-568

Material : Zinc Diecast  
Finish : SN



## 10mm S/S Bar Handle

\*Solid

Screw Hole Size	Size
96mm	6"
128mm	8"
192mm	12"


Material : Stainless Steel  
Finish : SS



## TTR-110 Handle Matt Black

SIG-HAN-303

Material : Zinc Diecast  
Finish : Matt Black



# Door Handle

## 2136 Handle Matt (5385)

202-2136-MATT



Material : Zinc Diecast  
Finish : SN

## PK-04 Push Knobs with or without Latch SN

202-PK-04SN

Door thickness Min. 18mm



Material : Zinc Diecast  
Finish : SN

## 1507 Knob Handle

22mm

15mm



Model	A
1507	SN
1507	Chrome
1507	Black

Material : Zinc Diecast  
Finish : SN / Chrome / Matt Black

## 3502 Knob Handle Matt

200-3502-28


28mm



Material : Zinc Diecast  
Finish : SN

## (632) 5087 (S) Handle


202-024-087



Material : Zinc Diecast  
Finish : SN

## (632) 5087 (L) Handle

202-025-087



## 2292 (S) Knob (PG) (5182)

25mm



Finish PG

Material : Zinc Diecast  
Finish : SN / Matt Black / PG

## 2290 S (B) Knob Handle Matt Black



## 2283 Door Pull Handle



Material : Zinc Diecast  
Finish : SN

## 2290(L) Knob Handle Matt

30mm



Material : Zinc Diecast  
Finish : SN / Matt Black

## 2290 L (B) Knob Handle Matt Black



## 728-60 Handle

200-728-060

25mm



## 719-50 Handle

200-719-50



Material : Zinc Diecast  
Finish : SN

## 2290(XL) Knob Handle Matt

203-020-419

36.5mm




Material : Zinc Diecast  
Finish : SN



# Glass & Wood Handle

## 25x38 Door Handle Square Stainless Steel


Material :Stainless Steel  
Finish : SS



Code	A	B	C
200-206-900	900mm	860mm	25mm
200-206-1200	1200mm	1160mm	25mm

## 2538x1200mm Matt Black Door Pull Handle

Material :Stainless Steel  
Finish : Matt Black



Code	A	B	C
200-047-380	1200mm	1160mm	25mm



## 3825 Square Handle


Material :Stainless Steel  
Finish : SS



Code	A	B	C
200-3825-900	900mm	860mm	38mm
200-3825-1200	1200mm	1160mm	38mm

## 3825x1200mm Matt Black Door Pull Handle

Material :Stainless Steel  
Finish : Matt Black



Code	A	B	C
200-044-900	1200mm	1160mm	38mm



## 1030-300mm Door Pull Handle

200-043-600

Material :Stainless Steel  
Finish : Chrome



## 2513 Door Pull Handle

200-042-450


Material :Stainless Steel  
Finish : Chrome



# Glass & Wood Handle

## 3500-35x2000mm SS 304 Thumbturn One Way Lock

200-3500-2000



Material :Stainless Steel 304  
Finish : SS  
Function : One Way Lock  
\*5 Key & 1 Dust Socket



No need to squat down to open the glass door.

## 38x1200mm Matt Black Door Pull Handle

200-045-380

Material :Stainless Steel  
Finish : Matt Black



Code	A	B	C
200-045-380	38mm	800mm	1200mm

## 3800 SS Door Pull Handle




Material :Stainless Steel  
Finish : SS

Code	A	B	C
202-3800- 450	38mm	250mm	450mm
200-3800- 600	38mm	300mm	600mm
200-3800- 900	38mm	600mm	900mm
200-3800-1200	38mm	900mm	1200mm
200-3800-1500	38mm	1200mm	1500mm
200-3800-1800	38mm	1500mm	1800mm

## Flexi Handle 304SS Square H Shape

Material :Stainless Steel  
Finish : SS



\*Can adjusterber

Code	A	B	C
200-304- H900	900mm	Flexi	38mm
200-304-H1200	1200mm	Flexi	38mm





# Door Pull Handle


## 2299 Door Pull Handle



Model	A
2299	96mm
2299	128mm
2299	160mm
2299	192mm


Material : Aluminium  
Finish : AL

## 094 Door Pull Handle




Material : Stainless Steel  
Finish : SS / Matt Black

## 5050 Door Pull SS



## 4040 Door Pull SS



Material : Stainless Steel  
Finish : SS

Model	A
281	35mm
5301	53mm
4035	35mm

## Model: 281



Material : Stainless Steel  
Finish : SS

## Model: 5301



## Model: 4035

## 128 Door Pull SS




## 1844 Door Pull Square SN



Material : Stainless Steel

## 224 Door Pull Handle S/ST



## 35135 Handle S/ST



## 2288-90 Door Pull Handle S/St



## 2492 Door Pull Handle S/St

## 60x180mm Door Pull Handle ss(Square)



## 60x180mm Door Pull Handle ss(Round)



# Door Pull Handle

**1641 Door Pull Square**  
Finish: Black

200-056-530



**1641 Door Pull Round**  
Finish: Black

200-055-460



Material : Zinc Diecast

**1641 Door Pull Square**  
Finish: SN

202-107-96



**1640 Door Pull Round**  
Finish: SN

202-029-597



Material : Zinc Diecast

**1641 Door Pull Square**  
Finish: Matt Black

200-057-680



**1641 Door Pull Round**  
Finish: Matt Black

200-058-800



Material : Zinc Diecast

**1640 Door Pull Square**  
Finish: SN

202-016-295



**1640 Door Pull Round**  
Finish: SN

202-028-597



Material : Zinc Diecast



# Door Pull Handle

## 1604 Door Pull Round SN

202-1604-128



Material : Zinc Diecast  
Finish: SN

## Mobile Z-710 Handle with Euro Profile Key

LM-Z-710



Material : Zinc Diecast  
Finish: SN

## 1605 Round Door Pull Handle Matt Black

005-AZM-0618



Material : Zinc Diecast  
Finish: Black Matt

## 1605 Square Door Pull Handle Matt Black

200-014-304



Material : Zinc Diecast  
Finish: Black Matt

## 2292E-96 Door Pull Black Matt


202-599-96



Material : Zinc Diecast  
Finish: Black Matt

## 2292E-128 Door Pull Black Matt

202-599-128



Material : Zinc Diecast  
Finish: Black Matt

## 65x298 SS Pull Handle With Plate

202-019-268



65mm

Material : Stainless Steel  
Finish: SS

## 19x200mm Pull Handle

220-19-200



Material : Stainless Steel  
Finish: SS

## 22x300mm Pull Handle

220-22M-300



Material : Stainless Steel  
Finish: SS

# Casement Handle

**CH440KEY Window Casement Handle With Key - L**


**VSP®**



Material :Aluminium  
Finish : White / Black

**CH440KEY Window Casement Handle With Key - R**

**VSP®**



Material :Aluminium  
Finish : White / Black

**CH440 Window Casement Handle - L**




Material :Aluminium  
Finish : White / Black

**CH440 Window Casement Handle - R**



Material :Aluminium  
Finish : White / Black

**CH 430 Window Casement Handle With Blade - L**



Material :Aluminium  
Finish : Silver / White / Black

**CH 430 Window Casement Handle With Blade - R**



Material :Aluminium  
Finish : Silver / White / Black

**SR440 ST-Guchi Window Handle (Silver) L**

STG-440-WH(L)


Material :Aluminium  
Finish : Silver



**SR440 ST-Guchi Window Handle (Silver) R**

STG-440-WH(R)


Material :Aluminium  
Finish : Silver



# Casement Handle

## CF320 Crescent Fastener With Key (NA)-L

KEN-CF-320L



Material :Zinc Alloy  
Finish : NA

## CF320 Crescent Fastener With Key (NA)-R


KEN-CF-320



Material :Zinc Alloy  
Finish : NA

## CF350 Crescent Fastener (NA)-L

KEN-CF-350L



Material :Aluminium  
Finish : NA

## CF350 Crescent Fastener (NA)-R

KEN-CF-350



Material :Aluminium  
Finish : NA

# Box Handle Fittings

## 2" Box Fittings (SS)

017-BXL-004



Material : Stainless Steel  
Finish : SS

## 3" Box Fittings (SS)

001-AC-5072



Material : Stainless Steel  
Finish : SS

## 4" Box Fittings (SS)

001-AC-5071



Material : Stainless Steel  
Finish : SS



# CLIP top BLUMOTION

Integrated soft-closing



BCOR



Onyx black (ONS)

107°



75B1550 BCOR

BCOR

75B1550 ONS

Onyx black



173L6100 BCOR



173H7100 BCOR

BCOR

173H7100 ONS

Onyx black



175H3100 BCOR

BCOR

175H3100 ONS

Onyx black

95° / 107° / 110°



70T3504 BCOR

BCOR

70T3504 ONS

Onyx black

**LAMP**  
by SUGATSUNE

# OLYMPIA

**40mm Soft closer Hinges**

5-speed adjustable Soft Close  
Heavy Duty  
3way Adjustment



**New Damper  
Technology**

Door thickness: wood: 18-30 mm / Installation: cup size: Ø40, cup depth: 15 mm

**NEW  
AVAILABLE**

**5 Levels of Soft Closing**



For a piece of furniture to last a lifetime, the hinge must perform flawlessly the whole time. Despite official requirements by JIS (Japanese Standards) asking for only 40,000 cycles, OLYMPIA has cleared 5 times as many (200,000 cycles) to ensure that you will always be able to open and close your doors without worry. (The H360 has passed 100,000 open/close cycles)




**Damper Technology**

OLYMPIA is the first concealed hinge ever built with Lapcon technology.

The innovative rotary damper is not only extremely compact, for sleek overall design, its force can also be adjusted to 5 levels for a perfect match regardless of the door size or weight.




■ Standard wood doors 360




Door width	Door thickness	Material	Installation pitch
Max. 600	Max. 20	Max. 0.6	Min. 300

■ Thick wood doors H360



Door width	Door thickness	Material	Installation pitch
Max. 600	Max. 30	Max. 0.6	Min. 300

■ Glass doors 360 and GH-360FP



Glass thickness	Installation pitch
4 - 6	Min. 300

- Please set the door center of gravity as the door center.
- If you want to increase the door width, please increase the number of hinges accordingly.
- Attach the upper and lower hinges within 100 mm from the edge of the door.
- When using three or more, install at regular intervals.
- Figures shown in the tables above are only indicative.
- Please always test before finalizing your design.
- Please contact us for any other configuration.
- The dimensions of the door and the number of hinges mounted are the results of tests made according to the JIS standard.
- All screw holes should be used.







# 4011 Italiana Kimana Up & Down Flap Hinge




## DRILLING PLAN



## INSTALLATION ON THE CABINET (MINIMUM THICKNESS 18 MM)



## INSTALLATION ON DOOR (MINIMUM THICKNESS 18 MM)



\*to be selected according to alu profile section.


## DOOR INSTALLATION




## LATERAL ADJUSTMENT 0±1mm




## IN-DEPTH ADJUSTMENT 0+2mm




## VERTICAL ADJUSTMENT 0+2mm



## LOCKING



## COVER CAP INSERTING



# Cabinet Hinges

## RENO<sup>®</sup> GERMANY SC5

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## RENO<sup>®</sup> GERMANY ALF

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## RENO<sup>®</sup> GERMANY SC2

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## RENO<sup>®</sup> GERMANY SC6

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~21mm  
Hinge open hole:  $\phi$  35mm



## RENO<sup>®</sup> GERMANY SC7

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## RENO<sup>®</sup> GERMANY H09

Opening angle: 95°  
Material: Steel (1.2mm)  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm




## VATION<sup>®</sup> ITALY NVT5

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## bramah

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm




## RENO<sup>®</sup> GERMANY SC5 Onyx Black

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## bramah T155<sup>°</sup>

Opening angle: 155°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm





# Cabinet Hinges

## 5/8" SUS304 S/steel Soft Closing Hinges

500-304-4305

Opening angle: 95°  
Material: SUS304 Stainless Steel  
Finish: SS  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## H26 Glass Hinge 5/8 With Soft Closing 4-5mm

500-112-916

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Glass thickness: Min. 4~5mm  
Hinge open hole:  $\phi$  26mm



## 2/8" SUS304 S/steel Soft Closing Hinges

500-304-4302

Opening angle: 95°  
Material: SUS304 Stainless Steel  
Finish: SS  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## H26 Glass Hinge 2/8 With Soft Closing 4-5mm

002-HOD-19M

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Glass thickness: Min. 4~5mm  
Hinge open hole:  $\phi$  26mm



## 7/8" SUS304 S/steel Soft Closing Hinges

500-304-4307

Opening angle: 95°  
Material: SUS304 Stainless Steel  
Finish: SS  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## H26 Glass Hinge 7/8 With Soft Closing 4-5mm

500-112-001


Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Glass thickness: Min. 4~5mm  
Hinge open hole:  $\phi$  26mm



## SCH 5/8" Soft Close Hinge

500-100-005

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## KS108 Alum Hinges 5/8 With Soft Closing

500-261-405

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Aluminium Frame: Min. 20mm



## KS107 ALUM HINGES 5/8

500-KS-107

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Aluminium Frame: Min. 20mm



## TKF 5/8 Alu Frama Hinge With Soft Close

500-SIA-95A

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Aluminium Frame: Min. 20mm





# Cabinet Hinges

## C110 5/8 Glass Hinges Chrome

500-C110-5/8


Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Glass thickness: Min. 4~5mm  
Hinge open hole:  $\phi$  26mm



## 260 CSS Hinges (s)

500-110-260


Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 12mm~15mm  
Hinge open hole:  $\phi$  26mm



## C110 2/8 Glass Hinges 4 Hole Chrome

500-C110-2/8

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Glass thickness: Min. 4~5mm  
Hinge open hole:  $\phi$  26mm



## BT403A 5/8 Hinges (short) RENO

500-BT-403A

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm  
Hinge open hole:  $\phi$  35mm



## 170° EH-001 Easy-On Hinge

500-263-405


Opening angle: 135°~170°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Mix. 20mm



## TS70 Hinge With Soft Closing

500-TS-70

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm  
Hinge open hole:  $\phi$  35mm



## EH-204 Easy-on Hinge

500-200-025

Opening angle: 90°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Mix. 20mm



## Adjustable Flap Hinges

500-200-888

Opening angle: 95°  
Material: Zinc Diecast  
Finish: SN  
Door thickness: Min. 16mm  
Hinge open hole:  $\phi$  35mm



## 315 A Hinges E'LOIS (No Spring)

500-130-315

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm  
Hinge open hole:  $\phi$  35mm



## 4011 Italiana Kimana Up & Down Flap Hinge

Opening angle: 95°  
Material: Zinc Diecast  
Finish: SN  
Door thickness: Min. 18mm  
Hinge open hole:  $\phi$  26mm





# Cabinet Hinges

## RENO 315 A Hinges E'LOIS (No Spring)

500-130-315

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## 318 Negative Action Hinges (RENO) 5/8"

500-130-318

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## Corner Hinges

500-130-000

Opening angle: 65°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## 318 Negative Action Hinges (RENO) 2/8"

500-130-N28

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## TP-05 5/8 Soft Closing Hinges For Door Thickness

16-28mm  
500-220-000

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~28mm  
Hinge open hole:  $\phi$  35mm



## 5/8 CUP 40mm Hinges For door thickness 18-30mm

500-CUP-540

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 18mm~30mm  
Hinge open hole:  $\phi$  40mm



## TP-02 2/8 Soft Closing Hinges For Door Thickness

16-28mm  
HAU-HIB110

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~28mm  
Hinge open hole:  $\phi$  35mm



## 2/8 CUP 40mm Hinges For door thickness 18-30mm

500-CUP-240

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 18mm~30mm  
Hinge open hole:  $\phi$  40mm



## TP-07 7/8 Soft Closing Hinges For Door Thickness

16-28mm  
568-16-007

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~28mm  
Hinge open hole:  $\phi$  35mm



## 7/8 CUP 40mm Hinges For door thickness 18-30mm

500-CUP-740

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 18mm~30mm  
Hinge open hole:  $\phi$  40mm





# Cabinet Hinges

## 5/8" E'LOIS Hinges 4 Hole

500-TSR-5-4H

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## 90 deg Hinge

500-130-090

Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## 90 deg Hinge With Soft Closing

500-802-090



## 45 deg Hinge

500-130-045


Door angle: 45°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## 30 deg Hinge

500-130-030

Door angle: 30°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## Negative Hinge -45 deg

500-DEG-045


Door angle: -45°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## Negative Hinge -30 deg

500-DEG-030

Door angle: -30°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## 270 deg Hinge

500-130-270


Opening angle: 270°  
Material: Zinc Diecast  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## 119-135 deg Mitre Hinge

500-C119-135

Opening angle: 135°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## 808 Folding Door Hinges

500-003-308

Opening angle: 270°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



## SS01 System Song Strong Damper (Grey)

500-SS-01

519 Buffer (Grey)  
500-519-GREY







# Cabinet Hinges

## T90 deg 5/8 hinge with Soft Close (Below ninety degress)

311-90-502



## Hinges Opening Angle:






**Hinge Model: NVT5 / SC5 / ALF / SC5 Onyx Black**  
**SUS 304 S/steel Hinge**

NUMBER OF HINGES NEEDED FOR EACH DOOR

Door Width: 300mm~600mm  
 Door Height: 450mm~2400mm  
 Installation Pitch: Min. 300mm

Test a minimum of 100,000 door uses -  
 equivalent to 20years of useful life




**Hinge Model: SC6 / 5/8 Bramah Soft Closing Hinge**

NUMBER OF HINGES NEEDED FOR EACH DOOR

Door Width: 300mm~600mm  
 Door Height: 450mm~2400mm  
 Installation Pitch: Min. 300mm

Test a minimum of 100,000 door uses -  
 equivalent to 20years of useful life




**Hinge Model: H09 / TP-05 /**  
**40mm Cup Soft Closing Hinge**

NUMBER OF HINGES NEEDED FOR EACH DOOR

Door Width: 300mm~600mm  
 Door Height: 450mm~2400mm  
 Installation Pitch: Min. 300mm

Test a minimum of 100,000 door uses -  
 equivalent to 20years of useful life





- Please set the door center of gravity as the door center.
- If you want to increase the door width, please increase the number of hinges accordingly.
- Attach the upper and lower hinges within 90 mm from the edge of the door.
- When using three or more, install at regular intervals.
- Figures shown in the tables above are only indicative.
- Please always test before finalizing your design.

# 3 Way Adjustable Concealed Hinge

## 80kg/2pc




Colour : Silver  
Matt Black




No.	Part Name	Material
1	Body	Zinc Alloy
2	Base Frame	Zinc Alloy
3	Arm	Zinc Alloy
4	Shaft	304 Stainless Steel
5	Cover	ABS

Door weight : 60 ~ 80kg/2pcs , 80~100kg/ 3pcs  
 Door thickness : Min.36 ~ 45mm  
 Door width : 800mm~1000mm  
 Door Height : 2400mm

### Installation




### 3 WAY Adjustment








# 3 way Adjustable Concealed Hinge (L) , (R) 29x111x75mm



Door weight : 40 ~ 60kg/2pcs , 50~70kg/ 3pcs  
 Door thickness : 35 ~ 40mm  
 Door width : 750mm~900mm  
 Door Height : 2400mm



Hinge L side shown



# Automatically Shut Down Hinge TS11

Bottom Soft Close





Top Pivot



**注意事项:**  
**Attention**


- 在安装本产品时, 请留意地面对门重量的支撑力, 需确认下部托座至地面托座不会下沉再进行安装  
Please pay attention on the supporting force. Before install this hinge, please make sure that the down supporting plate will not sink.
- 门、门框和托座的位置正确合好后, 请用上部、下部安装尺寸, 打好孔, 再安装螺丝。  
Make sure the door, door frame and plates are in the right positions, then make holes in top doors and bottom doors, after that, fix the screws.
- 上部、下部定位板安装完成, 将下部弹簧座螺丝松开, 再把门放在门窗安装  
Install the positioning plates of the top door and the bottom door, then loosen the screws in the spring pad, after that, fix the doors.
- 开始时门的上端部 (心轴螺丝向下调节, 固定门)  
At first, start from the top doors
- 门自动关闭, 按门重量调整, 只能调整45度  
The door is closed automatically. Adjust the angel according to the door weight(45° ).

**installation:**




**instruction**

1. Door Thickness : Mi. 32mm~38mm
2. Door Height : 2200mm
3. Door Width : 850mm~950mm
4. Suitable For Door of 25Kg~50kg
5. Door With Hold-Open : 90°




① 弹簧垫圈 ② 偏心固定轴 ③ 调节门重量螺丝 ④ 弹簧 ⑤ 闭门器外壳  
注: 本产品适合于门重量25KG-50KG可使用自动关闭。





# Door Hinges

## ACTS-4119 BI-FOLD Hinge Spring 2 1/2"



500-000-704

Material : Zinc Alloy  
Finishing: Silver

## 2Bearing Flush Stainless Steel Hinge

3" 500-210-103

4" 500-210-004

Size	A	B
3"		
4"	100mm	75mm

Material : Stainless Steel  
Finishing: SS



## GA01-030SS 102X75.5X2.5MM 2BB BI-FOLD HINGE SUS304

500-GA-01




## GA01-030HSS 4X2.5MM BI-FOLD HINGE WITH HANDLE SS

490-BIF-UPS



## Stainless Steel Concealed Hinge



(A)	(B)	Colour
12	45	Gold
12	45	SN
16	70	SN
19	95	SN

All the measurement by millimeter (mm)

## 28x118 Conceal Hinges S/S

500-28-118

Door weight : 30~50kg/2pcs

Door thickness : 35 ~ 40mm

Door width : 750mm~900mm

Door Height : 2400mm

Material : Zinc Alloy Body  
Stainless Steel Arm  
Finishing: SN



## 1 3/4 SJx600 Conceal (Spring) hinges

500-402-110

Door weight : 30~45kg/2pcs

Door thickness : 30 ~ 35mm

Door width : 700mm~800mm

Door Height : 2400mm

Material : Zinc Alloy Body  
Stainless Steel Arm  
Finishing: SN



## 35125 Stainless Steel Concealed Hinge

Door weight : 50kg/2pcs

Door thickness : 40mm

Door width : 750mm~900mm

Door Height : 2400mm

Material : Stainless Steel  
Finishing: SN



## Stainless Steel Piano Hinge 7ft (2100mm)

Size: 25mm, 32mm  
38mm, 50mm



Size



**LAMP**

## Soft-close dampening hinge

HG-JHM16-50



Door Height D	Door Weight M
250mm	3.73~5.48kg
300mm	2.94~4.32kg
350mm	2.42~3.57kg
400mm	2.06~3.03kg
450mm	1.80~2.64kg

# Door Hinges

## CL180 Pivot Upper & Down Guide

023-000-003



## CL117 Top Pivot Hinge

Stainless Steel 500-CL-117




## Mini Floor Hinge

500-320-000




## 25x105 Pivot Guide Hinge

Stainless Steel 023-25X-105



## 3" Flag Hinge

500-200-FL3



Material : Stainless Steel  
Finishing: SS

## 4" Stainless Steel Flag Hinge


500-200-FL4



Material : Stainless Steel  
Finishing: SS

## 5" Stainless Steel Flag Hinge

500-200-FL5



Material : Stainless Steel  
Finishing: SS

## 4" Stainless Steel Rising Hinge (LH)

500-300-401 (L)



## 4" Stainless Steel Rising Hinge (RH)


500-300-400 (R)



## 4x3x3 Door Hinge (matt black) SS (pair)

Size	A	B	Code
4"	100mm	76mm	VIV-4BB-SS

Size : 4"  
Material : Stainless Steel  
Thickness: 3.0mm  
Packing : Per Pair





# Door Hinges


## 4" Single Action Spring Hinge Stainless Steel

500-340-510

Size : 4"  
Material : Stainless Steel  
Thickness : 1.5mm  
Packing : Per Pair



## Double Action Spring Hinge Stainless Steel



Size	A	B
4"	102	40
6"	152	45



4" 500-102-004  
6" 500-150-006



## 4" Single Action Spring Hinge SS

500-340-510

Size : 4"  
Material : Stainless Steel  
Thickness : 2.5mm  
Packing : Per Pair




## St Guchi St. Steel Double Action Hinge



Size	A	B	Code
3"	77	40	StG-DAH-3SS
4"	102	40	StG-DAH-4SS
5"	127	40	StG-DAH-5SS

\*All the measurement by millimeter (mm)



## 6" Single Action Spring Hinge SS

500-340-SAS

Size : 6"  
Material : Stainless Steel  
Thickness : 3.0mm  
Packing : Per Pair



## 4" Double Action Spring Hinge SS

500-340-511


Size : 4"  
Material : Stainless Steel  
Thickness : 2.5mm  
Packing : Per Pair



## Butterfly Hinge With Spring

500-007-002

Material : Steel



## 6" Double Action Spring Hinges SS


500-340-DAS

Size : 6"  
Material : Stainless Steel  
Thickness : 3.0mm  
Packing : Per Pair



## X1222 Flap Hinge (Gold)

500-200-X1222




Material : Brass  
Finishing : Gold / Chrome

## Table Hinges (Gold)

500-007-000

Material : Steel  
Finishing : RB



# Door Hinges

## 1" S/S Hinge (AAA)

500-304-AAA




Size : 1" (25mm)  
Material : Stainless Steel  
Thickness: 0.8mm  
Packing : Per Pair

## S/S Hinge (777)


Size	A	B	Code
1 1/2"	38mm	30mm	500-201-777
2"	50mm	37mm	019-777-003

Size : 38mm, 50mm  
Material : Stainless Steel  
Thickness: 1.0mm, 1.2mm  
Packing : Per Pair



## Brass Hinge

- 1" 500-BH-025
- 1 1/2" 500-BRS-015
- 2" 500-220-012
- 2 1/2" 500-BRS-025



## (2bb) Brass Hinge

- 2" 500-220-022
- 2 1/2" 500-220-023

Size : 2", 2 1/2"  
Material : Stainless Steel  
Thickness: 1.0mm, 1.2mm  
Packing : Per Pair



## GKY 4" Stainless Steel Door Hinge

500-432-GKY




Size : 100mmx71mm  
Material : Stainless Steel  
Thickness: 2.0mm  
Packing : Per Pair



## 2BB Stainless Steel Hinge

Size	A	B	Code
2"	50mm	38mm	500-222-032
2 1/2"	60mm	38mm	500-222-253
3"	70mm	40mm	500-222-303

Size : 2", 2 1/2", 3"  
Material : Stainless Steel  
Thickness: 1.2mm, 1.3mm, 1.3m  
Packing : Per Pair



## 4" 4BB Stainless Steel Hinge

A'LOIS GERMANY

Size	A	B	Code
4"	100mm	74mm	500-310-432
4"	100mm	74mm	500-4x3-2.5

Size : 4"  
Material : Stainless Steel  
Thickness: 1.6mm, 2.5mm  
Packing : Per Pair



## 4"x4"x3mm SS Hinge (Gao Dun)

Size	A	B	Code
4"	100mm	102mm	500-300-414

Size : 4"  
Material : Stainless Steel  
Thickness: 3.0mm  
Packing : Per Pair



## 5" 4BB Stainless Steel Hinge

Size	A	B	Code
5"	125mm	90mm	500-535-4BB


Size : 5"  
Material : Stainless Steel  
Thickness: 3.0mm  
Packing : Per Pair



## Stainless Steel Hinge

Size	A	B	Code
6"	153mm	103mm	500-300-643
8"	204mm	103mm	500-300-843

Size : 6", 8"  
Material : Stainless Steel  
Thickness: 3.5mm, 3.5m  
Packing : Per Pair








# HG304 SS Hinge with Soft Closing



## Left / Right



### Installation Instructions

Door weight	30kg / 2pcs
Door width	900mm
Door thickness	Min. 35mm
Door height	2400mm

Please confirm the right or left door, select the appropriate hinge, as shown below:



Installed, Can ensure shut the door, after shut the door and adjust the spring to 2-3 (shown in pictures), and try to close the door leaf, as long as a clutch sound, can easily to open and close



# LEVER MORTISE LOCK



## LEVER HANDLE Stainless Steel SUS304

**BKEY 0101SS Lever Handle SUS304**  
SUS304 Stainless Steel  
Code: BEST-0101-SS



**BKEY 0271SS Lever Handle SUS304**  
SUS304 Stainless Steel  
Code: BEST-0271-SS



**BKEY 0201SS Lever Handle SUS304**  
SUS304 Stainless Steel  
Code: BEST-0201-SS



**BK45SNT ENT.Lock Cylinder (Half with Thumb turn)**  
Code: BEST-KEY-45T



**BK45SNT ENT.Lock Cylinder (Half with Key)**  
Code: BEST-KEY-45H



**ENT.Lock Cylinder (One Key)**



**ENT.Lock Cylinder (Double Key)**



\*more other models

**BKEY Privacy Lock Cylinder**



## MORTISE LOCK CYLINDER

Function	Material	Size	Colour
Single Key	Brass	60/70/90/100/125	SN
Double Key	Brass	60/70/90/100/125	SN
Privacy	Brass	60/70	SN

## SLIDING DOOR LOCK MORTISE

Code: BEST-181-SS



**F12B Round Escutcheon**

Code: STG-SGEC-F12B



**F31 Oval Escutcheon**

Code: STG-F31B-SS



**BK60SND ENT.Lock Cylinder (One Key)**



**BK60SMD ENT.Lock Cylinder (Double Key)**



**NJ 401 Rebated Part**

Code: 012-401-000



**Stainless Steel Mortise Lock Rebated Part**

164mm Code: BEST-SS-164

240mm Code: BEST-SS-240



## **BKEY 8800 Entrance Tubular Lever Lock (Grey Nickel)**

**Material : Stainless Steel**  
**Finishing : Grey Nickel**  
**Backset : 60-70mm**  
**Door Thickness : 32-47mm**  
**Function : Entrance**



## **BKEY 8401 Entrance Tubular Lever Lock (Grey Nickel)**

**Material : Stainless Steel**  
**Finishing : Grey Nickel**  
**Backset : 60-70mm**  
**Door Thickness : 32-47mm**  
**Function : Entrance**





## TUBULAR LEVER & TUBULAR KNOBSET

### BKEY 8600 Entrance Tubular Lever Lock SN

Code: BEST-8600-SN



#### Stainless Steel Door Lock

Backset: 60-70mm  
Door Thickness: 32-47mm  
Easy Installation

Code: 017-BXL-002

### BKEY 8401 Entrance Tubular Lever Lock SN (SOLID)

Code: BEST-8401-SN



#### Stainless Steel Door L

Backset: 60-70mm  
Door Thickness: 32-47mm  
Easy Installation

### BK 3616 Entrance Tubular Lever Lock SN

Code: BEST-3616-SN



#### Stainless Steel Door Lock

Backset: 60-70mm  
Door Thickness: 32-47mm  
Easy Installation

### BKEY 587 Entrance Tubular Lock PB

Code: BEST-587-PB



#### BKEY 587 Entrance Tubular Lock AB

Code: BEST-587-AB

#### BKEY 587 Entrance Tubular Lock AC

Code: BEST-587-AC



### BK 527SS TUBULAR KNOBSET

#### Stainless Steel Door Lock



Code: BEST-527-ENT

Backset: 60-70mm  
Door Thickness: 32-47mm  
Function: Entrance  
Finishing: SN (Satin Nickel)  
Easy Installation

### BKEY 587 Entrance Tubular Lock SS

Code: BEST-587-SS



### Privacy

Code: BEST-587-BK

5871-SS Entrance Cylindrical Knobset (Box Packing)  
Stainless Steel Door Lock



Code: 013-587-ENT



Code: BEST-527-PT

Backset: 60-70mm  
Door Thickness: 32-47mm  
Function: Privacy  
Finishing: SN (Satin Nickel)  
Easy Installation

### Cylindrical Lock Latch

60mm 70mm 90mm 100mm



60mm Code: 019-022-003

70mm Code: 019-007-004

90mm Code: 019-015-004

100mm Code: 019-006-005

## DEADBOLT LOCKSET

### BK 261SS DEADBOLT LOCKSET

Deadbolt Lockset  
Easy to Install Instructions Enclosed  
Code: BEST-261-SN

#### Single Deadbolt



### BK 262SS DEADBOLT LOCKSET

Deadbolt Lockset  
Easy to Install Instructions Enclosed  
Code: BEST-262-SN

#### Double Deadbolt



### BK 264SS DEADBOLT LOCKSET

Deadbolt Lockset  
Easy to Install Instructions Enclosed  
Code: BEST-264-SN

#### Half Deadbolt



### SGDB-D361 SN Deadbolt (Square)

Code: STG-D36-SQ

### Deadbolt Latch 60~70mm

### Rebated Strike Plate (NJ402F Round Lever)

Code: 012-RBT-000



### BKEY 150SN Sliding Lock (Round)

Code: BEST-150-SLR

### BKEY 151SN Sliding Lock (Square)

Code: BEST-151-SLS

Finish : SN  
Thickness : 35mm-50mm  
Can use : Wood

Finish : SN  
Door Thickness : 35mm-50mm  
Can use : Wood





# Drawer Lock

HAFELE

Cyber Lock<sup>®</sup>  
Nova


RENO<sup>®</sup>

Drawer Lock



Drawer Lock Key Alike  
The Group Lock System

No 616



Cyber Lock<sup>®</sup>  
The Group Lock System



Cam Lock



Size: 16mm  
20mm  
25mm  
30mm

9013-01 Sliding Glass Door Lock

Code: RN-9013-01



Front Lock



Side Lock Side Lock System



Lever Lock



Sliding Glass Lock



LG0771 SINGLE GLASS LOCK



LG0772 DOUBLE GLASS LOCK

Glass Lock



Espagnolette Lock c/w 2meter



AS-001 Upper & Lower Lock



The Magnetic Lock



# Drawer Lock

**RENO 9004-19-01 Push Lock**

Code: 9004-19-01



**RENO A605-22-01 Mortise Lock**

Code: A605-22-01



**Digit Combination Lock**

Code: CL-822-M5W



**A636V-22-01 Tambour Door Lock**

Code: A636V-22-01



**A637V-22-01 Tambour Door Lock**

Code: A637V-22-01



**A554R-04-G320 Lock**

Code: 001-554-04



**G038 ROLLER SHUTTER LOCK**

Code: 100-G0-38



**A-240-3-01 Push Latch Without Key**

Code: 500-A240-1PL



**BMT201Q-20-01 Quick Fix Cam Lock**

Code: 009-BMT-201



**CL1/3 AM8 262-20-91**

Code: 005-AM8-262L

(Left)



Code: 005-AM8-262R

(Right)

**A-240-3-1-01 WITH KEY**

Code: 500-540-405



**BMT201Q-20-01/DK377**

**Quick Fix Filing Cabinet Lock**

Code: 009-AL3-201-20



**M1-518-01/K-085-91-CG/CL Furniture Lock**

Code: 003-M1-518



**CL1/3P AMT 512-01/G224/ K-200-91-CC/CL Furniture lock (16.5mm)**

Code: 003-AMT-512






### 3101-22-01

#### Rim Lock

Item Code : NV-3101-22


- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast



### 3002-22-01

#### Side Central Lock

- ▶ Cabinet side installation
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ With aluminum bar
- ▶ Zinc alloy die cast




### 3603-22-01

#### Front Central Lock

Item Code : NV-3603-22


- ▶ Cabinet front installation
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ With aluminum bar
- ▶ Zinc alloy die cast



**3604-22-01** Push Lock



- ▶ Push-in locking, no key required when locking
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast




▶ Accessories options: Extension pin (DU036)

Item Code : NV-3604-22


**3607-20-01** Cam Lock

Item Code : NV-3607-22




**3607-36.5-01** Cam Lock

Item Code : NV-3607-36.5




**3607-25-01** Cam Lock

Item Code : NV-3607-25




**3607-44.5-01** Cam Lock

Item Code : NV-3607-44.5



**3607-30-01** Cam Lock

Item Code : NV-3607-30



- ▶ 90° and 180° rotary cam movement, convertible
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast





**3624-01-12**  
Single Glass Door Lock

- ▶ Single glass door lock
- ▶ Two lengths available
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system




Item Code: NV-3624-09



**3625-01-12**  
Double Glass Door Lock

- ▶ Double glass door lock
- ▶ Two lengths available
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system



Item Code: NV-3625-09



**3642-22-01**  
Sliding Glass Door Lock

- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system









illustration of left or right side installation for 3642 series

Item Code: NV-3642-22



**3642-DA194**  
Sliding Glass Door Lock

- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system






## 3655-25-01

Swinging Glass Door Lock

- ▶ For single door
- ▶ Suitable for 4-14mm glass thickness
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast




## 3656-01

Swinging Glass Door Plate



- ▶ To be used with 3655 to suit double glass door lock requirement
- ▶ Suitable for 4-11mm glass thickness
- ▶ Zinc alloy die cast




- To be used with 3655 to suit double glass door lock requirement
- Use I064 screw for 4-7mm glass thickness
  - Use I065 screw for 8-11mm glass thickness

## 3657-25-01

Swinging Glass Door Lock



- ▶ For double door
- ▶ Suitable for 4-14mm glass thickness
- ▶ Click action mechanism




- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast





- ▶ Quick-fix system
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast




**3201Q-20-01C01**

Locker Lock

Item Code:NV-3201-C01



- ▶ Quick-fix system
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast




**3201Q-20-01-DK033**

Filing Cabinet Lock

Item Code:NV-3201-DK033



- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast




**3502U-01-G490**

Desk Drawer Bolt Lock



- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast




**3502U-01-G491**

Desk Drawer Bolt Lock



- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast



**3512-15-G224**

Filing Cabinet Lock


Item Code:NV-3512-G244



**3261H-91 &  
3261-20-91-C01**

Handle Lock


- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system



**3262-20-98-C01 &  
3262H-98**

Handle Lock


- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system



**3161-C03**

Swinging Cabinet Door Lock


- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast



**3162-C03**

Swinging Cabinet Door Handle

- ▶ To be used with 3161
- ▶ Zinc alloy die cast









**3553-91-G132**  
Plastic Flush Handle  
Cam Lock


- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system

Item Code : NV-3553-G132




**3554L-04-G323** Flush Handle Cam Lock

- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system




**3554R-04-G320** Flush Handle Cam Lock  
Item Code : NV-3554-R



**3556L-91-G132** Flush Handle Cam Lock

- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system




**3556R-91-G132** Flush Handle Cam Lock

**3562-98-DOWN** Plastic Sliding Door Lock



- ▶ Quick-fix system
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system



AVAILABLE FINISH FOR 3562


▼ 91 BLACK



**3562-91-UP** Plastic Sliding Door Lock



- ▶ Quick-fix system
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system



AVAILABLE FINISH FOR 3562


▼ 98 CREAM



**3564-98-Down** Plastic Sliding Door Lock



- ▶ Quick-fix system
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system



AVAILABLE FINISH FOR 3564


▼ 91 BLACK



**3564-91-UP** Plastic Sliding Door Lock



- ▶ Quick-fix system
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system



AVAILABLE FINISH FOR 3564

▼ 98 CREAM






**3008-22-01** Cupboard Lock





- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast





**3612-22-01**  
Espagnolette  
Lock

- ▶ For 6mm diameter profile rod
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast



**3664-22-01**  
Push Bar Lock

- ▶ For 6mm diameter profile rod
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast



## 9001 Rim Lock



### SPECIFICATIONS


- DRAWER LOCK (STANDARD VERSION)
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- SPCC STEEL HOUSING BASE
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING
- WITH KEYLIKE

### FINISH

- 01 NICKEL
- 02 BRASS
- 04 BLACK E.D.P.


### A SET INCLUDES

- 1 LOCK
- 1 CYLINDER CORE (FIXED IN HOUSING)
- 2 KEYS
- 1 BEZEL



Item code : 9001-22-01

## 9002 Side Lock



### SPECIFICATIONS


- SIDE CENTRAL LOCK
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- FOR USE WITH ALUMINIUM BAR
- SPCC STEEL HOUSING BASE
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING

### FINISH

- 01 NICKEL
- 02 BRASS
- 04 BLACK E.D.P.

### A SET INCLUDES

- 1 LOCK
- 1 CYLINDER CORE (FIXED IN HOUSING)
- 2 KEYS
- 1 BEZEL
- 1 SET OF ACCESSORIES



### CUSTOMER SPECIFIED

CODE	mm	SCREW
5DA003	6	5I004
5DA004	9	5I005
5DA005	13	5I005
5DA006	17	5I005
5DA007	19	5I005



Item code : 9002-22-01

## 9003 Front Lock



### SPECIFICATIONS


- FRONT CENTRAL LOCK (HORIZONTAL VERSION)
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- FOR USE WITH ALUMINIUM BAR
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING

### FINISH

- 01 NICKEL
- 02 BRASS
- 04 BLACK E.D.P.

### A SET INCLUDES

- 1 LOCK
- 1 CYLINDER CORE (FIXED IN HOUSING)
- 2 KEYS
- 1 BEZEL
- 1 SET OF ACCESSORIES
- 1 ALUMINIUM BAR (600mm)





### CUSTOMER SPECIFIED

CODE	mm	SCREW
5DA003	6	5I004
5DA004	9	5I005
5DA005	13	5I005
5DA006	17	5I005
5DA007	19	5I005



## ALUMINIUM BAR

(For the length(L) of the aluminium bar depends on customer specification)



Item code : 9003-20-01



## 9004 Push Lock



### SPECIFICATIONS

- PUSH LOCK
- PUSH-IN LOCKING, NO KEY REQUIRED WHEN LOCKING
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING



### FINISH

- 01 NICKEL
- 02 BRASS
- 04 BLACK E.D.P.

### A SET INCLUDES

- 1 LOCK
- 1 CYLINDER CORE (FIXED IN HOUSING)
- 2 KEYS
- 1 BEZEL

### OPTIONAL

**5DU003**

MATERIAL: STEEL (RAINBOW ZINC PLATING)

**5F002**

MATERIAL: SPCC STEEL (NICKEL PLATING)


Item code : A642-22-01

## 9006 Lever Lock



### SPECIFICATIONS

- LEVER LOCK
- 90° ROTARY CAM MOVEMENT, CONVERTIBLE
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING



### FINISH

- 01 NICKEL
- 15 WHITE ZINC

### A SET INCLUDES

- 1 LOCK
- 1 CYLINDER CORE (FIXED IN HOUSING)
- 2 KEYS

- 1 BEZEL
- 1 CAM (5C50)

Item code : A639V-22-01

## 9007-16-01-5C18 Cam Lock




### CAP MATERIAL CHOICES:

- SUS304
- SPCC

### SPECIFICATIONS

- CAM LOCK
- 90° ROTARY CAM MOVEMENT, CONVERTIBLE
- SUS304 STAINLESS STEEL CAPPED TO PREVENT RUST
- SPCC STEEL CAPPED TO PREVENT RUST
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING



### FINISH

- 01 NICKEL
- 15 WHITE ZINC

### A SET INCLUDES

- 1 LOCK
- 1 CYLINDER CORE (FIXED IN HOUSING)
- 2 KEYS

- 1 CAM
- 1 WASHER
- 1 SET OF ACCESSORIES

Item code : A664-22-01

## 9007-20-01-5C18 Cam Lock




### CAP MATERIAL CHOICES:

- SUS304
- SPCC

### SPECIFICATIONS

- CAM LOCK
- 90° ROTARY CAM MOVEMENT, CONVERTIBLE
- SUS304 STAINLESS STEEL CAPPED TO PREVENT RUST
- SPCC STEEL CAPPED TO PREVENT RUST
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING



### FINISH

- 01 NICKEL
- 15 WHITE ZINC

### A SET INCLUDES


- 1 LOCK
- 1 CYLINDER CORE (FIXED IN HOUSING)
- 2 KEYS
- 1 CAM
- 1 WASHER
- 1 SET OF ACCESSORIES

### OPTIONAL 9006, 9007

MATERIAL: SPCC STEEL (RAINBOW ZINC PLATING)



**5C50**



Item code : A664-22-01

ALL MEASUREMENTS : mm

## 9007-25-01-5C18

### Cam Lock



**CAP MATERIAL CHOICES:**

- SUS304
- SPCC

**SPECIFICATIONS**


- CAM LOCK
- 90° ROTARY CAM MOVEMENT, CONVERTIBLE
- SUS304 STAINLESS STEEL CAPPED TO PREVENT RUST
- SPCC STEEL CAPPED TO PREVENT RUST
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING

**FINISH**

- 01 NICKEL
- 15 WHITE ZINC

**A SET INCLUDES**

- 1 LOCK
- 1 CYLINDER CORE (FIXED IN HOUSING)
- 2 KEYS



- 1 CAM
- 1 WASHER
- 1 SET OF ACCESSORIES

Item code : 9007-2501-5C18

## 9007-30-01-5C18

### Cam Lock



**CAP MATERIAL CHOICES:**

- SUS304
- SPCC

**SPECIFICATIONS**


- CAM LOCK
- 90° ROTARY CAM MOVEMENT, CONVERTIBLE
- SUS304 STAINLESS STEEL CAPPED TO PREVENT RUST
- SPCC STEEL CAPPED TO PREVENT RUST
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING

**FINISH**

- 01 NICKEL
- 15 WHITE ZINC

**A SET INCLUDES**

- 1 LOCK
- 1 CYLINDER CORE (FIXED IN HOUSING)
- 2 KEYS



- 1 CAM
- 1 WASHER
- 1 SET OF ACCESSORIES

Item code : 9007-3001-5C18

## 9013

### Sliding Glass Door Cabinet



**SPECIFICATIONS**


- SLIDING GLASS DOOR CABINET LOCK WITH RATCHET BAR
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING
- EASY INSTALLATION, NO GLASS DRILLING REQUIRED

**FINISH**


- 01 NICKEL
- 02 BRASS
- 04 BLACK E.D.P.

**A SET INCLUDES**


- 1 LOCK HOUSING
- 1 CYLINDER CORE (FIXED IN HOUSING)
- 2 KEYS
- 1 RATCHET BAR
- 1 PLASTIC SCREWS (51030)



**Fixing**



**51030**



Item code : RN-9013-01




## A625-DOWN

Double Glass Door  
Cabinet Lock  
(Downward Version)



### SPECIFICATIONS

- DOUBLE GLASS DOOR CABINET LOCK (DOWNWARD VERSION)
- CYLINDER HOUSING ALSO FUNCTIONS AS HANDLE
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING
- EASY INSTALLATION, NO GLASS DRILLING REQUIRED
- WITH KEYALIKE




## A625-UP

Double Glass Door  
Cabinet Lock  
(Upward Version)



### SPECIFICATIONS



- DOUBLE GLASS DOOR CABINET LOCK (UPWARD VERSION)
- CYLINDER HOUSING ALSO FUNCTIONS AS HANDLE
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING
- EASY INSTALLATION, NO GLASS DRILLING REQUIRED
- WITH KEYALIKE



### AVAILABLE IN 2 BRACKET LENGTHS:

- A-625-09 FOR 4-7 mm GLASS THICKNESS
- A-625-12 FOR 4-10 mm GLASS THICKNESS

Fixing



### FINISH

- 01 NICKEL
- 02 BRASS
- 03 CHROME
- 04 BLACK E.D.P.
- 27 SATIN-NICKEL
- 28 SATIN-CHROME

### A SET INCLUDES

- 1 LOCK HOUSING
- 1 CYLINDER CORE
- 2 KEYS
- 1 RUBBER BUSHING
- 2 PLASTIC SCREWS
- 1 STRIKE PLATE

Item code : A625-09-01  
A625-12-01


## A636V

Roller Shutter Cabinet Lock  
(Vertical Version)



### SPECIFICATIONS

- ROLLER SHUTTER CABINET LOCK (VERTICAL VERSION)
- SUITABLE FOR DOUBLE DOOR CABINET
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER HOUSING
- PLASTIC BASE



### FINISH

- 01 NICKEL
- 04 BLACK E.D.P.
- 33 MATT SILVER

### A SET INCLUDES

- 1 LOCK HOUSING
- 2 KEYS
- 1 BEZEL
- 1 HOOK SUPPORT (R155)

Item code : A636V-22-01


## A637V

Roller Shutter Cabinet Lock  
(Vertical Version)



### SPECIFICATIONS

- ROLLER SHUTTER CABINET LOCK (VERTICAL VERSION)
- SUITABLE FOR DOUBLE DOOR CABINET
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER HOUSING
- PLASTIC BASE



### FINISH

- 01 NICKEL
- 04 BLACK E.D.P.
- 33 MATT SILVER

### A SET INCLUDES

- 1 LOCK HOUSING
- 2 KEYS
- 1 BEZEL
- 1 STRIKE PLATE (DK175)

Item code : A637-22-01

ALL MEASUREMENTS : mm

## 642 Sliding Glass Door Cabinet Lock

**LEFT VERSION**



**RIGHT VERSION**



### SPECIFICATIONS

- SLIDING GLASS DOOR CABINET LOCK
- AVAILABLE IN TWO VERSIONS : LEFT AND RIGHT
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST HOUSING
- NO GLASS DRILLING REQUIRED



### FINISH

- 01 NICKEL
- 04 BLACK E.D.P.
- 33 MATT SILVER


### A SET INCLUDES

- 1 LOCK HOUSING
- 1 CYLINDER CORE (FIXED IN HOUSING)
- 2 KEYS

Item code : A642-22-01



PUSH-IN LOCKING



LOCKED

UNLOCKED

ILLUSTRATION OF LEFT OR  
RIGHT SIDE INSTALLATION

LEFT VERSION

RIGHT VERSION



## A639V Push Bar Lock (Vertical Version)



### SPECIFICATIONS

- PUSH BAR LOCK (VERTICAL VERSION)
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST HOUSING


### FINISH

- 01 NICKEL
- 02 BRASS
- 04 BLACK E.D.P.
- 09 A.B.

### A SET INCLUDES

- 1 LOCK HOUSING
- 2 KEYS
- 1 BEZEL
- 1 SET OF ACCESSORIES

Item code : A639V-22-01



## A664 Extending Bar Lock



### SPECIFICATIONS

- EXTENDING BAR LOCK
- ONLY SUITABLE FOR THE INSET CABINET DOOR
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST HOUSING


### FINISH

- 01 NICKEL
- 02 BRASS
- 04 BLACK E.D.P.
- 09 A.B.

### A SET INCLUDES

- 1 LOCK HOUSING
- 2 KEYS
- 1 BEZEL
- 1 SET OF ACCESSORIES

Item code : A664-22-01






## A605 Mortise Lock



- SPECIFICATIONS**
- MORTISE LOCK
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING

- FINISH**
- 01 NICKEL
  - 15 WHITE ZINC

- A SET INCLUDES**
- 1 LOCK HOUSING
  - 2 KEYS
  - 1 BEZEL
  - 1 STRIKE PLATE (DK102)



Item code : A605-22-01


## A612 Espagnolette Lock



- SPECIFICATIONS**
- ESPAGNOLETTE LOCK
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - ZINC ALLOY DIE CAST HOUSING

- FINISH**
- 01 NICKEL
  - 02 BRASS
  - 04 BLACK E.D.P.
  - 09 A.B.

- A SET INCLUDES**
- 1 LOCK HOUSING
  - 2 KEYS
  - 1 BEZEL
  - 1 L-BRACKET (DK100)




Item code : A612-22-01

## A624-DOWN Single Glass Door Cabinet Lock (Downward Version)




- SPECIFICATIONS**
- SINGLE GLASS DOOR CABINET LOCK (DOWNWARD VERSION)
  - CYLINDER HOUSING ALSO FUNCTIONS AS HANDLE
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING
  - EASY INSTALLATION, NO GLASS DRILLING REQUIRED
  - WITH KEYLIKE



## A624-UP Single Glass Door Cabinet Lock (Upward Version)




- SPECIFICATIONS**
- SINGLE GLASS DOOR CABINET LOCK (UPWARD VERSION)
  - CYLINDER HOUSING ALSO FUNCTIONS AS HANDLE
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING
  - EASY INSTALLATION, NO GLASS DRILLING REQUIRED
  - WITH KEYLIKE



**AVAILABLE IN 2 BRACKET LENGTHS:**  
A-624-09 FOR 4-7 mm GLASS THICKNESS  
A-624-12 FOR 4-10 mm

**Fixing**




Item code : A624-09-01  
A624-12-01

- FINISH**
- 01 NICKEL
  - 02 BRASS
  - 03 CHROME
  - 04 BLACK E.D.P.
  - 27 SATIN-NICKEL
  - 28 SATIN-CHROME

- A SET INCLUDES**
- 1 LOCK HOUSING
  - 1 CYLINDER CORE
  - 2 KEYS
  - 1 RUBBER BUSHING
  - 2 PLASTIC SCREWS
  - 1 STRIKE PLATE

## SLIM BOX DRAWER SYSTEM



Suitable for an 16mm base and backboard




### BS613<sup>High</sup> 88mm

SYNCHRONOUS  
STREAMLINEG  
STYLISH  
SOFT CLOSING



### BS616<sup>High</sup> 171mm

SYNCHRONOUS  
STREAMLINEG  
STYLISH  
SOFT CLOSING




Item Code	Description	Color	Loading Capacity
613500CG	BS613-500mm x 88mm High	Charcoal Grey	30kg

Item Code	Description	Color	Loading Capacity
616500CG	BS616-500mm x 171mm High	Charcoal Grey	30kg

### BS619<sup>High</sup> 203mm

SYNCHRONOUS  
STREAMLINEG  
STYLISH  
SOFT CLOSING



Item Code	Description	Color	Loading Capacity
619500CG	BS619-500mm x 203mm High	Charcoal Grey	30kg



# DRAWER SYSTEM

# bramah

## S1 Standard Drawer

WH 30Kg (115mm)

**bramah**  
Lifetime Warranty

Soft  
Closing



LW=Inside Cabinet Width  
Bottom panel width=Inside Cabinet Width-75  
Bottom panel length=Runner length-10mm

Back panel height= 115mm  
Back panel width=Inside Cabinet Width-87

Colour: White



Description	Colour	Basic Length	Internal Length	Min. height
S1-450mm 30kgs	White	450mm	424mm	115mm
S1-500mm 30kgs	White	500mm	474mm	115mm

## S2 Bramah Standard Drawer

WH 30Kg With Single Gallery 182mm

**bramah**

Soft  
Closing



Colour: White

Description	Colour	Basic Length	Internal Length	Min. height
S2-450mm 30kgs	White	450mm	424mm	182mm
S2-500mm 30kgs	White	500mm	474mm	182mm

Lifetime Warranty

LW=Inside Cabinet Width  
Bottom panel width=Inside Cabinet Width-75  
Bottom panel length=Runner length-10mm

Back panel height= 140mm  
Back panel width=Inside Cabinet Width-87

## S3 Bramah Standard Drawer

WH 30Kg With Double Gallery 227mm

**bramah**

Soft  
Closing



Colour: White

Description	Colour	Basic Length	Internal Length	Min. height
S3-450mm 30kgs	White	450mm	424mm	227mm
S3-500mm 30kgs	White	500mm	474mm	227mm

Lifetime Warranty

LW=Inside Cabinet Width  
Bottom panel width=Inside Cabinet Width-75  
Bottom panel length=Runner length-10mm


Back panel height= 185mm  
Back panel width=Inside Cabinet Width-87

# DRAWER SLIDE SYSTEM

## Aim Under Mount Drawer Runner



Soft Closing



### Drawer Length

300mm  
350mm  
400mm  
450mm  
500mm

Full extension runner 300mm/350mm/400mm/  
450mm/ 500mm length  
Loading Capacity 30Kgs  
Drawer Height Adjustment 0~3mm+-  
Drawer Left/ Right Adjustment 0-1.5mm+-  
Easy to removal (disassemble) & assemble  
Self closing Silent motion, prevent drawer panel hit cabinet  
Smooth movement runner

\*All the measurement by millimeter (mm)



## REPON Undermount DS-RPA5A01



Size: 450mm


Soft Closing



### Drawer construction

✎ NJA5A01 is built for 16 mm ( 5/8 inch ) drawer side only. Thinner or thicker drawer side might cause slide to malfunction. (Figure1)

✎ Please construct the drawer as per the following dimension.



Front View

Rear View

Drawer/inner drawer  
SKW Internal drawer width  
LW Inner cabinet width

## DS31E1 Under Mount Drawer Runner




- Variable drawer width
- Full extension runner 300mm/350mm/400mm/ 450mm/ 500mm length
- Loading Capacity 30Kg
- Drawer Height Adjustment: 0~+3mm
- Easy to removal (disassemble) & assemble
- Self closing c/w Silent motion, prevent drawer panel hit cabinet
- Smooth movement runner



Soft Closing

### INSTALLATION DIMENSIONS (mm)


SKW = Internal Drawer Width  
LW = Internal Cabinet Width



Max drawer side thickness: 16mm



# RENO 322 Push Open & Soft Closing 3-way Drawer Runner



Size : 300mm, 350mm, 400mm, 450mm, 500mm

## 规格说明 Specifications


长度:300~500mm  
导轨宽度:45mm  
导轨厚度:12.7mm  
动态负载:30kg(18") (600mm width)  
安装形式:抽屉侧面  
表面处理:电泳黑  
材质:冷轧钢板  
材料厚度:1.5x1.2x1.2mm(内轨、中轨、外轨)  
适用范围:橱柜、室内家具、办公家具、家装工程等  
包装规格: 15套/箱

Length: 300~500mm  
Slide width: 45mm  
Slide thickness: 12.7mm  
Maximum load: 30kg(18") (600mm width)  
The installed forms: drawer side  
Surface treatment: electrophoresis black  
Material: cold-rolled steel  
Material thickness: 1.5x1.2x1.2mm (I/M/O)  
Scope: Cabinet/Home furniture/Office furniture/ Decoration project etc.  
Packing:15 sets/CTN

宽度尺寸: LW=柜体内部净宽 SKW=抽屉宽度  
LW=Cabinet inner width SKW=Drawer width



SKW=LW-25.5mm





## 深度尺寸:

抽屉外盖安装  
Standard drawer

±3mm

抽屉内置安装  
Built-in drawers



LT=柜体内部深度 SKL=抽屉长度 X=抽屉面板厚度  
LT=Cabinet inner depth SKL=Drawer length X=Drawer panel thickness

# DRAWER SLIDE SYSTEM

## RENO<sup>®</sup> 311 Soft Close Drawer Slide Black



Size	Code
12"	080-289-300
14"	080-289-350
16"	080-289-400
18"	080-289-450
20"	080-289-500
22"	080-289-550
24"	080-289-600

Capacity: 30kgs  
 thickness: 1.0mm x 1.0mm x 1.2mm  
 Size: 12", 14", 16", 18", 20", 22", 24"  
 Finish: Black



Soft Close System



## Soft Close System



Size	Code
12"	080-289-300
14"	080-289-350
16"	080-289-400
18"	080-289-450
20"	080-289-500
22"	080-289-550
24"	080-289-600





Soft Close System



**NJ-35D65**


PATENTED PUSH  
 BUTTON RELEASE



## RENO<sup>®</sup> Push Rebound Slide 3-way Black



Capacity: 30kgs  
 thickness: 1.0mm x 1.0mm x 1.2mm  
 Size: 12", 14", 16", 18", 20"  
 Finish: Black



Size	Code
12"	080-002-250
14"	080-002-200
16"	080-107-500
18"	080-100-400
20"	080-002-550





# DRAWER SLIDE SYSTEM

## RENO<sup>®</sup> 3-way Drawer Slide 30KG


Capacity: 30kgs

Thickness: 1.0mm x 1.0mm x 1.0mm

Finish: Speckle Black

Size: 6"~36"

More Ball Bearing




Size	Code
6"	080-002-150
8"	080-003-200
10"	080-003-250
12"	080-003-300
14"	080-003-350
16"	080-003-400
18"	080-003-450
20"	080-003-500
22"	080-003-550
24"	080-003-600
28"	080-003-700
32"	080-003-800
36"	080-003-900

## VATION

## 3-way Drawer Slide 25KG

Size	Code
12"	HFL-UMS-300
14"	HFL-UMS-350
16"	HFL-UMS-400
18"	HFL-UMS-450



Capacity: 25kgs

Thickness: 1.0mm x 1.0mm x 1.0mm

Finish: Speckle Black

## 3-way Drawer Slide HEAVY DUTY 60KG

Size	Code
14"	080-222-14"
16"	080-222-16"
18"	080-222-18"
20"	080-222-20"
22"	080-222-22"
24"	080-222-24"
28"	080-222-28"
36"	080-222-36"

Capacity: 60kgs


Thickness: 2.0mm x 2.0mm x 2.0mm

Size: 14", 16", 18", 20", 22", 24", 28" & 36"

Finish: Zinc (Chrome)




The correct side space dimension is critical for the runner to work. You must allow between +0.2mm and +0.5mm over the runner thickness.




# PANTRY PULL OUT (SOFT-CLOSE) FULL EXTENSION SLIDE


## Product Examples



产品编号 Product Name	包装数量 Packaging Quantity	内柜深度 Inside Cabinet Depth	负重 Load rating
TH	4套/sets	(16" 365) (18" 415) (20" 465) (22" 515)	60kg
<ul style="list-style-type: none"> <li>• 适用于200-400mm宽的收纳高柜</li> <li>• 全新集成阻尼缓冲功能，确保抽屉关闭轻柔</li> <li>• 安装与拆卸简单便捷，顺畅静音滑动，性能稳定</li> <li>• 隐藏式静音滑轨，载重优良</li> <li>• 最大负重：60kg</li> </ul>		<p>Suitable for 200-400mm wide storage cabinet New integrated damping buffer function ensures soft drawer closing Simple and convenient installation and disassembly, smooth and quiet sliding, stable performance Hidden silent slide rail, good load Maximum load: 60kg</p>	




## Component Installation Analysis






# PANTRY PULL OUT (SOFT-CLOSE) FULL EXTENSION SLIDE


## Standard drawer



## Built-in drawers



## Cabinet installation and disassembly



# DRAWER SLIDE SYSTEM

## DS31E1 Under Mount Drawer Runner

Soft Closing

Size: 300mm  
350mm  
400mm  
450mm  
500mm



## Aim Under Mount Runner

Soft Closing

Size: 300mm  
350mm  
400mm  
450mm  
500mm



## REPON Undermount DS-RPA5A01

Soft Closing

Size: 450mm

35 kg




4W ADJ



## blum TANDEM Plus Full extension runners

Soft Closing

Size: 350mm  
400mm  
450mm  
500mm



## REPON NJ-35D65 Full Ext. Soft Closing Slide

Soft Close System

Size: 300mm  
350mm  
400mm  
450mm  
500mm  
550mm  
600mm



PATENTED PUSH BUTTON RELEASE

## RENO 311 Soft Close Drawer Slide Black

Soft Close System

Capacity: 30kgs  
Thickness: 1.0mm x 1.0mm x 1.2mm  
Size: 12", 14", 16", 18", 20"  
Finish: Black




## RENO Push Rebound Slide 3-way Black



Capacity: 30kgs  
Thickness: 1.0mm x 1.0mm x 1.2mm  
Finish: Black



Size: 12" (300mm)  
14" (350mm)  
16" (400mm)  
18" (450mm)  
20" (500mm)



## RENO 322 Push Open & Soft Closing 3-way Drawer Runner

Soft Close System

Capacity: 30kgs  
Thickness: 1.5mm x 1.2mm x 1.2mm  
Size: 12", 14", 16", 18", 20"  
Finish: Black



## 3-way Stainless Steel Drawer Slide


Capacity: 30kgs  
Thickness: 1.0mm x 1.0mm x 1.2mm  
Size: 12", 14", 16", 18", 20"  
Finish: Stainless Steel



## 3-way Drawer Slide HEAVY DUTY 60KG

Capacity: 60kgs  
Thickness: 2.0mm x 2.0mm x 2.0mm  
Size: 14", 16", 18", 20", 22", 24", 28" & 36"  
Finish: Zinc (Chrome)

The correct side space dimension is critical for the runner to work. You must allow between +0.2mm and +0.5mm over the runner thickness.






# DRAWER SLIDE SYSTEM

## RENO® 3-way Drawer Slide

Capacity: 30kgs  
 Thickness: 1.0mm x 1.0mm x 1.0mm  
 Finish: Speckle Black  
 Size: 6"~36"




## VATION 3-way Drawer Slide

Capacity: 25kgs  
 Thickness: 1.0mm x 1.0mm x 1.0mm  
 Finish: Speckle Black  
 Size: 12"~18"



## Pull-Out Pivoting Mirror (12" X 48")

WD-PO-PM



\*\*Full Set With Mirror\*\*

## 18" Mirror Slide with Bar

080-100-450




\*\*Bracket Only\*\*

## Mini Slide (17mm)

Capacity: 10kgs  
 Thickness: 0.8mm x 0.8mm  
 Finish: Zinc  
 Size: 10"~12"




Installation



## Drawer Slide

Capacity: 25kgs  
 Finish: White  
 Size: 10"

12"  
 14"  
 16"  
 18"  
 20"  
 24"




## COMPUTER KEYBOARD

tray with runner


080-100-003



# DRAWER SLIDE SYSTEM



**ABS Drawer Clapboard  
5mmx60mmx2000mm**



**Colour: Dark Grey**

Item Code.	Size
FER-SS-RCC	5mmx60mmx2000mm

Item Code.	Size
FER-SS-SCC	5mmx60mmx2000mm

039A2-60mm Dark Grey  
2-Side Connector



039B3-60mm Dark Grey  
3-Side Connector



039C4-60mm Dark Grey  
4-Side Connector



**Colour: Coffee Velvet**



# DOOR STRAIGHTENER




DS-244 2440mm  
DS-278 2780mm


WEST CR-V Allen Wrench 4mm With Handle




**Material : Aluminium**  
**Colour : Black**  
**Length : 2440 / 2780 (mm)**



### Dimension Specification



### Router Bit For Door Straightener 12.7 x 12.1mm



# Door Fitting

## Flush Bolt Stainless Steel 304



- 6" 019-KH202-6
- 8" 019-KH202-8
- 10" 019-KH202-10
- 12" 019-KH202-12
- 18" 019-KH202-18
- 24" 019-KH202-24
- 40" 019-KH202-40

## Alum Barrel Bolt



- 4" LG-ABB-100
- 6" LG-ABB-150
- 8" LG-ABB-200
- 18" LG-ABB-18"
- 24" LG-ABB-600

## S/S A-Class Barrel Bolt



- 4" 019-016-012
- 6" 019-BOLT-006
- 8" 019-016-010
- 10" 019-BOLT-012

## SGDB-600 Auto Flush Bolt SS


STG-ATB-CP



## 4056 Door Latch

500-101-000

Material : Steel & Brushed Satin Nickel



## 4" ss since the bomb Latches

019-006-004

Material : Stainless Steel



## C-01 Meite Square Latch (L)

019-006-002

Material : Stainless Steel




## 101 (S) Square Door Bolt (Latch)

019-008-101

## Door Bolt With Indicator

010 V/P VRO-DB-010

Material : Stainless Steel  
D. Thickness: 25~35mm



## 2" Door Bolt (PROGRESS)

019-007-002

Material : Stainless Steel



## TSQ1A Door Bolt Stainless Steel

019-TS-Q1A

Material : Stainless Steel





# Door Fitting

## 09 Door Latch s/s (Switch & Sliding Door Latch) SUS304

019-011-09

Material : Stainless Steel



## Fastening Latch (S)

019-011-001

Material : Stainless Steel



## Fastening Latch (L)


019-011-002



## 90 deg Door Bolt S

StG-DB-Q1A

Material : Stainless Steel



## Mini L-shape Door Latch SUS304

019-MINI-LATCH

Material : Stainless Steel



## 4045 Door & Window Latch S/steel

Left 019-4045-SSL

Right 019-4045-SSR


Material : Stainless Steel



## Indoor Security Bolt Bc-201

019-BC-201

Material : Stainless Steel



## SS Square Small Latch



Size	Code
2"	019-004-002
2 1/2"	019-004-025
3"	019-004-003

Material : Stainless Steel

## Brass Bolt ("Cing Sui") Door Latch

019-010-001



Material : Steel

## L Shape Door Latch Chrome

019-010-002



## Taiwan Lock Fastener (AB 6276)

022-6276-AB


Material : Steel  
Finish : AB



# Door Fitting

## Safety Hasp (Gaoerfu)


Size	Code	A
2.5"	002-H&S-002	85mm
3"	002-H&S-003	95mm
4"	002-H&S-004	138mm



## 180 deg Bag Clip (S) (M) (L)


Size	Code	A
S	022-038-180	75mm
M	022-039-180	90mm
L	022-040-180	110mm

Material : Stainless Steel



## 3" Stainless Steel Hasp Staple 85mm

022-H&S-85mm



## TSQ1 90 deg Door Bolt SS

StG-DB-Q2



## 3.5" ,4" Hasp Staple

Size	Code	A	B
3.5"	022-891-0335	120mm	25mm
4.0"	022-891-014	145mm	35mm



## Hasp & Staple, WB 2 1/2 SS

StG-H&S-WB21/2




## AC6144 Lock Catch

021-AC-6144



## Japanese Hook Lock (Silver)

022-037-002



## D80 Antique Lock

005-KNH-808



## 666-1 1/2" Plated Hasps & Staples -RB

019-017-085






# Door Fitting

## P033 Hidden Security Buckle Matt

019-DL-P033



## P020 Door Chain With Leather SS

019-DL-P020



Material : Stainless Steel

## P025 Safe Guard Chain With Leather SS

019-DL-P025



Material : Zinc Diecast + Steel

## P027 Safe Guard Buckle Matt

019-DL-P027

Material : Zinc Diecast



## 050# Chrome Ball Catch

020-029-001



Material : Steel Chrome

## 1031 Magnetic Roller Door Catch SS Chrome

Material : Stainless Steel  
Finishing : Chrome



## Brass Ball catch

Size:

(3/8") 9.5mm 019-028-038

(1/2") 12mm 019-028-012

(5/8") 16mm 019-028-058



Material : Brass & Steel


## A200 deg Door Viewer Chrome

SIG-DV-PB




## SGFP-002 Flush Pull Ring with Latch SS

StG-002-Lat



## GK01-005ASS Flush Pull Ring SS

MPC-GK01-005



# Door Fitting

## Door Stopper S/S Half Round

SN **065-STP-S/S**  
 Black **500-9804-HRD**


Material : Zinc Diecast  
 Finishing: SN / Black



## P021 Aluminium Door Stopper

**065-DL-P021**

Material : Aluminium  
 Finishing: NA



## 911 Magnetic Door Stopper Matt

**065-DL-P019A**



Material : Zinc Diecast  
 Finishing: SN

## TS 020 Stopper SN

**065-YGP-008**

Material : Zinc Diecast  
 Finishing: SN



## Foot Door Stopper SS

**065-FOOT-SSS**

Material : Stainless Steel



## 1050 Door Stopper

**065-105-OST**

Material : Zinc Diecast  
 Finishing: SN



## P009A Heavy Duty Door Holder Matt Black

**065-107-000**

Material : Stainless Steel  
 Finishing: Black



## P009A Heavy Duty Door Holder SN

**065-DL-P009A**

Material : Stainless Steel  
 Finishing: SN



## P150 SS Door Holder

**065-P150-SS**

Material : Stainless Steel  
 Finishing: SN



## P910 Door Stopper SS

**065-DL-P910**

Material : Stainless Steel  
 Finishing: SN





# Door Fitting

## P030 Door Stopper SS

065-DL-P030



Material: Zinc Diecast  
Finishing: SN

## 023 Wall Door Stopp SS


StG-023-DStp



Material: Stainless Steel  
Finishing: SN

## F03-020 S/S Door Stopper With Catch

065-1080-SS



Material: Stainless Steel  
Finishing: SN

## P107 Door Holder with Hook

065-017-WIH



Material: Zinc Diecast  
Finishing: SN

## 5078 Door Stopper With Hook SS

StG-DS-SS



Material: Stainless Steel  
Finishing: SN

## 5078 Door Stopper With Hook Black


StG-DStp-SN



Material: Stainless Steel  
Finishing: Black

## J7 Wall Mount Door Stopper (L)


StG-WMDS-SS



Material: Stainless Steel  
Finishing: SN

## J7 Wall Mount Door Stopper (R)


StG-WMDS-SSR



Material: Stainless Steel  
Finishing: SN

## 2516 Sword-shaped Door Stopper

065-STP-A/C



Material: Stainless Steel  
Finishing: SN

## DS30 Door Stopper SS

065-105-OST



Material: Zinc Diecast  
Finishing: SN

# Door Stopper & Damper

## 311 Door Bumper Stainless Steel

065-JS-023



Material : Stainless Steel  
Finishing : SN

## 3017 Door Stopper

942-34-041



Material : Stainless Steel  
Finishing : SN

## 3040 SUS304 Door Stopper

500-9803-HRD



Material : Stainless Steel  
Finishing : SN

## 30mm Door Stopper



Black  
106-030-30B

Red  
106-030-30R

Transparent  
106-030-30mm


## Transparent 25mm Door Stopper

023-030-25



## Transparent Screw Washer 18x7mm

106-PTK-25




## Transparent 15mm Door Stopper

023-030-15




## SS01 System Song Strong Damper (Grey)

500-SS-01



## 519 Buffer (Grey)

500-519-GREY






# Door Fitting

## ML120 MAGNET CATCH (218)

021-CTH-ML120



## Square Magnet (Single)(white)

021-035-001




## Square Magnet (Double)(white)

021-035-002



## ML 02 Round Magnet Catch

021-XSML-120





## ML 11 Round Magnet Catch

021-CTH-ML1



## ML 10 Magnet Catch Adjustable

021-H318-10



## Round Magnet (Single)MT-118


White 021-031-000  
Black 021-031-RBS



## B2 Magnet Touch Catch

020-024-058

Touch to Open



## SAFETY Push Catch

White 019-022-002  
Black 019-007-006




## Mini Latch (L)

019-021-002



## Mini Latch (s)


019-021-001



# Door Catch & Magnet


## Double Door Catch (Brass)

Size	Code	A	B
42mm	020-024-053		
50mm	020-024-050		
60mm	020-024-060		
70mm	020-024-070		




Material : Brass

## Double Roller Catch Chrome 020-026-001



## Elbow Catch (Chicken Lock)

019-018-001



## 3.5 Kg PVC Magnet-

White 021-032-035

Brown 021-033-035



## 5 Kg PVC Magnet-

White 021-034-005



## Sonnect Magnet (S/S)

019-031-003



Material : Stainless Steel

## 2095 Magnet S/S

021-3x5-001



## 3.0Kg Magnet

021-30-MN



## Super Magnet 15x3mm

021-031-001






# Door Fitting

## 8015 Pull Plate

004-EG0-000

80mm




Material : Stainless Steel  
Finishing: SN

## 8015 Push Plate

004-MB0-000

80mm



Material : Stainless Steel  
Finishing: SN

## Pull Indicator

019-DL-U017

96mm



Material : Stainless Steel  
Finishing: SN

86mm

## Push Indicator

019-DL-U016

96mm



Material : Stainless Steel  
Finishing: SN

86mm

## Man Indicator

019-DL-U010

96mm



Material : Stainless Steel  
Finishing: SN

## Man and Woman Indicator

019-DL-U011

96mm



Material : Stainless Steel  
Finishing: SN

86mm

## Woman Indicator

019-DL-012

96mm



Material : Stainless Steel  
Finishing: SN

86mm

## Wheel Chair Indicator

019-DL-U013

96mm



Material : Stainless Steel  
Finishing: SN

86mm

## No Smoking Indicator

019-DL-U014

96mm



Material : Stainless Steel  
Finishing: SN

86mm

# Brackets

## Stainless Steel L Bracket



size:

**16x70x70** Code: 101-16-7070

**19x38x38** Code: 101-19-3838

**19x65x65** Code: 101-19-6565

**19x89x89** Code: 101-19-8989

## Stainless Steel L Bracket



size: **35x46x46mm**

Code: 101-35-4646

**38x86x86mm**

Code: 101-38-8686

## Stainless Steel Bracket Plate



**38x92mm**

Code: 101-38-92

**38x125mm**

Code: 101-38-125

**38x170mm**

Code: 101-38-170



**19x85mm**

Code: 101-19-85

**19x125mm**

Code: 101-19-125

**19x175mm**

Code: 101-19-175

**19x245mm**

Code: 101-19-245

## 1830 Zink/White L-Bracket

Code: 101-1830-WH



## 310 S/S Folding Bracket (Pair)

Size: 10",14",16"



## Folding Bracket

8",10",12",14"



## Stainless Steel Glass & Wood L-Bracket

Size: 6",8",10",12",14",16"



## 3"X9" CONNECT L-BRACKET (73225)

Code: 101-020-3X9

Material: Zinc Steel

Thickness: 4mm




## 3" Zinc L-Bracket (1980)

Code: 101-010-300

Material: Zinc Steel

Thickness: 4mm



Code: 101-020-3X7  
**3"X7" CONNECT L-BRACKET (73173)**



# Brackets

## 19mmx3" Connect Plate (1978)

Code: 101-004-193



Material: Zinc Steel  
Thickness: 4mm

## 19mm x6 1/2" Connect Plate (19165)

Code: 101-003-196



## 30.5x34x34 L-Bracket

Code: 101-30.5x3434

Material: Steel  
Thickness: 1.5mm

## EG-5000 L-Bracket RB 19mmx2mm

Code: 101-011-500



Thickness: 2mm

## 19 X 23.5MM RB L-BRACKET

Code: 101-020-830




Thickness: 1.2mm

## 21x31x31 L-Bracket

Code: 101-21x3131


Material: Steel  
Thickness: 1.5mm



## 50x40x40 L-Bracket

Code: 101-50-4040


Material: Steel  
Thickness: 1.5mm



## 3/4" RB L-Bracket

Code: 101-015-340

Material: Steel  
Thickness: 1.0mm




## 833 L Bracket

Code: 101-016-833

Material: Steel  
Thickness: 1.0mm




For Drawer Lock Use



## X2806 Bracket With Cover White

Code: 101-XL-2806



Material: PVC

## 1" PVC L Bracket

Code: 101-012-100

Material: PVC



## TEAM Bracket PVC



Dard Brown




Tan/Beige



Grey



Light Brown



# Brackets

## ABS Hanging Holder V for Cabinet

Code: HAU-HH-V



## Hanging Bracket with PVC for Cabinet

Code: 101-HB-WPW



## 3" Slide on Bracket (2031)

Code: 101-AC-2031



Material : Steel

## 25x123 Hanging Code

Code: 101-25-123


## 25x62 Hanging Code

Code: 101-25-62



## Hanging Code Stainless Steel Bracket

Size	A	B
	19mm	40mm
	30mm	50mm



19x40mm Code: 101-19-40

30x50mm Code: 101-30x50

## 43x120 Buckle

Code: 019-015-006



## V90 Buckle

Code: 019-022-001




## Hook Bracket C/W Long Bed Joint & Screw (RB)



## 522-32 Japanese Bed Hinges

Code: 101-020-001






# Brackets

## 1" Rainbow, Sign Board Hook Cam

128-002-300



## Rectangular Hook Cam

130-000-000



## Table Lock Hinge (Bracket)


500-007-001



## 114119 Folding Chair Fitting-CR3

101-022-000

Thickness: 3.0mm  
Material : Steel  
Finish : ZB



## Door Lock Bracket S/S

101-S/S-BRK



Thickness: 1.80mm  
Material: Stainless Steel

## L BRACKET G125 (BLK)

015-101-850



Thickness: 1.5mm  
Material : Steel  
Finish : Black

## L BRACKET 2.0X19MM (RB)

015-100-650



Thickness: 2.0mm  
Material : Steel  
Finish : RB

## 16x70mm 1.0 L-Bracket

101-16-7070



Thickness: 1.0mm  
Material : Steel  
Finish : RB

## 16x70mm 1.0 T-Bracket

101-T16-7070



Thickness: 1.0mm  
Material : Steel  
Finish : RB

## 38X38X19 RB L-BRACKET

101-014-340

Thickness: 2.0mm  
Material : Steel  
Finish : RB



## Bracket 118 119 Handle C / L Channel

HAU-HDB-CLC



Thickness: 1.8mm  
Material : Steel  
Finish : ZB

## 117x35x35 L-Bracket

101-117-3535




Thickness: 2.0mm  
Material : Steel  
Finish : ZB


# Brackets

Mirror

**Mirror Bracket (NC) USE**  
106-025-101



Glass Thickness: 3.0mm  
Material : PVC  
Finish : White



**128F L Mirror Bracket**  
106-024-128





Glass Thickness: 3-4mm  
Material : PVC  
Finish : White

**Glass Clip**

Model	Thickness	Code
90°	3mm	106-027-090
90°	5mm	106-029-090
180°	3mm	106-028-180
180°	5mm	106-030-180

Material : PVC  
Finish : White




**21x28 ABS Bracket**  
Code: 101-013-100

Material: PVC




**23x39ABS Bracket**  
Code: 101-001-676

Material: PVC



**17x28 ABS Bracket**  
Code: 101-002-676

Material: PVC





# Floor Spring Hinge




## FC34 Floor Spring



Closing Force In NM	Spring Tension	Door Size
Model 15	Light	Up to 800mm
Model 20	Medium	Up to 1000mm
Model 25	Heavy	Up to 1200mm

### VVP Spring Hinge Wooden Pivot



FT10 Bottom Patch



FT20 Top Patch




FT24 Pivot



FT40 L Patch



FT50 Lock Patch




# Floor Spring Hinge

Door Kg :100kg  
Weight Door Max: 1500mm



Mini Floor Hinges



- 使用条件
1. 门厚32mm-50mm 底切5mm
  2. 最大门H尺寸1500mm-2200mm
  3. 门上部20mm-5mm左右 4mm以上 (标准4mm)
  4. 最大门W尺寸1500mm.


## MZX MZ-322K

Floor Spring



Door Kg :110kg  
Weight Door Max: 1100mm

Glass Door



TS010



13x90 Guide S/S



TS020



TS050



## MZX 222# Floor Spring

Door Kg :80kg  
Weight Door Max: 1000mm



Glass Door





## DOOR DAMPER



### LDD-V100



LDD-V100-NI-L shown.



Counter plate cover (Nickel/Dark brown)



reddot award 2019 winner



### Features

- Unique door damper applicable to door weight up to 100 kg.
- Suitable for door weight 40 - 100 kg.
- Damper body is completely hidden when the door is closed.
- Damper and door pull-in functions work just before the door fully closes, preventing the door from slamming shut.
- Door can be opened more easily as compared with door closer.
- Damper force is adjustable.
- Counter plate is 3-way adjustable.
- iF Design Award winner 2019.
- Reddot Product Design winner 2019.
- Can be used with the following hinges.

-HES3D-E190

-HES3D-160

### Applications


Heavy duty interior door (shop, housing)

### Parts Included

- Tapping screw 3.5 x 20
- Attachment Jig
- Cutout template




### Door Movement




Right-handed type shown. Left-handed type is symmetrical.

### Door Hinge Side




\*Below drawing shows right-handed type. Left-handed type is symmetrical.


### Installation



### Body



### Counter Plate




No.	Part Name	Material	Finish / Colour
①	Case	Steel (SPCC)	Nickel
②	Damper Base	POM	Grey
③	Spring Base	POM	Grey
④	Arm Cover	POM	Grey
⑤	Arm	Zinc Alloy (ZDC)	Nickel
⑥	Counter Plate Cover	ABS	Dark Brown/Nickel
⑦	Counter Plate Base	Zinc Alloy (ZDC)	-
⑧	Counter Plate Shaft	Steel (SUM)	Nickel

CAD	Item Code	Item Name	Type	Counter Plate Cover	Door Width	Door Thickness	Door Weight (kg)	Weight (g)	Box (pcs)	Carton (pcs)
	270-034-821	LDD-V100-DBR-R	Right-handed	Dark Brown	Max. 900	40 - 60	40 - 100	920	1	10
	270-034-822	LDD-V100-DBR-L	Left-handed					920	1	10
	270-034-823	LDD-V100-NI-R	Right-handed	Nickel				920	1	10
	270-034-824	LDD-V100-NI-L	Left-handed					920	1	10

## Cut Out Dimensions for Door

LDD-V100-R (right-handed) shown. LDD-V100-L (left-handed) is symmetrical.



## Dimension from frame to bore position of counter plate (mm)

Door Hinge	Clearance Between Hinge Side Frame and Door (mm)				
	1	2	3	4	5
HES3D-160, E190	217	218	219	220	221
Butt Hinge	A=20 - 35	220	221	222	223
	A=35 - 50	223	224	225	226
Pivot Hinge	A=20 - 35	220 + B	221 + B	222 + B	223 + B
	A=35 - 50	223 + B	224 + B	225 + B	226 + B


\*If clearance between hinge side frame and door is beyond the range in the table above, calculate as per the table below.

Door Hinge	Dimension from Frame to Bore Position of Counter Plate (mm)	
HES3D-160, E190	216 + Clearance Between Hinge Side Frame and Door	
Butt Hinge	A=20 - 35	219 + Clearance Between Hinge Side Frame and Door
	A=35 - 50	222 + Clearance Between Hinge Side Frame and Door
Pivot Hinge	A=20 - 35	219 + B + Clearance Between Hinge Side Frame and Door
	A=35 - 50	222 + B + Clearance Between Hinge Side Frame and Door

\* Refer to for 3-way adjustable concealed hinge HES3D.

## Cut Out Dimensions for Frame

LDD-V100-R (right-handed) shown. LDD-V100-L (left-handed) is symmetrical.



## ⚠ Safety Cautions

- Do not drop or give strong impact to this product.
- This product can not resist strong wind. Do not use it under strong wind, or the damper effect will decrease.
- If you close the door with excessive force, the damper effect may decrease.
- The door may not close enough depending on the case lock used.
- This product is designed for interior use. Do not use it outdoors.
- Do not use it at places subject to moisture and water.
- At the entrance of highly airtight room, the door closing speed and damper force may change, and the door may not close enough.
- The closing speed varies depending on the use environment (temperature, wind and hinges used on the door, etc.). Operating temperature: 0°C - 40°C
- Do not apply a load in the vertical direction or excessive force to pull-in arm. Otherwise, it may be damaged.
- Please install and adjust this product after adjusting the door hinges.
- Please use the door hinges within the adaptive door weight range of this product.
- Please install this product horizontally. Otherwise, it may not operate properly.
- After vertical adjustment of counter plate, tighten the fixing nut firmly.
- This product is supplied with installation instruction. Be sure to read before installation or use.
- Regularly check for looseness or dropout of screws during use.



# TS051/ TS061

## DOOR CLOSER

2 Speed Adjustment  
Reversible (left or right hand fixing)  
Adjustable Arm

# RENO

Material	Aluminium
Finish	Silver
Packing	10set/ctn




Type	Width x Height (mm)	Door (Kg)	Function
TS051	800x2000	15~30	Open
TS051(H)	800x2000	15~30	Hole Open
TS061	900x2100	25~40	Open
TS061(H)	900x2100	25~40	Hole Open

Applicable Temperature Left Open or Right Open Door

Colour: Silver / Matt Black

## Model: SGDC 51/51H



TECHNICAL INFORMATION & FUNCTION			
Model		D51	D52
Delay Action		x	x
Backcheck Function		x	x
Width of Door (mm) Max.		800	900
Weight of Door (kg) Max.		30	65
Max. Open Angle		180°	180°
Spring Strength Adjustable		-	-
Closing Speed Adjustment	Speed 1	180°-15°	180°-15°
	Speed 1	15°-0°	15°-0°
Applicable Temperature		-30-40	-30-40
Weight (kg)		0.905kg	1.13kg
Dimension of Main Body	Length	179	188
	Width	42	44.5
	Height	62.5	67
Passed Durability Test		500000	500000

# RENO

### Model TS311

Round / Square Concealed Door Closer  
Colour: Silver / Matt Black

#### TECHNICAL INFORMATION

Width of Door	1000mm
Weight of Door	45Kg
Max Open Angle	105°
Hold Open	Degree Adjustable
Applicability	Left or Right Open Door
Door Thickness	38mm (minimum)

Material	Aluminium
Finish	Silver
Packing	10set/ctn



# BLACK SERIES

## DOOR CLOSER

2 Speed Adjustment  
Reversible (left or right hand fixing)  
Adjustable Arm

Model TS051 / TS061



Material	Aluminium
Finish	Black
Packing	10sest/ctn

Type	Width x Height (mm)	Door (Kg)	Function
TS051	800x2000	15~30	Open
TS051(H)	800x2000	15~30	Hole Open
TS061	900x2100	25~40	Open
TS061(H)	900x2100	25~40	Hole Open



Applicable Temperature Left Open or Right Open Door

Material	Aluminium
Finish	Black
Packing	10sest/ctn

Model TS311 Round Concealed Door Closer

### TECHNICAL INFORMATION

Width of Door	1000mm
Weight of Door	45Kg
Max Open Angle	105°
Hold Open	Degree Adjustable
Applicability	Left or Right Open Door
Door Thickness	38mm (minimum)



Material	Aluminium
Finish	Black
Packing	10sest/ctn

Model TS311 Square Concealed Door Closer

### TECHNICAL INFORMATION

Width of Door	1000mm
Weight of Door	45Kg
Max Open Angle	105°
Hold Open	Degree Adjustable
Applicability	Left or Right Open Door
Door Thickness	38mm (minimum)



# Mini Door Closer


## Mini Door Closer LS-32

Colour: Chrome



LS-22	10Kg	Door width 800mm
LS-32	15Kg	Door width 900mm

## Mini Door Closer LS-32




Colour: Black

Door width/kg : 900mm / 15Kg

## Mini Door Closer LS-33 Round



Door width/Kg : 900mm / 10~25kg



Black



White

## Mini Door Closer LS-34 (Square black)



## Mini Door Closer LS-34 (Square matt)



Door width/Kg : 900mm / 10~20kg

# LIFT ASSIST DAMPER (W/ANGLE STOPPER)







**LAD-ST**

LID SUPPORTS

LIFT ASSIST DAMPERS (W/ANGLE STOPPER)

- Ideal for bar and countertop applications.
- Angle stopper designed to hold open at 95°.
- Damper equipped for soft closing.
- Simple surface mount installation.





Item No.	Max. Torque per piece (kgf-cm)	Panel Thickness	Weight (g)	Carton (pcs)	Material	Finish
LAD-ST-L	81.6~107.1 ( 70.1 ~ 93.1 lbs-in)	15~40 mm (9/16"~1-37/64")	750	1	ABS/Polyacetal/ Steel/Zinc Alloy	Off White/ Chrome/ Nickel
LAD-ST-M	107.1~137.7 ( 93.1~119.7 lbs-in)					
LAD-ST-H	137.7~163.2 (119.7~141.9 lbs-in)					





Multitalented system with many qualities.







# SC680 Sliding Roller With Soft Closing

## 产品实例 Product Examples

### 家居移门/趟门阻尼缓冲滑轮

功能：用于家居移门、衣柜趟门的缓冲静音关闭。

功能：轨道内置隐藏缓冲阻尼，阻尼自动定位功能

安装简便，缓冲器带复位功能、防跳、防摆动

配置：可选配上下左右四路缓冲，以及上下双向缓冲

单门最大负重：

### Sliding roller with soft closing series

Suitable for cushioning and Silent closing of various household moving doors and ward robe doors

Function: Rail track built-in hidden cushioning damp, damp automatic positioning function


Easy installation, reset function of buffer band, anti-jump and anti-swing

Configuration: Optional upper and lower four-way buffer, as well as up and down two-way buffer

Maximum single door load:



50kg

50kg




## 产品尺寸规格 Product size

适用于此类轨道  
Suitable for this kind of track



门柜与门洞尺寸关系:  $H-h1=12\text{mm}$


The formula between door height and cabinet height:  $H-h1=12\text{mm}$




# SC680 Sliding Roller With Soft Closing

安装使用说明 Installation Instructions

## 1 门板开槽尺寸 Door slotting dimension



## 2 门槽开槽尺寸 Gate slot slotting dimension



## 3 上滑轮安装 Upper pulley installation



## 4 下滑轮安装 Lower pulley installation



## 5 缓冲器入铝轨道安装 Buffer enters orbit installation



## 6 铝轨道堵头安装 Ending cap installation



## 7 铝轨道入门槽安装 The track is fitted into the door groove.

门槽开槽尺寸为例图 2 ↑  
Gate slot slotting dimension is 2 ↑



# SLIDING BARN DOOR SYSTEM







## SL-2 Barn-style Sliding Door (Wooden)

Load Weight: 100kg  
Track : 2.0meter , 2.5meter



## Soft Closing



# SLIDING BARN DOOR SYSTEM






**Top Mount Roller**

**Soft Closing**






## SLSW-7 Barn - Style Soft Closing Sliding Door

Load Weight: 100kg  
Track : 2.0meter , 2.5meter





# Folding Door



# HANGING SLIDING / FOLDING DOOR SYSTEM

**303 Door Hanging Roller (pc)**  
Code: 300-303-000

60 kg



Material: Steel body  
Roller: Ball Bearing with Nylon  
Door weight up to (60kg)

**HÄFELE**

**60kg Sliding Roller**

Code: 940-60-001



60 kg

**T616 Two Side Soft Close Hanging Roller 60kg**

Code: 300-YDG-306



60 kg



100 kg

**100kg Sliding Roller**

Code: 941-02-001


**Sliding Door Soft Close System**

80kg

Code: KB-300-80

120kg

Code: KB-300-120




**HÄFELE Sliding Track**

**Silent 60/100kg**

Length : 2.0, 2.5, 3.0, 4.0, 6.1meter

Code: 940-60-460



**203 Aluminium Track**

6ft, 8ft, 10ft, 12ft, 16ft, 20ft

Code: 510-203-001



**SFD8000 Premium Sliding & Folding**

Code: 300-SFD-8000

70 kg



**203 Aluminium Track**

6ft, 8ft, 10ft, 12ft, 16ft, 20ft



60 kg

**203 Sliding Roller**

Code: 300-203-000

**Model: 503 Roller Folding**

Code: 300-503-000

120 kg



Door can use :Folding/ Sliding  
Min. door thickness : 30mm  
For 1 roller 60kg 2roller 120kg

150 kg

**Model: TS150 Roller Sliding**

Code: 300-103-000




Door can use : Sliding  
Min. door thickness : 30mm  
Weight of door (kg) Max.: 150kg

**Track Model: 103**  
8ft, 10ft, 12ft, 16ft, 20ft

Code: 510-103-001



**Aluminum track**



**710 Door Hanging Roller (pc)**

Code: 300-710-000

60 kg



**710 Aluminium Track (4meter)**

Code: 510-710-038





200 kg



**Model: 200kg Folding & Sliding**

Code: 300-3001-200



**6meter**

**7200 Heavy Duty Aluminium Track**

Code: 510-3001-200

**CENTOR 44mm TB-Pivot with SS L-Bracket 70kg (Top)**

Code: CT-44-PV



**P840+P841 Top & Bottom Pivot**

Code: 500-P840-P841



**1112-Pivot Folding Door Accessories**

Code: 000-200-400





# HANGING SLIDING / FOLDING DOOR SYSTEM

## K445 Sliding Roller

Code: 300-445-K00



## 1138 Sliding Door Roller

Code: 300-328-000




## T2 Anti Jump Roller (SE006)

Code: 300-AJR-T2



## 500VS-MR-004-N Sliding Door Roller Economy

Code: 012-514-400



## 380 Single Aluminium Track

Code: 510-380-001

Length : 6ft, 8ft, 10ft,  
12ft, 16ft, 20ft



## 380 Double Aluminium Track

Code: 511-380-001

Length : 6ft, 8ft, 10ft,  
12ft, 16ft, 20ft



Code: 300-380-000

Model: 380 Sliding Door Roller  
Door thickness : 16mm-19mm  
Door weight max: 40kgs/door



## 1178-09 Sliding Door Roller

Code: 300-1178-09



Door thickness : 16mm-19mm  
Door weight max: 40kgs/door

## 1194 Double Aluminium Track

Code: 300-1194-001

Length : 6ft, 8ft, 10ft,  
12ft, 16ft, 20ft



## SW01 ANTI JUMP ROLLER

Code: 019-019-001



## Bramah 2-way Anti Jump Sliding Door Damper (15kg-30kg)

Code: 300-ANTI-JUMP



Str button height adjustable 0-10mm

## EST010 Anti Jump Door Damper

Load-bearing capacity:15-35KG

Service Lifetime:50,000 times

Code: 300-YL-ES



## EHT003 REPON ANTI JUMP SLIDING DOOR DAMPER 35-60KG

Code: 300-YL-EH



Bracket 1 (1pc)

Bracket 2 (1pc)

Bracket 3 (1pc)

Bracket 1 (1pc)

Bracket 2 (1pc)

Bracket 3 (1pc)

Bracket 1 (1pc)

Bracket 2 (1pc)

Bracket 3 (1pc)

## ACTS008 Sliding Track (3.0,4.0meter)

Code: 510-ACTS-008  
Code: 510-ACTS-008 (4M)



## ACTS008 Door Hanging Roller (SB33)

Code: 300-OSB-330



## ACTS009 Door Hanging Roller (70kg) SB33

Code: 300-009-330



## ACTS009 Sliding Track(3.0,4.0meter)

Code: 510-ACTS-009  
Code: 510-ACTS-009 (4M)



## Aluminium Track Bracket

Code: 101-019-000



## 1132-Aluminium Track Bracket

Code: 107-AL2-533

## SGWC60-WD Silent Sliding Door Hanging

Code: 715-225-001



## SGWC160-WS Corner Mounting Plate

Code: 715-800-002

# Aluminium Track Profile



**203 Aluminium Track**  
Code: 510-203-001



**302 Aluminium Track**  
Code: 510-302-3024

Length : 6ft, 8ft, 10ft,  
12ft, 16ft, 20ft



**HAFELE Aluminium Track**  
Code: 940-80-480

Length : 2.0, 2.5, 3.0,  
4.0, 6.1meter



**103 Aluminium Track 150Kgs**  
Code: 510-103-001

Track Size : 8ft, 10ft, 12ft, 16ft, 20ft



**200kg Aluminium Hanging Roller Track 6meter**  
Code: 510-3001-200

Thickness: 5.0mm



**T1612 Aluminium Track 10'(3M) For (SC680)**  
Code: VIV-0A8-025



**380 Single Aluminium Track**

Length : 6ft, 8ft, 10ft,  
12ft, 16ft, 20ft  
Code: 510-380-001


380 Roller



**380 Double Aluminium Track**

Length : 6ft, 8ft, 10ft,  
12ft, 16ft, 20ft  
Code: 511-380-001

380 Roller



**1194 Double Aluminium Track**

Code: 510-1194-001

1194 Roller



**ACTS008 Sliding Track (3.0,4.0meter)**  
Code: 510-ACTS-008  
Code: 510-ACTS-008 (4M)



**ACTS009 Sliding Track (3.0,4.0meter)**  
Code: 510-ACTS-009  
Code: 510-ACTS-009 (4M)



**T616 Two Side Soft Close Alum Track**  
Length : 2.0, 3.0, 4.0, 6.0 meter  
Code: 409 60-903

39mm

34mm



# ANTI JUMP DOOR SYSTEM

Code: 512-637-101

**6371 Upper Track 20ft**



Code: 512-03-18U

**0318 Single Upper Track 20ft**



Code: 512-637-001

**6370 Middle 20ft**



Code: 512-637-201

**6372 Handle 16ft, 20ft**



Code: 512-636-901

**6369 Lower 20ft**



Code: 300-AJR-T2

**Anti Jump Roller SE006**



Code: 512-03-17B

**0317 Single Lower Track 20ft**



Code: 512-636-501


**6365 Lower Track 20ft**










<p><b>Anti Jump 306 Stopper (Sticker)</b> Code: 300-STP-STK</p>	<p><b>6x30mm Anti Jump Screw</b> Code: 015-108-630</p>	<p><b>EST010 Anti Jump Door Damper</b> Load-bearing capacity: 15-35KG Service Lifetime: 50,000 times Code: 300-YL-ES</p> <p>Bracket 1 (1pc) Bracket 2 (1pc) Bracket 3 (1pc)</p> <p><b>2 Year Warranty</b></p>
<p><b>1972 Anti Jump Rubber</b> 153METER Code: 023-1972-ANT</p>	<p><b>Brush Sliding Door Seal</b> Code: 023-051-000</p> <p>(Sticker)</p>	<p><b>8x13mm NON Adhesive Brush</b> Code: 023-NON-8x13 Colour: L/Gray</p> <p>(NON Adhesive)</p>

# bramah

## 2-way ANTI JUMP SLIDING DOOR DAMPER (15-30KG)



### Installation Instructions





# Floor Guide

**LS012 Floor Guide (Adjustable)**

Code: 023-LS-012



**7012 x 1/2 Floor Guide**

Code: 023-001-7012



**G014 Nylon floor guide**

Code: 023-G04-000



**22x90mm Floor Guide (Nylon)**

**16mm**

Code: 023-5/8-2290



**12mm**

Code: 023-1/2-2290



**10mm**

Code: 023-3/8-2290



**1848 12mm Floor Guide Chrome**

Code: 023-005-120



**4512x 1/2" Floor Guide**

Code: 023-450-12



**ACTS 7602 x1/2 IRON T-GUIDE**

Code: 023-1/2-GUIDE

**16mm Nylon Floor Guide**

Code: 023-NYL-16mm



**1/2" L Shape Floor Guide (S/S Copper)**

Code: 023-001-001



**13x90 Floor Guide SS (Pivot)**

Code: 023-008-139



**Center Floor Guide**

Code: 023-002-015

**GT16**



Code: 023-007-133

**GT12**



Code: 023-006-953

**GT10**



**AFG-1002 Adjustable Floor Guide For 30mm to 50mm**

Colour: White

Code: 122-25-AJS

Black

Code: 014-ADJ-G08



**12x90 T-Guide**

Code: 023-T12-90



**Double Center Floor Guide**

**GT16mm**

Code: 023-803-000



**GT12mm**

Code: 023-005-122

**4" SS Center Guide 360 deg**

Code: 023-000-4SS



**15x57mm Pivot Hinge SS**

Code: 500-15-57



# Aluminium & Steel Profile

## Surface Treatment Inlay Stainless Steel 304 3.0meter

Size :3mm x 6mm 530-363-304ss  
6mm x 6mm 530-663-304ss  
3mm x 9mm 530-3x9-304ss  
5mm x 12mm 530-512-000

Material & Finish :Stainless Steel



## Aluminium Flat Bar (NA)

Size:  
3mm x 6mm 514-FB37-36  
6mm x 6mm 514-SB019-66  
5mm x 10mm 514-FB213-510

Material & Finish :Aluminium  
Colour : NA



## 6x6 Brass Inday 3meter 520-606-000

Material & Finish : Brass



## YC0427 Aluminium T-Profile 3meter 514-0427-3M


Material & Finish: Aluminium



## YC-0326 x 2.44Meter (Yellow Gold) T-Profile 410-100-080

\*Color display is for reference only


Material & Finish: Aluminium



## YC0428 x 2.44Meter (Bright Black) T-Profile 372-67-987

\*Color display is for reference only


Material & Finish: Aluminium



## YC-0326 x 2.44Meter (Bright Black) T-Profile 500-542-207

\*Color display is for reference only


Material & Finish: Aluminium



## YC-0428 x 2.44Meter (Rose Gold) T-Profile 200-050-192

\*Color display is for reference only


Material & Finish: Aluminium



## YC-0428 x 2.44Meter (Yellow Gold) T-Profile 200-050-021

\*Color display is for reference only

Material & Finish: Aluminium





# Aluminium & Steel Profile

**Aluminium Upright 12ft** 127-ALUM-3.66



**Aluminium Mini Pole Bracket**  
101-021-001



**SPE-1820mm Stainless Steel Shelf Support 80Kgs**  
LM-SPE-1820

**LAMP**  
Made In Japan



**SPE-FB20 Shelf Stud LAMP**  
LM-SPE-FB20



**Oval 202 S/Steel Tube Pipe**  
15mm x 30mm x 3.6Meter 0.6mm

513-1630-3.6M



Material & Finish :Stainless Steel  
Colour : Chrome  
Length : 3.6 meter

**Oval Steel Tube Chrome**  
3.0mx30x15x1.2mm

513-OVL-METAL



Material & Finish :Stainless Steel  
Colour : Chrome  
Length : 3.0 meter

**Chrome Pipe 3.66meter**

Size  $\phi$  : 19mm, 25mm  
Material & Finish : Steel  
Colour : Chrome  
Length : 3.66 meter (12ft)

19mm  
513-6/8-L12




25mm  
513-001-L12

**Oval Aluminium Pipe witeLine (x009)**

3.66meter

513-OVL-M(12')



Material & Finish :Aluminium NA

# Upright



Size	Code	Finish	Material
4ft	127-501-004	Chrome	Steel
5ft	127-501-005	Chrome	Steel
6ft	127-501-006	Chrome	Steel
7ft	127-501-007	Chrome	Steel
8ft	127-501-008	Chrome	Steel

# A-10 Glass Bracket



Size	Code	Finish	Material
150mm	126-180-010	Chrome	Steel
200mm	126-240-010	Chrome	Steel
250mm	126-300-010	Chrome	Steel
300mm	126-360-010	Chrome	Steel
350mm	126-420-010	Chrome	Steel
400mm	126-480-010	Chrome	Steel
450mm	126-480-010	Chrome	Steel

# Up & Down Stand Bracket

101-023-000



# Wood Timber Bracket



Size	Code	Finish	Material
150mm	123-002-633	Chrome	Steel
200mm	123-002-833	Chrome	Steel
250mm	123-002-103	Chrome	Steel
300mm	123-002-123	Chrome	Steel
350mm	123-002-143	Chrome	Steel
400mm	123-002-163	Chrome	Steel
450mm	123-002-183	Chrome	Steel

# L020/PVC Footing-Trans

106-026-020





## Square Bar

Size	Code	Finish	Material
4ft	127-500-004	Chrome	Steel
5ft	127-500-005	Chrome	Steel
6ft	127-500-006	Chrome	Steel
8ft	127-500-007	Chrome	Steel



## Square Bar Cap

127-002-001



## Square Bar Hook




## Square Bar Bracket (Screw)

127-002-000



Size	Code	Finish	Material
150mm	127-003-006	Chrome	Steel
200mm	127-003-008	Chrome	Steel
250mm	127-003-010	Chrome	Steel
300mm	127-003-012	Chrome	Steel



## Aluminium Slatwall Profile 16ft

127-SLA-T01

Size	Code	Finish	Material
100mm	127-SLA-H04	Chrome	Steel
150mm	127-SLA-H06	Chrome	Steel
200mm	127-SLA-H08	Chrome	Steel
250mm	127-SLA-H10	Chrome	Steel
300mm	127-SLA-H12	Chrome	Steel

## Slatwall Hook



# Pipe Holder Bracket



ABS Alum Oval Bracket  
with Cover  
122-002-ABS

1600 Oval Bracket  
with Cover Chrome  
122-002-1600




Oval Bracket  
122-002-000

Oval Bracket BTS16  
Matt Black  
122-003-665



Oval Bracket Middle  
122-001-000



10# Oval Adjustable Pipe Holder  
(Middle) 122-OV-10#



12# Oval Adjustable Pipe Holder  
(End) 122-OV-12#



1" K293 Chrome Rod Holder (25mm)  
122-011-100

V-Bracket  
Metal  
122-016-101



25.9mm Rod Holder  
Pipe Bracket  
122-MET-259



203 x 3/4" (19mm) Pipe Holder  
(end) 122-203x3/4-EB



203A x 1" (25mm) Pipe Holder  
(end) 122-203Ax1-EB



6/8" K294 Chrome Rod Holder (19mm)  
122-011-K294



40mm

1" Pipe Holder Double-end  
122-DOUBLE-END



98mm

1" Pipe Holder Middle Gao Ya  
122-010-100



85mm

1" Pipe Holder End Gao Ya  
122-006-100



85mm




# Shelf Support

## Fish Mouth Shelf Support

500-800-FMS

Size: S



## Fish Mouth Shelf Support

500-800-FMM

Size: M



## Fish Mouth Shelf Support


500-800-FML

Size: L



## 21x29 Square Glass Holder Chrome

002-DL-H050



Glass dimension size: 8mm, 10mm  
Material: Zine Diecast



## 1936 Glass Holder S/Steel RENO


500-800-201

## 2144 Glass Holder S/Steel

002-019-016


Size	A	B
S	36mm	15mm
M	45mm	17mm

Glass size: 6mm-10mm (S)  
8mm-10mm (M)



## 21x59 Square Glass Holder Chrome

002-DL-H056



Glass dimension size: 8mm, 10mm  
Material: Zine Diecast



## 2449 Glass Holder S/Steel RENO

002-018-012

Size	A	B
L	50mm	20mm

Glass size: 10mm-12mm



## Glass Holder 8mm

002-202-408




## Glass Holder 12mm

002-202-412

Material: Zine Diecast



wide(mm)	Height(mm)
21mm	20mm



## 25x25 Glass Holder Chrome (L)

002-302-40L



Material: Zine Alloy

Glass size: 10mm-12mm

# Shelf Support

## 12x40 (Double) Glass Stud Chrome

106-001-140



Material: Steel

## 12x25 (Single) Glass Stud Chrome

106-002-232



## AC08 Stud & Ring(set)

106-009-080

Ø: 8mm



## AC09 Stud & Ring(set)

106-011-090

Ø: 10mm



## 161 S/S Screw Fixing Shelf Support for Glass

106-017-161



(Glass Dimension: 5~6mm)

## 160 S/S Shelf Support for Glass

106-017-160



Material: Zine Diecast

## DT617 Glass Shelf Support

106-DT-617

hole open Ø: 4.8mm / 5mm



Material: Steel & Rubber

## K22927 Steel Socket (ring)

106-021-927

Ø: 7.5mm



## K22917 Shelf Support

106-020-917



Material: Steel



## Glass stud/BA011 shelf support

106-016-000

hole open Ø: 4.8mm / 5mm



Material: Zine Diecast & Rubber

## M5x16 Collar Stud with white plastic

106-019-516

Ø: 5mm



Material: Steel & PVC

## G014 Shelf Support

106-014-014



## #3120 Glass Stud

106-003-238



Material: Zine Diecast & Rubber

## M5x16 Collar Stud

106-018-516

Ø: 5mm



## 710-5x16 Glass Stud Cover

106-011-025



## M5x16 PVC CAP


Colour: White 017-011-240  
Black 106-001-140  
Nyatoh 106-002-232





# Shelf Support

**M6722 Shelf Support** 106-005-440



**6mm Stud & Ring**

106-012-006




**3/8 Stud & Ring (Set)**

106-007-380




**3" x 10mm T-Shape Shelf Support**

107-75MM-10MM



**5" x 10mm T-Shape Shelf Support**




107-125MM-10MM



**Wall Stud With Plug**

Size:	A	B
Φ12	80mm	150mm
Φ12	80mm	200mm
Φ12	80mm	250mm

Material : Steel Metal



# Fitting Cable Clamp



**ROUND TOP STAY, 01A#**  
480-071-01A



**04# ROUND BOTTOM STAY/LONG**  
480-176-06L



**MULTI DIRECTIONAL ROUND TOP STAY**  
480-180-101



**04# ROUND BOTTOM STAY/SHORT**  
480-176-05S



**09 HANGING TRANSITION CLIP**  
480-179-090



**07# ROUND SINGLE ADJUSTABLE CLAMP** 480-176-070





# Fitting Cable Clamp

## 07# ROUND DOUBLE ADJUSTABLE CLAMP

480-177-202



## 08# SQUARE SINGLE SIDE CLAMP (HORIZONTAL)

480-175-411



## 08# SQUARE DOUBLE SIDE CLAMP (HORIZONTAL)

480-175-423




## 10# FITTING C/W DECORATION NuT (DOWN CLAMP)

480-174-10U



## 03# CENTER ROUND CLAMP

480-176-03M



## LONG TYPE TOP STAY (CEILING)

480-178-111



## U SHAPE BRACKET

480-173-02U



## MULTI DIRECTION ROUND TOP STAY 02A#

480-3090-02A



## U Shape Bracket Wire clamp only

480-173-C2U



## ST. STEEL CABLE (2MM) CHROME

480-182-02A



## ROUND BOTTOM HOOK Only

480-179-101



# Glass Fitting

## 702 SS Single Magnet RENO 500-702-101



Material: Stainless Steel  
Finishing: Matt  
Glass Thickness: 6mm-8mm  
Packing: set single door



## 702 SS Double Magnet RENO 500-702-201



Material: Stainless Steel  
Finishing: Matt  
Glass Thickness: 6mm-8mm  
Packing: set single door



## 2550 S.steel Glass Hinge (Matt) 500-2550-MATT



Material: Stainless Steel  
Finishing: Matt  
Glass Thickness: 10mm-12mm  
Packing: set single door



## 2550 S.steel Glass Hinge (Chrome) 500-2550-CHR



Material: Stainless Steel  
Finishing: Chrome  
Glass Thickness: 10mm-12mm  
Packing: set single door




## 660 Single Magnet Chrome 500-660-101



Material: Steel  
Finishing: Chrome  
Glass Thickness: 4mm-5mm  
Packing: set single door



## 660 Single Magnet Black 500-660-102




Material: Steel  
Finishing: Chrome  
Glass Thickness: 4mm-5mm  
Packing: set single door



## 660 Double Magnet Chrome 500-660-201



Material: Steel  
Finishing: Chrome  
Glass Thickness: 4mm-5mm  
Packing: set double door



## 660 Double Magnet Black 500-660-202



Material: Steel  
Finishing: Black  
Glass Thickness: 4mm-5mm  
Packing: set double door



## 660 Hinge For Wood 500-mobel-5/8"



Material: Steel  
Finishing: Black  
For Wood Use  
Packing: set single door





# Glass Fitting

## IN 900 Single Magnet (Chrome)

500-900-111



Material: Steel  
Finishing: Matt  
Glass Thickness: 4mm-5mm  
Packing: set single door

## IN 900 Double Magnet (Chrome)

500-900-211



Material: Steel  
Finishing: Matt  
Glass Thickness: 4mm-5mm  
Packing: set double door

## RENO 218 Glass Hinges Matt Square


500-100-218



Material: Zinc Diecast  
Finishing: Matt  
Glass Thickness: 6mm-8mm  
Packing: set single door

## RENO 218 Glass Hinges Matt Round

500-218-HALF



Material: Zinc Diecast  
Finishing: Matt  
Glass Thickness: 6mm-8mm  
Packing: set single door

## 2525 # Glass/Glass Hinges 90deg

500-825-090



Material: Zinc Diecast  
Finishing: Chrome  
Glass Thickness: 6mm-8mm

## 2500 # Wood/Glass Hinges

500-825-500



Material: Zinc Diecast  
Finishing: Chrome  
Glass Thickness: 6mm-8mm

## 2525 # Glass/Glass Hinges 180deg

500-825-180



Material: Zinc Diecast  
Finishing: Chrome  
Glass Thickness: 6mm-8mm

## Stainless Steel Glass Holder

60mm

Size A	Code
12"	002-012-012
14"	002-012-014
16"	002-012-016
18"	002-012-018

Material & Finish: Stainless Steel



## Glass Holder Chrome

Material & Finish : Steel with Chrome

GR01 Single

GR02 Double

002-012-GR01

002-012-GR02

# Glass Fitting

## Advertising Nut 8x20

400-122-820



Material: Steel  
Finishing: Chrome



## Advertising Nut 8x80 (8x75)

400-122-880

Material: Steel  
Finishing: Chrome



## Advertising Nut SS/ Matt, 12x21 400-122-101

12x25 400-122-501



Dimension	Height
12mm	21mm
12mm	25mm

Material: Stainless Steel  
Finishing: Matt

## Advertising Nut SS/ Matt,

Material: Stainless Steel  
Finishing: Matt



Dimension	Height
40mm	100mm
40mm	120mm
40mm	150mm
40mm	200mm
40mm	250mm
40mm	300mm
40mm	350mm
40mm	400mm

400-401-001  
400-401-201  
400-401-501  
400-402-001  
400-402-501  
400-403-001  
400-403-501  
400-404-001

Colour: Matt

## Advertising Nut SS/ Matt, 19x25 400-192-501

19x30 400-193-001



Dimension	Height
19mm	25mm
19mm	30mm

Material: Stainless Steel  
Finishing: Matt

Colour: Chrome Colour: Matt

Chrome 19x30 400-193-002

## Advertising Nut Head Only, ss/matt

Material: Stainless Steel  
Finishing: Matt



Dimension	Screw Size
19mm	M10
25mm	M8
30mm	M8
40mm	M10

400-000-191  
400-000-251  
400-000-301  
400-000-401

## Advertising Nut SS/ Matt,

25x25 400-250-251

25x30 400-250-301

25x50 400-255-001



Dimension	Height
25mm	25mm
25mm	30mm
25mm	50mm

Material: Stainless Steel  
Finishing: Matt

Colour: Matt

## 304#Advertising Nut Head 25mm

with screw 40mm  
400-304-2540

with screw 50mm  
400-304-3050



## Advertising Nut Head Only



Dimension	Screw Size
25mm	M6
25mm	M8

Material: Stainless Steel  
Finishing: Matt

## Advertising Nut SS/ Matt,



Dimension	Height
30mm	100mm
30mm	120mm
30mm	150mm
30mm	200mm
30mm	250mm
30mm	300mm
30mm	400mm

Material: Stainless Steel  
Finishing: Matt

Colour: Chrome Colour: Matt

## Solid Screw Advertising Nut

25x30 400-25-30SLM

25x50 400-25-50SLM

25x75 400-25-75SLM



Dimension	Height
25mm	30mm
25mm	50mm
25mm	75mm

Material: Stainless Steel  
Finishing: Matt



# Table Elevator Lift

## ACTS 555 Manual Elevator Lift 60kg-(h)310mmx(w)730

200-555-015

Table Size : 800mm x 800mm



Manual Elevator Lift System



## ACTS 505 Auto Elevator Lift 60kg-(h)310mmx(w)730mm

200-555-200

Table Size : 800mm x 800mm



Auto Elevator Lift (remote control)

### Tatami Lifting Table Fittings


Third Generation Tatami Lift Table hardware Electric Lifting

#### Features:

1. The device is of automatic power-cut-off function (120S+3S) and it needs custom-made
2. The device is or temperature control protection, which cuts off power automatically when temperature is over 65 C.
3. Electric machinery is in-operator when it works over 20 times. And it will operate again after the electric machinery cooling down.
4. Anti-pinch function: the device stop descending when it is stuck with a hard object.
5. The device has wireless remote control function.



# Turning Plate Aluminium



Size: 12", 14", 16", 18", 20", 24", 32", 40"



How About Building Your Own Star Wars Smart R2-D2 with Aluminium Bearing ?







# Turning Plate

## 安装图示-椅子 INSTALLATION DIAGRAM



## 6" Revolving fitting Black metal

Code: 301-TUP-B06



## 3" Turning Plate metal

Code: 301-TUP-003




## 3" Turning Plate metal Black Thick

Code: 301-TUP-THI




# Table Accessories



**Table Joint**





Material: Aluminium




wall seal profile

wall seal profile

**KITCHEN WALL SEAL PROFILE**


Wall Seal    Internal cap    External cap    End cap




Wall seal 5 meter

**Cable Cap (Pearl Silver), (Matt)**

Size : 60mm/ 80mm



Colour : Matt





Colour : Pearl Silver


**PVC CABLE CAP**


Size: 35mm/ 60mm/ 80mm


White





Colour: Black 


Brown 


Cream 

D/Grey 

L/Grey 

Nyatoh 

Oak 

White 

Size: 35mm, 60mm, 80mm

**Aluminium Square Cable Cap**

Size: 80mmx150mm  
80mmx270mm  
80mmx600mm

Colour : Aluminium NA / Black




**127x300 Cable Cap With Soft Close**

White / Black



300mm

127mm

**Cabinet Skirting LS451-100mm x 4m, ALC**

100mm x 4meter  
150mm x 4meter



Sealing Strip Pvc

Sealing Strip Pvc

**4" Cabinet Skirting Double Sealing Strip Pvc 100mm-4Meter**

**Cabinet Skirting Corner 90°**

LS452-150mm, ALC  
LS452-100mm, ALC





# Table Leg

**4" Square Leg (ss)**  
40x100mm  
300-40-100



**1 1/2x4" Round Matt Leg**  
s/s 38x100  
300-LEG-38x100



**Round Matt Leg S/Steel**  
(Upper Flexible)



300-101-008  
50x150mm



50x100mm  
300-101-506

**Adjustable Round S/Steel Leg**

- Size:
- 4" 100mm
  - 6" 150mm
  - 8" 200mm
  - 30" 760mm
  - 40" 1000mm
  - 48" 1200mm



**Kitchen Adjustable ABS Leg**  
Size 100mm HAU-LS3104A-100  
150mm 300-100-B06

**28" 961 Round Chrome Leg 60x710**

300-101-028



**M6 Adjustable Stud with Nut, Nylon T-Nut Set**

015-104-0M6



**M6x25mm Chair Leg Guide (BIK)**

300-LEG-625



**3"xM10 Adjustable Stud With T-Nuts Set**

015-75-M10



**M10 Adjustable Stud (Black) T-Nuts Set**

015-104-B10



**5/8" (WHITE) PVC Leg Nail With Pin**

300-100x5x8


6/8"

300-8810-18



# Air Hole

## Aluminium Air Hole



Size:

50x150mm 80x150mm  
50x200mm 80x200mm  
50x250mm 80x250mm  
80x300mm  
80x400mm  
80x500mm  
80x600mm

Material: Aluminium

## Aluminium Air Hole Black



Size:

B50x150mm B80x150mm  
B50x200mm B80x200mm  
B50x250mm B80x250mm  
B80x300mm  
B80x400mm  
B80x500mm  
B80x600mm

Material: Aluminium



## Air Hole Stainless Steel



Size: 19x8mm  
35x8mm  
53x8mm

**Air Vent Cap 2"X8"  
(Brown)**



**Air Vent Cap 2"X8"  
(White)**



**60mm Round Air Hole  
(White)**





# Air Tacker & Accessories

## 人性化防滑设计

防滑设计，使手掌更贴合，轻松应对长时间作业



ST64



SF50



F30



622



T50



422J



1022J

ST64 PISTON 13#(A503003)

010-T64-505



SF-50 Piston 5#(A501003)

010-F50-001



T50 PISTON (DH) (A112016)

010-T50-503



F-30 (DAHOO) Piston (A101037)

010-F30-D01



1022 PISTON 5# (A230003)

010-122-502



5#422 PISTON(A210003)

010-422-501



622 Piston (DH) A001003

010-622-D01



# Air Tacker & Accessories

1022 Nails Holder

010-102-222



F30 Nails Holder



10#BUMPER,ST64 (A503202)

010-T64104



2# SFT50 Bumper (A112202)

012-LCB-30



2#BUMPER T50(A111202)

010-T50-102



2# BUMPER,F30,1022,422  
(A101203)

010-F30-101



12# BUMPER, 622  
(A001202)

010-622-103



7# F30 Spare Part (A101202)

010-F30-007



30#F 30,T50,1022,422  
NOZZLE (A101901)

010-F30-400



10# F30,1022 Spare Part  
(A101301)

010-1022-010



16# T50 Spare Part  
(A111411)

010-T50-016






# Air Tacker & Accessories

## 产品分解图

型号: F30-A/C/D/G/S




序号	名称	编码	序号	名称	编码	序号	名称	编码	
1*	壳体	A A101801	17*	排气盖	a A101402	37	隔板	A101702	
		C A140801			b A140402	38	弹簧垫圈 5	E21050	
		D A142801		18	内六角螺钉 M5*20	E4605020	39*	盖板	a A160701
		G A146801		19	管接头	E02111			b A103702
		S A167801		20	气门密封垫	A101504			
2	缓冲垫	A101203	21	气门口	A101503	40	内六角螺钉 M5*10	E4605010	
3*	气缸	a A101201	22	气门杆	A101512	41	弹性圆柱销 2.5*16	E2702516	
		b A140201	23	O形密封圈 1.8*1.8	E01018180	42	手柄组件	A161005	
4	O形密封圈 30.3*2.5	E01303250	24	O形密封圈 10.5*1.9	E01105190	43	活动钉夹	A160706	
5	撞针	A101037	25	气门套	A101501	44	弹性圆柱销 2.5*10	E2702510	
6	O形密封圈 21.2*3	E01212300	26	扳机压簧	A101902	45	顶头	A102705	
7	气缸套	A101202	27	扳机柄	A001901	46	送钉压簧	A160707	
8	O形密封圈 24.6*3.6	E01246360	28	销轴	A001903	47	挡块	A101709	
9	减震垫	A101302	29	矩形挡圈	A001904	48	轻型弹簧垫圈 4	E22040	
10	平衡阀	A101301	30	限气塞	A101901	49	内六角螺钉 M4*7	E4604007	
11	O形密封圈 31.3*2.5	E01313250	31	固定钉夹	A160704	50	锁紧螺母 M5	E08050	
12	O形密封圈 40.6*1.2	E01406120	32	嵌条	A160703	51	连接支架	A160705	
13	O形密封圈 13.6*2.4	E01136240	33*	分顶板	a A160702	52	锁紧弹簧片	A122705	
14*	气缸盖	a A101401			b A161701	53	内六角螺钉 M4*8	E4604008	
15		密封垫	A101403	34	弹簧垫圈 4	E21040			
16	平衡阀压簧	A101303	35	内六角螺钉 M4*14	E4604014				
			36	弹性圆柱销 1.5*12	E2701512				

# Air Tacker & Accessories

## 产品分解图

型号: ST64-A/ST64-S




序号	名称	编码	序号	名称	编码	序号	名称	编码	
1	管接头	E02111	22	阀套	A506401	44	锁紧座	A111705	
2	壳体	A	A506801	23	密封垫	A503402	45	锁紧柄	A111706
		S	A513801	24	排气盖	A505403	46	扭簧	A111707
3	气门密封垫	A130505	25	内六角螺钉M6*20	E4606020	47	销轴	A111904	
4	气门嘴	A505503	26	限气塞	A506901	48	矩形挡圈	A001904	
5	气门压簧	A130504	27	扳机柄	A505901	49	连接支架	A505705	
6	O形圈2.5*1.5	E01025150	28	保险片	A505902	50	内六角螺钉M4*12	E4604012	
7	气门杆	A505502	29	弹性圆柱销3*17	E2703017	51	内六角螺钉M5*22	E4605022	
8	气门套	A505501	30	销轴	A505903	52	锁紧螺母M5	E08050	
9	O形圈10.5*1.9	E01105190	31	矩形挡圈	A505904	53	隔板	A503702	
10	缓冲垫	A503202	32	固定钉夹	A503703	54	弹簧垫圈6	E21060	
11	O形圈52.3*2.5	E01523250	33	嵌条	A503706	55	内六角螺钉M6*30	E4606030	
12	气缸	A503201	34	活动钉夹	A503707	56	保险架	A505601	
13	撞针	A503003	35	弹性圆柱销2.5*12	E2702512	57	分钉板	A503704	
14	O形圈44.9*3.2	E01449320	36	顶头	A503710	58	弹性圆柱销2.5*16	E2702516	
15	平衡阀	A508301	37	弹簧座	A503708	59	内六角螺钉M5*16	E4605016	
16	O形圈33.3*3.5	E01333350	38	送钉压簧	A503709	60	盖板	A503701	
17	O形圈49*4.5	E01490450	39	挡板	A503711	61	内六角螺钉M5*14	E4605014	
18	O形圈58.5*2.4	E01585240	40	内六角螺钉M4*18	E4604018	62	十字盘头螺钉M5*8	E1205008	
19	O形圈13.6*2.4	E01136240	41	锁紧螺母M4	E08040	63	O形圈4.5*1.3	E01045130	
20	平衡阀压簧	A508302	42	内六角螺钉M4*9	E4604009				
21	O形圈60.4*2.5	E01604250	43	弹簧垫圈4	E22040				



# Air Tacker & Accessories

## 产品分解图

型号: 1022J-A/C/S




序号	名称	编码	序号	名称	编码	序号	名称	编码
1*	壳体	A A101801	16	密封垫	A101403	34	销轴	A001903
		C A140801	17*	排气盖	A A101402	35	矩形挡圈	E31020
		S A167801			C A140402	36	隔板	A202702
2	缓冲垫	A101203	S A160402	37	盖板	A230701		
3*	气缸	A/S A101201	18	内六角螺钉M5*22	E4605022	38	弹簧垫圈5	E21050
		C A140201	19	管接头	E02111	39	调节板	A230710
4	O形密封圈30.3*2.5	E01303250	20	气门密封垫	A101504	40	内六角螺钉M5*5	E4605005
5	撞针组件	A230003	21	气门嘴	A101503	41	焊接活动钉夹	A230008
6	O形密封圈21.2*3	E01212300	22	气门杆	A101522	42	送钉拉簧	A230704
7	气缸套	A101202	23	O形密封圈3.6*1.5	E01036150	43	顶头	A230703
8	O形密封圈24.6*3.6	E01246360	24	O形密封圈10.5*1.9	E01105190	44	内六角螺钉M4*4	E4604004
9	减震垫	A101302	25	气门套	A101501	45	弹簧垫圈4	E22040
10	平衡阀	A101301	26	扳机压簧	A101902	46	内六角螺钉M5*22	E4605022
11	O形密封圈31.3*2.5	E01313250	27	扳机柄	A924904	47	非金属嵌件锁紧螺母	E08050
12	平衡阀压簧	A101303	28	销轴	A116904			
13	O形密封圈40.6*1.2	E01406120	29	矩形挡圈	A001904			
14	O形密封圈13.6*2.4	E01136240	30	限气塞	A101901			
15*	气缸盖	A A101401	31	焊接固定钉夹	A230006			
		C A140401	32	锁紧柄	A202703			
		S A167401	33	扭簧	A202704			

# Air Tacker & Accessories

## 产品分解图

型号: 422J-A/C/D/G/S




序号	名称	编码	序号	名称	编码	序号	名称	编码		
1*	壳体	A	A101801	15	密封垫	A101403	34	销轴	A001903	
		C	A140801	16	平衡阀压簧	A101303	35	矩形挡圈	A001904	
		D	A141801	17*	排气盖	A	A101402	36	隔板	A202702
		G	A146801			C/D/G	A140402	37	盖板	A210701
		S	A167801			S	A160402	38	弹簧垫圈5	E21050
2	缓冲垫	A101203	18	内六角螺钉M5*22	E4605022	39	调节板	A210703		
3*	气缸	A/S	A101201	19	管接头	E02111	40	内六角螺钉M5*5	E4605005	
		C/D/G	A140201	20	气门密封垫	A101504	41	焊接活动钉夹	A210008	
4	O形密封圈30.3*2.5	E01303250	21	气门嘴	A101503	42	导杆	A210713		
5	撞针组件	A210003	22	气门杆	A101522	43	送钉压簧	A210712		
6	O形密封圈21.2*3	E01212300	23	O形密封圈3.6*1.5	E01036150	44	顶头	A210711		
7	气缸套	A101202	24	O形密封圈10.5*1.9	E01105190	45	盘头螺钉M4*6	E1204006		
8	O形密封圈24.6*3.6	E01246360	25	气门套	A101501	46	内六角螺钉M4*4	E4604004		
9	减震垫	A101302	26	扳机压簧	A101902	47	弹簧垫圈4	E21040		
10	平衡阀	A101301	27	销轴	A116904	48	内六角螺钉M5*22	E4605022		
11	O形密封圈31.3*2.5	E01313250	28	扳机柄	A924904	49	锁紧螺母M5	E08050		
12	O形密封圈40.6*1.2	E01406120	29	矩形挡圈	A001904					
13	O形密封圈13.6*2.4	E01136240	30	限气塞	A101901					
14*	气缸盖	A	A101401	31	焊接固定钉夹	A210006				
		C/D/G	A140401	32	锁紧柄	A210704				
		S	A167401	33	扭簧	A202704				



# Air Tacker & Accessories

## 产品分解图

型号: T50-A/SF50-A




序号	名称	编码	序号	名称	编码	序号	名称	编码	
1	壳体	A112801	22	销轴	A112902	42*	分钉板	T50-A	A111715
2	缓冲垫	A112202	23	保险片	A112904			SF50-A	A501702
3	O形密封圈39.6*2.4	E01396240	24	矩形挡圈	A001904	43	弹性圆柱销2.5*20	E2702520	
4	O形密封圈37.5*2	E01375200	25	气门座	A112503	44	内六角螺钉M4*16	E4604016	
5	气缸	A112201	26	O形密封圈5.8*1.7	E01580170	45	内六角螺钉M5*12	E4605012	
6*	撞针组件	T50-A	A112016	27	气门杆	A112502	46	盖板	A112702
		SF50-A	A501003	28	O形密封圈2.8*1.8	E01280180	47	隔板	A112701
7	O形密封圈29.3*3.5	E01293350	29	气门压簧	A112504	48	弹簧垫圈5	E21050	
8	O形密封圈41*2.65	E01410265	30	气门套	A112501	49	内六角螺钉M5*30	E4605030	
9	平衡阀组件	A112015	31	O形密封圈8.7*1.8	E01870180	50	锁紧座	A111705	
10	O形密封圈49*2.5	E01490250	32	O形密封圈8.2*1.9	E01820190	51	扭簧	A111707	
11	O形密封圈9*1.9	E01090190	33	管接头	E02111	52	销轴	A111904	
12	平衡阀压簧	A112301	34	顶头	A111710	53	锁紧柄	A111706	
13	平衡阀套	A112303	35	送钉压簧	A503709	54	内六角螺钉M4*12	E4604012	
14	O形密封圈48.4*1.8	E01484180	36	弹性圆柱销2.5*12	E2702512	55	连接支架	A112704	
15	减震垫	A112402	37*	活动钉夹	T50-A	A112706	56	保险架	A112011
16	气缸盖	A112401			SF50-A	A502702	57	弹簧垫圈4	E22040
17	排气盖	A112403	38	挡块	A111711	58	内六角螺钉M4*7	E4604007	
18	内六角螺钉M5*22	E4605022	39	内六角螺钉M4*14	E4604014				
19	限气塞	A112901	40*	固定钉夹	T50-A	A112703			
20	扳机柄	A112903			SF50-A	A502701			
21	弹性圆柱销3*17	E2703017	41	嵌条	A112705				

# Air Tacker & Accessories

## 产品分解图

型号: T50/T50-1/SF50




序号	名称	编码	序号	名称	编码	序号	名称	编码		
1*	壳体	T50	A111801	23	气门嘴	A101503	42*	活动钉夹	T50	A111709
		T50-1	A116801	24	气门杆	A101512			SF50	A501701
2	缓冲垫	A111202	25	O形密封圈1.8*1.8	E01018180	43	弹性圆柱销2.5*12	E2702512		
3	气缸	A111201	26	气门套	A101501	44	顶头	A111710		
4	O形密封圈38.5*2.4	E01385240	27	扭簧	A111902	45	送钉压簧	A503709		
5*	撞针组件	T50	A112016	28*	扳机柄	T50	A111903	46	挡块	A111711
		SF50	A501003			T50-1	A116903	47	内六角螺钉M4*14	E4604014
6	O形密封圈29.3*3.5	E01293350	29	保险座	A111601	48	内六角螺钉M4*7	E4604007		
7	导气杆	A111905	30*	销轴	T50	A111904	49	弹簧垫圈4	E22040	
8	O形密封圈3.7*1.9	E01037190			T50-1	A116904	50	保险架	A111603	
9	O形密封圈22.3*3	E01223300	31	矩形挡圈	A001904	51	保险架压簧	A111602		
10	O形密封圈35.5*3	E01355300	32*	固定钉夹	T50	A111702	52	开口挡圈	E31025	
11	平衡阀	A111301			SF50	A501701	53	盖板	A111701	
12	O形密封圈42.8*2.6	E01428260	33*	嵌条	T50	A111708	54	内六角螺钉M5*12	E4605012	
13	O形密封圈10.5*1.9	E01105190			SF50	A503706	55	隔板	A101702	
14	O形密封圈50*1.5	E01500150	34*	分钉板	T50	A111715	56	弹簧垫圈5	E21050	
15	平衡阀压簧	A111302			SF50	A501702	57	内六角螺钉M5*25	E4605025	
16	气缸盖	A111411	35	弹性圆柱销2.5*20	E2702520	58	六角螺母M5	E04050		
17	矩形垫	A101403	36	内六角螺钉M4*16	E4604016	59	保险块	A116603		
18	排气盖	A111412	37	锁紧座	A111705	60	保险拉簧	A116602		
19	内六角螺钉M5*20	E4605020	38	锁紧柄	A111706	61	扳机柄压簧	A101902		
20	管接头	E02111	39	扭簧	A111707	62	保险扭簧	A116601		
21	限气塞	A111901	40	连接支架	A111704					
22	气门密封垫	A101504	41	内六角螺钉M4*12	E4604012					



# Air Tacker & Accessories

## 产品分解图

型号: P622-C2





序号	名称	编码	序号	名称	编码	序号	名称	编码
1	壳体	A004801	22	内六角螺钉M4*12	E4604012	45	调档弹片	A004711
2	O形圈12.9*2.8	E01129280	23	弹簧垫圈4	E21040	46	拨块	A004712
3	气门杆	A001501	24	内六角螺钉M4*25	E4604025	47	调节座	A004714
4	O形圈3.1*1.8	E01031180	25	O形圈26*3	E01260300	48	内六角螺钉M4*6	E4604006
5	O形圈1.8*1.8	E01018180	26	连接头	A001906	49	分钉板	A004706
6	锥形压簧	A001502	27	管接头	E02111	50	内六角螺钉M4*14	E4604014
7	平衡阀	A001301	28	扳机压簧	A001902	51	弹性圆柱销2*10	E2702010
8	O形圈13.7*2.3	E01137230	29	扳机柄	A001901	52	活动钉夹	A004005
9	O形圈7.4*2.6	E01074260	30	销轴	A001903	53	垫块	A004719
10	O形圈5.8*1.7	E01058170	31	矩形挡圈	A001904	54	导杆	A004717
11	气缸	A001201	32	限气塞	A001905	55	送钉压簧	A001704
12	缓冲垫	A001202	34	右钉夹	A004705	56	顶头	A004716
13	气缸密封垫	A001203	35	滑块	A004710	57	扭簧	A001702
14	撞针	A001003	36	左钉夹	A004704	58	锁紧柄	A004721
15	O形圈12.6*2.8	E01126280	37	定位块	A004707	59	销轴	A004722
16	减震垫	A001103	38	滑片	A004709	60	连接支架	A004702
17	O形圈18.9*1.8	E01189180	40	垫片	A004708	61	盖板	A004701
18	阀套	A001404	41	内六角螺钉M4*10	E4604010	62	内六角螺钉M4*8	E4604008
19	8字圈	A001402	42	盘头螺钉M4*9	E1204009			
20	气缸盖	A001401	43	锁紧螺母M4	E08040			
21	排气盖	A001403	44	调节板	A004713			

# Air Tacker Nail

## MP# F Air Nail (5000pcs)

Air Tacker Nail  
F10,F15,F20,F25,F30

**Mepla**




DIAMETER : 1.2mm  
QTY : 5000pcs  
LEGLLENGTH : 10mm, 15mm, 20mm, 25mm, 30mm



Model	Size	Qty
F10	10mm	5000pcs
F15	15mm	5000pcs
F20	20mm	5000pcs
F25	25mm	5000pcs
F30	30mm	5000pcs


## MP# T Air Nail (2500pcs)



Model	Size	Qty
T25	25mm	2500pcs
T32	32mm	2500pcs
T38	38mm	2500pcs
T45	45mm	2500pcs
T50	50mm	2500pcs

## MP# J Air Nail (5000pcs)


10mm



Model	Size	Qty
1008	8mm	5000pcs
1010	10mm	5000pcs
1013	13mm	5000pcs
1016	16mm	5000pcs
1019	19mm	5000pcs

## MP# J Air Nail (5000pcs)

4mm



Model	Size	Qty
413	13mm	5000pcs
416	16mm	5000pcs
419	19mm	5000pcs

## ST Nail (1000pcs)

\*For Wall Use



Size	Qty
18mm	1000pcs
25mm	1000pcs
32mm	1000pcs
38mm	1000pcs
45mm	1000pcs
50mm	1000pcs

Nickel Nail

## SFT Nail (1500pcs)


\*2 In 1



Size	Qty
18mm	1500pcs
25mm	1500pcs
30mm	1500pcs
35mm	1500pcs
40mm	1500pcs
45mm	1500pcs
50mm	1500pcs

Black Nail

## Pin Nail (10000 pcs)



Size	Qty
10mm	10000pcs
12mm	10000pcs
15mm	10000pcs
18mm	10000pcs
20mm	10000pcs
22mm	10000pcs






# Air Tube Hose & Coupler

## Pneumatic Air Tube, 5x8 (250ft)

010-020-M58

Tube Dia.  $\phi$  8mm



## Pneumatic Air Hose with 5x8 Coupler Set (6 meter)

010-5x8-set

Tube Dia.  $\phi$  8mm



## 'TATA' Yellow Pressure Air Hose - 8.5mm X 80meter

010-AH-8.5x90

Tube Dia.  $\phi$  14mm



## SP5x8 AA Quick Coupler (Ychxc)

010-SP-5x8

For Tube Dia.  $\phi$  8mm



## Orbit Hole Clip 000# (9mm-13mm)

106-000-913



## Ychxc 20PM AIR COUPLER

010-YC-20PM



## Ychxc 20PF AIR COUPLER

010-YC-20PF



## Ychxc 20PH AIR COUPLER

010-YC-20PH



For Tube Dia.  $\phi$  14mm

## 20SM AIR COUPLER TAIWAN

010-020-601



## Air Couple 3 Head Round

010-020-3HEAD



# Air Tube Hose & Coupler

## Ychxc self-locking 20SH

010-YC-20SH



Self-locking  
Automatic  
Couplings



## 5X8 Self-locking QUICK COUPLER (SET)

010-020-5X8



Self-locking  
Automatic  
Couplings



## Ychxc self-locking 20SF

010-YC-20SF



Self-locking  
Automatic  
Couplings



## Ychxc self-locking 20SM

010-YC-20SM



Self-locking  
Automatic  
Couplings



## 20SH AIR COUPLER JAPAN (Nietz)

010-020-603



For Tube Dia.  $\phi$  14mm

## 20SF THB Air Coupler (Nietz)

010-THB-20SF



## 20SM THB AIR COUPLER (Nietz)

010-THB-20SM



## 20PM AIR COUPLER TAIWAN (Nietz)

010-020-600



## 20PH AIR COUPLER TAIWAN (Nietz)

010-020-604





**Milwaukee**

VALUE COMBO  
**PACKAGE**

**M12 FUEL™**

SUB ROTARY HAMMER  
6.0AH STARTER KIT

M12 CH-602C  
**6.0Ah**



**RM1388**



M12 FPD-602C  
+  
M12 BID-0



**RM988**

+





Milwaukee

Nothing but HEAVY DUTY.

M12 FUEL

# MEGA COMBO

M12 FPP3N-402B



**M12 CH-0**  
M12 FUEL™ SDS-PLUS  
HAMMER (2 MODE)



**M12 FPD-0**  
M12 FUEL™  
PERCUSSION DRILL



**M12 FID-0**  
M12 FUEL™ 1/4\"/>



**C12C**  
M12™ CHARGER



**M12 B4**  
M12™ 4.0AH BATTERY



CONTRACTOR BAG

# RM 1698

# FREE



**M12 CHZ-0**  
M12 FUEL™ COMPACT HACKZALL  
ORIGINAL PRICE: RM725

FOLLOW US

MILWAUKEETOOLMY

MILWAUKEETOOL\_MY

**2**  
YEAR  
WARRANTY



# CHRISTMAS MAS

*Sale*



**M12B2** 2.0ah Battery  
REDLITHIUM



**M12B4** 4.0ah Battery  
REDLITHIUM



**MCB** M12  
Tool Bag (S)

**C12C** M12  
Charger



## Combo A

M12B2-2.0ah battery x1,  
C12C-Charger x1,  
MCB-Tools Bag x1

## Combo B

M12B4-4.0ah battery x1,  
C12C-Charger x1,  
MCB-Tools Bag x1





**HP333DWY**

# CORDLESS HAMMER DRIVER DRILL

\* WHILE STOCKS LAST, LIMITED AVAILABILITY  
Stok terhad, sementara stok masih ada 庫存有限。售完即止。

**RM299.00/set**  
Terms & Conditions Apply.



1 Cordless Hammer Driver Drill 10 mm (3/8")  
Tool only



2 Carrying Case



3 Standard Charger DC10WD (197450-9)



4 BL1016 1.5Ah Battery (197393-5)



## CXT COMBO B

**1**  
**TD110DWYE**  
Cordless Impact Driver

Includes  
2x 1.5Ah Battery (BL1016)  
Standard Charger (DC10WD)



**2**  
**DF333DZ**  
Cordless Driver Drill

Tool only



**4** Tool Bag (831271-6)



**3**  
**JV101DZ**  
Cordless Jig Saw

Tool only

**RM 959\***

## CXT COMBO C

**1**  
**HR166DSMJ**  
Cordless Rotary Hammer

Includes  
2x 4.0Ah Battery (BL1041B)  
Speed Charger (DC10SB)  
Makpac Connector Box



**3**  
**DF333DZ**  
Cordless Driver Drill

Tool only



**2**  
**TD110DZ**  
Cordless Impact Driver

Tool only



**RM 1,499\***



**4**  
**JR105DZ**  
Cordless Recipro Saw

Tool only



**5** Tool Bag (831271-6)





# Makita

## CORDLESS COMBO KIT

Kit alat perkakas tenaga kordless 无绳工具套装  
**CLX224**



1x Standard Charger (DC19WD)  
Pengisian Standard (DC19WD)  
标准充电器 (DC19WD)

2x 12Vmax Cordless Impact Driver  
Pemutar Seku Impak Tanpa Kord  
无绳冲击电钻套装  
1x 1.5Ah Battery (BL1018)  
Bateri 1.5Ah (BL1018)  
1.5Ah 电池 (BL1018)

3x 12Vmax Cordless Driver Drill  
Ganda Pemutar Seku Tanpa Kord  
无绳电钻套装  
1x 1.5Ah Battery (BL1018)  
Bateri 1.5Ah (BL1018)  
1.5Ah 电池 (BL1018)

4x 12Vmax Makita Tool Bag  
Beg Alat Makita  
Makita 工具包

## TD110DWYE 12Vmax Cordless Impact Driver



Impacts Per Minute (IPM) 0 - 3,500  
No Load Speed (RPM) 0 - 2,600  
Max Fastening Torque 110 N·m (970 in.lbs.)  
Dimensions (L x W x H) 153 x 66 x 204 mm  
Net Weight 1.0 - 1.2 kg (2.3 - 2.6 lbs.)  
Work Amount 250 pcs with BL1021B  
Coarse Thread Wood Screw 45 mm (Melapi)

## HP332D 10mm (3/8") 12Vmax Cordless Hammer Driver Drill



Impacts Per Minute (IPM) High: 0 - 22,500  
Low: 0 - 6,750  
No Load Speed (RPM) High: 0 - 1,500 | Low: 0 - 450  
Max Fastening Torque Hard: 35 N·m (310 in.lbs.)  
Soft: 21 N·m (190 in.lbs.)  
Max Lock Torque 32 N·m (280 in.lbs.)  
Dimensions (L x W x H) 168 x 66 x 217 mm  
Net Weight 1.1 - 1.3 kg (2.4 - 2.8 lbs.)

## TD111D 12Vmax Cordless Impact Driver



Impacts Per Minute (IPM) Hard: 0 - 3,900  
Soft: 0 - 1,600  
No Load Speed (RPM) Hard: 0 - 3,000 | Soft: 0 - 1,300  
Max Fastening Torque 135 N·m (1,200 in.lbs.)  
Dimensions (L x W x H) 135 x 66 x 210 mm  
Net Weight 0.97 - 1.1 kg (2.1 - 2.5 lbs.)

## DF332D 10mm (3/8") 12Vmax Cordless Driver Drill



Max Output 250 W  
Chuck Capacity 0.8 - 10 mm (1/32 - 3/8")  
No Load Speed (RPM) High: 0 - 1,500 | Low: 0 - 450  
Max Fastening Torque Hard: 35 N·m (310 in.lbs.)  
Soft: 21 N·m (190 in.lbs.)  
Max Lock Torque 32 N·m (280 in.lbs.)  
Dimensions (L x W x H) 154 x 66 x 217 mm  
Net Weight 1.0 - 1.2 kg (2.3 - 2.6 lbs.)

## HR166D 16 mm (5/8") 12Vmax Cordless Rotary Hammer



Capacity Concrete: 16 mm (5/8")  
Steel: 10 mm (3/8")  
Wood: 13 mm (1/2")  
Impacts Per Minute (IPM) 0 - 4,800  
No Load Speed (RPM) 0 - 680  
Dimensions (L x W x H) BL1021B: 250 x 74 x 187 mm  
Net Weight 1.8 - 2.4 kg (4.1 - 5.4 lbs.)

## JV103D 12Vmax Cordless Jig Saw



Max Cutting Capacity at 90°  
Wood: 90 mm (3-1/2")  
Aluminum: 20 mm (13/16")  
Mild Steel: 10 mm (3/8")  
Length of Stroke 23 mm (7/8")  
Strokes Per Minute (SPM) 800 - 3,000  
Dimensions (L x W x H) 237 x 76 x 206 mm  
Net Weight 1.9 - 2.0 kg (4.1 - 4.4 lbs.)

## JR105D 12Vmax Cordless Recipro Saw



Capacity Pipe : 50 mm (2")  
Wood: 50 mm (2")  
Length of Stroke 13 mm (1/2")  
Strokes Per Minute (SPM) 0 - 3,300  
Dimensions (L x W x H) 376 x 66 x 186 mm  
Net Weight 1.3 - 1.5 kg (2.8 - 3.3 lbs.)

## JV101D 12Vmax Cordless Jig Saw



Max Cutting Capacity at 90°  
Wood: 65 mm (2 - 9/16")  
Aluminum: 4 mm (5/32")  
Mild Steel: 2 mm (1/16")  
Length of Stroke 18 mm (11/16")  
Strokes Per Minute (SPM) 0 - 2,900  
Dimensions (L x W x H) 232 x 76 x 196 mm  
Net Weight 1.8 - 1.9 kg (3.9 - 4.3 lbs.)





# Makita

## TM30D12Vmax Cordless Multi Tool

12V<sub>max</sub>

CXT



Oscillations Per Minute (OPM) 6,000 - 20,000  
Oscillation Angle Left: 1.6° | Right: 1.6° | Total: 3.2°  
Dimensions (L x W x H) 277 x 65 x 98 mm  
Net Weight 1.1 - 1.3 kg (2.4 - 2.8 lbs.)

## CP100DWA12Vmax Cordless Multi Cutter

12V<sub>max</sub>

CXT



Max Cutting Capacity 6 mm (1/4")  
No Load Speed (RPM) 300  
Dimensions (L x W x H) BL1021B: 272 x 66 x 120 mm  
BL1041B: 291 x 66 x 121 mm (11-1/2" x 2-5/8" x 4-3/4")  
Net Weight 0.72 - 0.88 kg (1.6 - 1.9 lbs.)

## CG100DZA 12Vmax Cordless Caulking Gun

12V<sub>max</sub>

CXT



Max Dispersing Force 5,000 N (1,100 lbs)  
Holder Size 300 mL  
(Optional Accessories 600 mL, 800 mL Holder)  
No Load Speed (RPM) 0 - 28 mm/sec. (0 - 66 in/min.)  
Dimensions (L x W x H) 404 x 108 x 259 mm  
Net Weight 1.9 - 2.6 kg (4.3 - 5.6 lbs.)

## ML106 (AUAML106) 12Vmax Cordless LED Flashlight

12V<sub>max</sub>

CXT



Run Time (hrs) Up to: 12  
Luminous Flux 190 lm  
Illuminance At 1 m from the light source 170 - 4,500 lx  
Dimensions (L x W x H) With BL1016/BL1021B: 271 x 66 x 93 mm  
With BL1041B: 290 x 66 x 93 mm (11-3/8" x 2-5/8" x 3-5/8")  
Net Weight 0.61 - 0.78 kg (1.3 - 1.7 lbs.)

## CF100DZ 12Vmax/ AC 12Vmax Cordless Fan

12V<sub>max</sub>

CXT



Dimensions (L x W x H) 148 x 260 x 252 mm (5-7/8 x 10-1/4 x 9-7/8")  
Net Weight 1.2 - 1.4 kg (2.7 - 3.1 lbs.)  
Continuous Use (min) Low: 315 | Medium: 190 | High: 135 With BL1021B

## CL107FDWYW 12Vmax Cordless Cleaner

3

12V<sub>max</sub>



Capacity Dust Bag: 500 mL  
Paper Pack: 330 mL  
Max Air Flow 1.4 m<sup>3</sup>/min  
Max Sealed Suction (water column) 5.0 kPa (510 mmH<sub>2</sub>O)  
Suction Power Max: 32 W | High: 20 W | Normal: 5 W  
Dimensions (L x W x H) 960 x 112 x 150 mm  
Net Weight 1.1 kg (2.5 lbs.)  
4.6 - 5.1 kg (10.2 - 11.2 lbs.)

## TM30D Cordless Multi Tool



## CP100D Cordless Multi Cutter





**18V**  
LITHIUM-ION

# Makita

## DVC862Z 18Vx2 Cordless Vacuum Cleaner (Wet/Dry)

**BL MOTOR** **XPT**  
EXTREME PROTECTION TECHNOLOGY

Capacity Dust: 8 L | Water: 6 L  
Max Air Flow 2.1 m<sup>3</sup>/min  
Max Sealed Suction 9.8 kPa  
Suction Power 90 W  
Dimensions (L x W x H) 366 x 334 x 368 mm  
Net Weight 7.0 kg (15.5 lbs.)



## DVC863Z 18Vx2 Cordless Vacuum Cleaner (Dry)

**BL MOTOR** **XPT**  
EXTREME PROTECTION TECHNOLOGY

Capacity Dust: 8 L  
Max Air Flow 2.1 m<sup>3</sup>/min  
Max Sealed Suction 9.8 kPa  
Suction Power 90 W  
Dimensions (L x W x H) 366 x 334 x 368 mm  
Net Weight 7.7 kg (17.1 lbs.)



## DVC260Z 18Vx2 Cordless Backpack Vacuum Cleaner

**BL MOTOR** **HEPA filter**

Capacity Filter Bag: 2.0 L  
Paper Dust Bag: 2.0 L  
Cloth Dust Bag: 1.5 L  
Max Air Flow 1.5 m<sup>3</sup>/min  
Max Sealed Suction 7.1 kPa (710 mmH<sub>2</sub>O)  
Suction Power High: 45 W | Low: 25 W  
Dimensions (L x W x H) 230 x 152 x 373 mm  
Net Weight 3.8 kg (8.5 lbs.)



## DCL182FRFW 18V Cordless Cleaner

18V 2

Capacity Dust Bag: 500 mL  
Paper Pack: 330 mL  
Max Air Flow 1.4 m<sup>3</sup>/min  
Max Sealed Suction (water column) 5.4 kPa (551 mmH<sub>2</sub>O)  
Suction Power High: 30 W  
Low: 11 W  
Dimensions (L x W x H) 1,004 x 115 x 151 mm  
Net Weight 1.3 kg (2.9 lbs.)



## 199038-1 SEAT NOZZLE SET



175mm

## 194566-1 Paper Filter Set For CL104D (5pcs/set)



## DCL180ZB 18V Cordless Cleaner

18V

Capacity 650 mL  
Max Air Flow 1.4 m<sup>3</sup>/min  
Max Sealed Suction (water column) 4.2 kPa (428 mmH<sub>2</sub>O)  
Suction Power 30 W  
Dimensions (L x W x H) 999 x 114 x 152 mm  
Net Weight 1.2 kg (2.6 lbs.)



## CORDLESS BACKPACK VACUUM CLEANER



**HEPA filter**

HEPA Filter

It is used as the main filter to capture only fine particles effectively.  
Able to capture 99.97% of particles as small as 0.3-µm

Exhaust air is as clean as that of air cleaner.



Comfortable harness



Featuring shoulder and waist belts adjustable to suit user's size for less fatigue even after long continuous operation.

Controller



OFF switch  
High/Low power selection  
ON/OFF switch for LED job light  
LED job light (optional) for operation in dark job sites



The weight of tool body is removed from user's wrist and hand, enabling Easy corner-to-corner cleaning for longer time with less fatigue.







# Makita

## DDF453 13mm (1/2") 18V Cordless Driver Drill

18V 16

2-POLE MOTOR

Capacity Steel: 13 mm (1/2")  
Wood: 36 mm (1 - 7/16")  
No Load Speed (RPM) High: 0 - 1,300 | Low: 0 - 400  
Max Fastening Torque Hard: 42 N·m | Soft: 27 N·m  
Max Lock Torque 38 N·m (340 in.lbs.)  
Dimensions (L x W x H) 222 x 79 x 244 mm  
Net Weight 1.7 - 2.0 kg (3.7 - 4.4 lbs.)



## DHP481 13 mm (1/2") 18V Cordless Hammer Driver Drill

18V 21



**BL MOTOR**  
**XPT**  
EXTREME PROTECTION TECHNOLOGY

Capacity Steel: 13 mm (1/2")  
Wood: 76 mm (3")  
Masonry: 16 mm (5/8")  
Chuck Capacity 1.5 - 13 mm (1/16 - 1/2")  
Impacts Per Minute (IPM) High: 0 - 31,500 | Low: 0 - 8,250  
No Load Speed (RPM) High: 0 - 2,100 | Low: 0 - 550  
Max Fastening Torque Hard: 115 N·m (1,020 in.lbs.)  
Soft: 60 N·m (530 in.lbs.)  
Max Lock Torque 125 N·m (1,090 in.lbs.)  
Dimensions (L x W x H) 205 x 79 x 249 mm  
Net Weight 2.7 - 3.0 kg (6.0 - 6.7 lbs.)



## DHP484 13 mm (1/2") 18V Cordless Hammer Driver Drill

18V 21

Capacity Steel: 13 mm (1/2")  
Wood: 38 mm (1-1/2")  
Masonry: 13 mm (1/2")  
Chuck Capacity 1.5 - 13 mm (1/16 - 1/2")  
Impacts Per Minute (IPM) High: 0 - 30,000 Low: 0 - 7,500  
Max Fastening Torque Hard: 54 N·m (480 in.lbs.)  
Soft: 30 N·m (270 in.lbs.)  
No Load Speed (RPM) High: 0 - 2,000 | Low: 0 - 2,000  
Max Lock Torque 60 N·m (530 in.lbs.)  
Dimensions (L x W x H) 182 x 79 x 261 mm

**BL MOTOR**  
**XPT**  
EXTREME PROTECTION TECHNOLOGY



## DHP458 13mm (1/2") 18V Cordless Hammer Driver Drill

18V 21

Capacity Steel: 13 mm (1/2")  
Wood: 76 mm (3")  
Masonry: 16 mm (5/8")  
Impacts Per Minute (IPM) High: 0 - 30,000  
Low: 0 - 6,000  
No Load Speed (RPM) High: 0 - 2,000 | Low: 0 - 400  
Max Fastening Torque Hard: 91 N·m | Soft: 58 N·m  
Max Lock Torque 84 N·m (750 in.lbs.)  
Dimensions (L x W x H) 225 x 79 x 259 mm  
Net Weight 2.2 - 2.6 kg (4.8 - 5.7 lbs.)

4-POLE MOTOR

**XPT**  
EXTREME PROTECTION TECHNOLOGY



## DHP482 13 mm (1/2") 18V Cordless Hammer Driver Drill

18V 21

Capacity Steel: 13 mm (1/2")  
Wood: 38 mm (1-1/2")  
Masonry: 13 mm (1/2")  
Chuck Capacity 1.5 - 13 mm (1/16 - 1/2")  
Impacts Per Minute (IPM) High: 0 - 28,500 Low: 0 - 9,000  
No Load Speed (RPM) High: 0 - 1,900 | Low: 0 - 600  
Max Fastening Torque Hard: 62 N·m (550 in.lbs.)  
Soft: 36 N·m (320 in.lbs.)  
Max Lock Torque 54 N·m (480 in.lbs.)  
Dimensions (L x W x H) 198 x 79 x 249 mm  
Net Weight 1.5 - 1.8 kg (3.3 - 4.0 lbs.)

4-POLE MOTOR

**XPT**  
EXTREME PROTECTION TECHNOLOGY



## DTD154 18V Cordless Impact Driver

18V 3

Capacity Machine Screw: M4 - M8 (5/32" - 5/16")  
Standard Bolt : M5 - M16 (3/16" - 5/8")  
High Tensile Bolt: M5 - M14 (3/16" - 9/16")  
Coarse Thread (in length): 22 - 125 mm (7/8" - 4-7/8")  
Impacts Per Minute (IPM) 0 - 3,800/0 - 2,600/0 - 1,100  
No Load Speed (RPM) 0 - 3,600 | 0 - 2,100 | 0 - 1,100  
Max Fastening Torque 175N·m (1,550in.lbs.)  
Dimensions (L x W x H) 117 x 79 x 236 mm  
Net Weight 1.3 - 1.6 kg (2.8 - 3.5 lbs.)

**BEST TERBAIK 优秀**  
**BL MOTOR**

**XPT**  
EXTREME PROTECTION TECHNOLOGY



## DTW190 12.7 mm (1/2") 18V Cordless Impact Wrench

18V

Fastening Capacities Standard Bolt: M8 - M16 (5/16" - 5/8")  
High Tensile Bolt: M8 - M12 (5/16" - 1/2")  
Square Drive 12.7 mm (1/2")  
Impacts Per Minute (IPM) 0 - 3,000  
No Load Speed (RPM) 0 - 2,300  
Max Fastening Torque 190 N·m (140 ft.lbs.)  
Overall Length 176 mm (6 - 15/16")  
Net Weight 1.4 - 1.8 kg (3.2 - 3.9 lbs.)



## DTD152 18V Cordless Impact Driver

18V

Capacity Machine Screw: M4 - M8 (5/32" - 5/16")  
Standard Bolt : M5 - M16 (3/16" - 5/8")  
High Tensile Bolt: M5 - M12 (3/16" - 1/2")  
Coarse Thread (in length): 22 - 125 mm (7/8" - 4-7/8")  
Hex Shank 6.35 mm (1/4")  
Impacts Per Minute (IPM) 0 - 3,500  
No Load Speed (RPM) 0 - 2,900  
Max Fastening Torque 165 N·m (1,460 in.lbs.)  
Dimensions (L x W x H) 137 x 79 x 238 mm  
Net Weight 1.3 - 1.6 kg (2.8 - 3.5 lbs.)

**XPT**  
EXTREME PROTECTION TECHNOLOGY



## DTW251 12.7mm (1/2") 18V Cordless Impact Wrench

18V

Fastening Capacities Standard Bolt: M10 - M16 (3/8" - 5/8")  
High Tensile Bolt: M10 - M14 (3/8" - 9/16")  
Square Drive 12.7 mm (1/2")  
Impacts Per Minute (IPM) 0 - 3,200  
No Load Speed (RPM) 0 - 2,100  
Max Fastening Torque 230 N·m (170 ft.lbs.)  
Dimensions (L x W x H) 165 x 79 x 234 mm  
Net Weight 1.5 - 1.8 kg (3.3 - 4.0 lbs.)





**18V**  
LITHIUM-ION

# Makita

**DTW285 12.7 mm (1/2")**  
18V Cordless Impact Wrench

18V

**BL MOTOR** **XPT**  
EXTREME PROTECTION TECHNOLOGY



Square Drive 12.7 mm (1/2")  
Fastening Capacities Standard Bolt: M10 - M20 (3/8" - 3/4")  
High Tensile Bolt: M10 - M16 (3/8" - 5/8")  
Impacts Per Minute (IPM) Hard: 0 - 3,500 | Medium: 0 - 2,600 | Soft: 0 - 1,800  
Max Fastening Torque 280 N·m (210 ft.lbs.)  
No Load Speed (RPM) Hard: 0 - 2,800 | Medium: 0 - 2,100 | Soft: 0 - 1,600  
Dimensions (L x W x H) 147 x 79 x 249 mm  
Net Weight 1.5 - 1.8 kg (3.3 - 4.0 lbs.)

**DTW1001 19mm (3/4")**  
18V Cordless Impact Wrench

18V

**BL MOTOR**



Fastening Capacities Standard Bolt: M12 - M30 (1/2" - 1-1/4")  
High Tensile Bolt: M10 - M24 (3/8" - 1")  
Square Drive 19 mm (3/4")  
Impacts Per Minute (IPM) Hard: 0 - 2,200 | Medium: 0 - 2,000 | Soft: 0 - 1,800  
Max Fastening Torque 1,050 N·m (780 ft.lbs.)  
No Load Speed (RPM) Hard: 0 - 1,800 | Medium: 0 - 1,000 | Soft: 0 - 900  
Dimensions (L x W x H) 229 x 91 x 289 mm  
Net Weight 3.4 - 3.7 kg (7.5 - 8.2 lbs.)

**DHR242 24 mm (15/16")**  
18V Cordless Combination Hammer

18V

3 modes



**BL MOTOR** **XPT**  
EXTREME PROTECTION TECHNOLOGY

Capacity Concrete: 24 mm (15/16")  
Steel: 13 mm (1/2")  
Wood: 27 mm (1 - 1/16")  
Impacts Per Minute (IPM) 0 - 4,700  
No Load Speed (RPM) 0 - 950  
Dimensions (L x W x H) 328 x 85 x 213 mm  
Net Weight 3.1 - 3.8 kg (6.7 - 8.4 lbs.)



**DHR263 26 mm (1")**  
18Vx2 Cordless Combination Hammer

3 modes

18Vx2



Capacity Concrete: 26 mm (1")  
Steel: 13 mm (1/2")  
Wood: 32 mm (1-1/4")  
Impacts Per Minute (IPM) 0 - 5,000  
No Load Speed (RPM) 0 - 1,250  
Dimensions (L x W x H) 350 x 116 x 232 mm  
Net Weight 4.1 - 5.1 kg (9.0 - 11.3 lbs.)



**DHR171 17 mm (11/16")**  
18V Cordless Rotary Hammer

18V

2 modes



**BL MOTOR**

Capacity Concrete: 17 mm (11/16")  
Steel: 10 mm (3/8")  
Wood: 13 mm (1/2")  
Impacts Per Minute (IPM) 0 - 4,800  
No Load Speed (RPM) 0 - 680  
Dimensions (L x W x H) 273 x 86 x 211mm  
Net Weight 2.1 - 2.8 kg (4.6 - 6.2 lbs.)



**Rapid Charger (DC18RC)**  
(195586-8)  
Fast Charger

**18V**  
LITHIUM-ION



Rapid Charger  
DC18RC (195586-8)  
Pengecas Pantas DC18RC  
快速充电器 DC18RC

**22min.**  
3.0Ah Battery (BL1830B)  
With battery fuel gauge  
备有电池电量计

**3.0Ah Battery BL1830B**  
(197600-6)

**LXT**  
Stronger. Denser. Longer.  
BL1830B

**18V**  
LITHIUM-ION



3.0Ah Battery  
BL1830B (197600-6)  
Bateri 3.0Ah BL1830B  
3.0Ah 电池 BL1830B

More battery size:

**Li-ion** Ah 6.0 5.0 4.0 3.0 2.0 1.5



**18V**  
LITHIUM-ION

# Makita

**DRT50Z 6 mm (1/4"), 8 mm (3/8") 18V**  
18V Cordless Trimmer

**BL MOTOR**

Collet Capacity 6 mm (1/4") | 8 mm (3/8")  
Plunge Capacity Trimmer Base: 0 - 40 mm  
Plunge Base: 0 - 35 mm (0" - 1-3/8")  
No Load Speed (RPM) 10,000 - 30,000  
Dimensions (L x W x H) BL1850B: 134 x 89 x 226 mm  
Net Weight 1.8 - 2.1 kg (3.9 - 4.6 lbs.)



**DBO180Z 125mm (5") 18V 3**  
18V Cordless Random Orbit Sander

Pad Diameter 123 mm (4 - 7/8")  
Abrasive Disc Size 125 mm (5")  
Orbits Per Minute (OPM) 7,000 | 9,500 | 11,000  
Dimensions (L x W x H) 175 x 123 x 153 mm  
Net Weight 1.4 - 1.7 kg (3.1 - 3.8 lbs.)



**DGA700Z 180 mm (7") 18Vx2**  
18Vx2 Cordless Angle Grinder

**BL MOTOR ADT**

**AFT** (BRAKE)

Wheel Diameter 180 mm (7")  
No Load Speed (RPM) 7,800  
Dimensions (L x W x H) 499 x 200 x 158 mm  
Net Weight 5.0 - 6.0 kg (11.02 - 13.2 lbs.)



**DGA405Z 100 mm (4") 18V**  
18V Cordless Angle Grinder

**BL MOTOR ADT**

**AFT XPT**

Wheel Diameter 100 mm (4")  
No Load Speed (RPM) 8,500  
Dimensions (L x W x H) 362 x 117 x 140 mm  
Net Weight 2.08 - 2.69 kg (4.59 - 5.94 lbs.)



**DGA402Z 100mm (4") 18V**  
18V Cordless Angle Grinder

**Top Slide Switch**  
Suis gelangsar atas 顶部滑动开关

**Convenient for left & right handed**  
Mudah dipigip dengan tangan kiri atau kanan 左右手皆可

Wheel Diameter 100 mm (4")  
No Load Speed (RPM) 11,000  
Dimensions (L x W x H) 317 x 118 x 118 mm  
Net Weight 1.9 - 2.51 kg (4.19 - 5.54 lbs.)



**DJR360Z 18Vx2 Cordless 2**  
Recipro Saw

**BL MOTOR XPT**

Capacity Pipe : 130 mm (5-1/8")  
Wood: 255 mm (10")  
Length of Stroke 32 mm (1 - 1/4")  
Strokes Per Minute (SPM) High: 0 - 3,000 | Low: 0 - 2,300  
Dimensions (L x W x H) 449 x 116 x 243 mm  
Net Weight 4.0 - 4.7 kg (8.9 - 10.3 lbs.)



**DJV182Z 18V Cordless 18V**  
Jig Saw

**BL MOTOR**

Capacity Wood: 135 mm (5-5/16")  
Steel: 10 mm (3/8")  
Length of Stroke 26 mm (1")  
Strokes Per Minute (SPM) 800 - 3,500  
Dimensions (L x W x H) 266 x 77 x 208  
Net Weight 2.4 - 2.7 kg (5.3 - 6.0 lbs.)



**DJR187Z 18V Cordless 18V 2**  
Recipro Saw

**BL MOTOR XPT**

Capacity Pipe : 130 mm (5-1/8")  
Wood: 255 mm (10")  
Length of Stroke 32 mm (1 - 1/4")  
Strokes Per Minute (SPM) High: 0 - 3,000 | Low: 0 - 2,300  
Dimensions (L x W x H) 439 x 83 x 231 mm  
Net Weight 3.4 - 3.8 kg (7.6 - 8.3 lbs.)



**DJV180Z 18V Cordless 18V**  
Jig Saw

Capacity Wood: 135 mm (5-5/16")  
Steel: 10 mm (3/8")  
Length of Stroke 26 mm (1")  
Strokes Per Minute (SPM) 0 - 2,600  
Dimensions (L x W x H) 257 x 73 x 208 mm  
Net Weight 2.7 - 3.0 kg (6.0 - 6.7 lbs.)



**DHS680Z 165 mm (6-1/2") 18V**  
18V Cordless Circular Saw

**BL MOTOR ADT**

Blade Diameter 165 mm (6 - 1/2")  
Max Cutting Capacity 90°: 57 mm (2 - 1/4")  
45°: 41 mm (1 - 5/8")  
50°: 37 mm (1 - 7/16")  
No Load Speed (RPM) 5,000  
Dimensions (L x W x H) 350 x 170 x 238 mm  
Net Weight 3.0 - 3.3 kg (6.6 - 7.3 lbs.)





**18V**  
LITHIUM-ION

# Makita

**DSP600Z 165 mm (6-1/2")**  
**18Vx2 Cordless Plunge Cut Saw**

18V

**BL ADT** (BRAKE)  
MOTOR

Blade Diameter 165 mm (6 - 1/2")  
Max Cutting Capacity 90°: 56 mm (2-3/16")  
45°: 40 mm (1 - 9/16")  
48°: 38 mm (1 - 1/2")  
No Load Speed (RPM) 2,500 - 6,300  
Dimensions (L x W x H) 346 x 241 x  
Net Weight 4.4 - 5.1 kg (9.8 - 11.2 lbs.)



**DKP180Z 82mm (3-1/4")**  
**18V Cordless Planer**

18V

Planing Width 82 mm (3 - 1/4")  
Planing Depth 2.0 mm (5/64")  
No Load Speed (RPM) 14,000  
Dimensions (L x W x H) 333 x 157 x 160 mm  
Net Weight 3.2 - 3.5 kg (7.1 - 7.9 lbs.)



**DUC353Z 350 mm (14")**  
**18Vx2 Cordless Chain Saw**

18V

**BL XPT**  
MOTOR

Guide Bar Length 350 mm (14")  
Chain Pitch 9.5 mm (3/8")  
Chain Gauge 1.1/ 1.3 mm (0.043"/ 0.050")  
Chain Speed 0 - 20 m/s (0 - 1,200 m/min) (0 - 3,940 FPM)  
Chain Oil Tank Volume 200 mL (N/A US oz)  
Dimensions (L x W x H) 773 x 215 x 235 mm  
Net Weight 4.7 kg (10.4 lbs.)



**DUC252Z 250 mm (10")**  
**18Vx2 Cordless Chain Saw**

18Vx2

**XPT**  
MOTOR

Guide Bar Length 250 mm (10")  
Chain Pitch 3/8"  
Chain Gauge 1.3 mm (0.05")  
Chain Speed 8.3 m/s (500 m/min) (1,650 FPM)  
Chain Oil Tank Volume 85 mL (2.9 US oz)  
Dimensions (L x W x H) 545 x 234 x 198 mm  
Net Weight 4.1 - 4.7 kg (9.0 - 10.3 lbs.)



**DUR181Z 18V Cordless**  
**String Trimmer**

18V

Cutting Width Trimmer Head: 260 mm (10 - 1/4")  
No Load Speed (RPM) 7,800  
Dimensions (L x W x H) 1,229 - 1,433 x 267 x 186 - 257 mm  
Net Weight 2.8 - 3.1 kg (6.2 - 6.9 lbs.)



**DUH523RFE 520 mm (20-1/2")**  
**18V Cordless Hedge Trimmer**

18V

Blade Length 520 mm (20 - 1/2")  
Tooth Spacing 26 mm (1")  
Max Output 210 W  
Strokes Per Minute (SPM) 2,700  
Dimensions (L x W x H) 938 x 195 x 193 mm  
Net Weight 3.0 - 3.4 kg (6.6 - 7.5 lbs.)



**DA0000003 Nylon Cord**  
**For String Trimmer**

**Makita**  
NYLON CORD  
1.65 X 15 M



**DUB362Z**  
**18Vx2 Cordless Blower**

18Vx2

**BL XPT**  
MOTOR

Max Air Volume 13.4 m<sup>3</sup>/min (473 CFM)  
Max Air Velocity 54 m/s (120MPH)  
No Load Speed (RPM) 11,400 - 21,500  
Dimensions (L x W x H) 830/880/930 x 205 x 295 mm  
Net Weight 3.5 kg (7.7 lbs.)



**UM600DZ 160 mm (6-5/16")**  
**12Vmax Cordless Grass Shear**

12Vmax

**XPT**  
MOTOR

Cutting Width 160 mm (6 - 5/16")  
Depth Adjustment 15 mm (9/16") | 20 mm (13/16") | 25 mm (1")  
Strokes Per Minute (SPM) 2,500  
Dimensions (L x W x H) 329 x 177 x 131 mm  
Net Weight 1.3 - 1.5 kg (2.8 - 3.3 lbs.)



**UH201DWAX 200 mm (7-7/8")**  
**12Vmax Cordless Hedge Trimmer**

12Vmax

**XPT**  
MOTOR

Blade Length 200 mm (7 - 7/8")  
Tooth Spacing 26 mm (1")  
Strokes Per Minute (SPM) 2,500  
Dimensions (L x W x H) 504 x 120 x 131 mm  
Net Weight 1.3 - 1.5 kg (2.8 - 3.3 lbs.)





## LS1040 260 mm (10-1/4") Compound Miter Saw

Continuous Rating Input 1,650 W  
Blade Diameter 260 mm (10 - 1/4")  
Miter Angle 45° L / 52° R  
Max Cutting Capacity 90°: 90.5 x 95 mm  
45°: 90.5 x 67 mm (3-9/16" x 2-5/8")  
Bevel Angle 45° L  
No Load Speed (RPM) 4,600  
Dimensions (L x W x H) 530 x 476 x 532 mm  
Net Weight 12.4 kg (27.3 lbs.)



## HS7600 185 mm (7-1/4") Circular Saw

Continuous Rating Input 1,200 W  
Blade Diameter 185 mm (7 - 1/4")  
Max Cutting Capacity 90°: 64 mm (2-1/2")  
45°: 42 mm (1-5/8")  
No Load Speed (RPM) 5,200  
Dimensions (L x W x H) 309 x 234 x 255 mm  
Net Weight 3.8 kg (8.5 lbs.)  
Power Supply Cord 2.5 m (8.2 ft)



## 4100NH3 110 mm (4-3/8") Cutter

Continuous Rating Input 1,300 W  
Blade Diameter 110 mm (4 - 3/8")  
Max Cutting Capacity 90°: 32 mm (1 - 1/4")  
No Load Speed (RPM) 13,800  
Dimensions (L x W x H) 227 x 209 x 166 mm  
Net Weight 2.8 kg (6.2 lbs.)  
Power Supply Cord 2.0 m (6.6 ft)



## M5801G 185mm (7-1/4") Circular Saw

Continuous Rating Input 1,050 W  
Blade Diameter 185 mm (7 - 1/4")  
Max Cutting Capacity 90°: 66 mm (2-5/8")  
45°: 44 mm (1-3/4")  
No Load Speed (RPM) 4,900  
Dimensions (L x W x H) 284 x 231 x 243 mm  
Net Weight 3.5 kg (7.7 lbs.)  
Power Supply Cord 2.0 m (6.6 ft)



## 4350CT Jig Saw

Capacity Wood: 135 mm (5-5/16")  
Steel: 10 mm (3/8")  
Continuous Rating Input 720 W  
Length of Stroke 26 mm (1")  
Strokes Per Minute (SPM) 800 - 2,800  
Dimensions (L x W x H) 236 x 73 x 207 mm  
Net Weight 2.7 kg (5.8 lbs.)  
Power Supply Cord 2.5 m (8.2 ft)



## M4301G Jig Saw

Continuous Rating Input 450 W  
Max Cutting Capacity at 90° Wood: 65 mm (2 - 9/16")  
Steel: 6 mm (1/4")  
Length of Stroke 18 mm (11/16")  
Strokes Per Minute (SPM) 0 - 3,100  
Dimensions (L x W x H) 214 x 75 x 202 mm  
Net Weight 1.9 kg (4.2 lbs.)  
Power Supply Cord 2.0 m (6.6 ft)



## BO4510H Finishing Sander

Continuous Rating Input 170 W  
Pad Size 110 x 100 mm (4 - 3/8" x 4")  
Abrasive Paper Size 114 x 140 mm (4 - 1/2" x 5 - 1/2")  
Orbits Per Minute (OPM) 12,000  
Dimensions (L x W x H) 116 x 110 x 129 mm  
Net Weight 1.1 kg (2.5 lbs.)  
Power Supply Cord 2.5 m (8.2 ft)



## M9200G Finishing Sander

Continuous Rating Input 180 W  
Pad Size 112 x 102 mm (4 - 3/8" x 4")  
Abrasive Paper Size 114 x 140 mm (4 - 1/2" x 5 - 1/2")  
Orbits Per Minute (OPM) 14,000  
Dimensions (L x W x H) 110 x 112 x 133 mm  
Net Weight 0.9 kg (2 lbs.)  
Power Supply Cord 2.0 m (6.6 ft)



## M9202G 125 mm (5") Random Orbit Sander

Continuous Rating Input 240 W  
Pad Size 123 mm (4 - 7/8")  
Abrasive Disc Size 125 mm (5")  
Orbits Per Minute (OPM) 12,000  
Orbit Diameter 2.8 mm (1/8")  
Strokes Per Minute (SPM) 24,000  
Dimensions (L x W x H) 127 x 123 x 142 mm  
Net Weight 1.1 kg (2.4 lbs.)  
Power Supply Cord 2.0 m (6.6 ft)



## TD0101F Impact Driver

Continuous Rating Input 230 W  
Capacity Machine Screw: M4 - M8 (5/32" - 5/16")  
Standard Bolt: M5 - M14 (3/16" - 9/16")  
High Tensile Bolt: M5 - M10 (3/16" - 3/8")  
Coarse Thread (in length): 22 - 90 mm (7/8" - 3-1/2")  
Driving Shank (Hex) 6.35 mm (1/4")  
Impacts Per Minute (IPM) 0 - 3,200  
No Load Speed (RPM) 0 - 3,600  
Max Fastening Torque 100 N·m (74 ft.lbs.)  
Dimensions (L x W x H) 184 x 67 x 192 mm  
Net Weight 0.99 kg (2.2 lbs.)  
Power Supply Cord 2.5 m (8.2 ft)





## 3600H 12 mm (1/2") Router



Continuous Rating Input 1,500 W  
Collet Capacity 12 mm (1/2")  
Base diameter 160 mm (6-1/4")  
No Load Speed (RPM) 24,000  
Overall Height 210 mm (8 - 1/4")  
Net Weight 4.4 kg (9.8 lbs.)  
Power Supply Cord 5.0 m (16.4 ft)



## M3600G 12 mm (1/2") Router



Continuous Rating Input 1,650 W  
Collet Capacity 12 mm (1/2")  
Plunge Capacity 0 - 60 mm (0 - 2-3/8")  
No Load Speed (RPM) 22,000  
Dimensions (L x W x H) 284 x 148 x 300 mm  
Net Weight 5.5 kg (12.1 lbs.)  
Power Supply Cord 2.0 m (6.6 ft)



## 3709 6 mm (1/4") Trimmer



Continuous Rating Input 530W  
Collet Capacity 6 mm (1/4")  
No Load Speed (RPM) 30,000  
Dimensions (L x W x H) 82 x 90 x 199 mm  
Net Weight 1.5 kg (3.3 lbs.)  
Power Supply Cord 2.5 m (8.2 ft)



## M3700G 6 mm (1/4") Trimmer



Continuous Rating Input 530W  
Collet Capacity 6 mm (1/4")  
Plunge Capacity 0 - 42 mm (0 - 1-5/8")  
No Load Speed (RPM) 35,000  
Dimensions (L x W x H) 82 x 90 x 199 mm  
Net Weight 1.4 kg (3.1 lbs.)  
Power Supply Cord 2.0 m (6.6 ft)



## M3701G 6mm (1/4") Trimmer



Continuous Rating Input 530W  
Collet Capacity 6 mm (1/4")  
Plunge Capacity 0 - 42 mm (0 - 1-5/8")  
No Load Speed (RPM) 35,000  
Dimensions (L x W x H) 82 x 90 x 199 mm  
Net Weight 1.6 kg (3.5 lbs.)  
Power Supply Cord 2.0 m (6.6 ft)



## HP2050 20 mm (3/4") 2-Speed Hammer Drill



Continuous Rating Input 720 W  
Capacity Steel Hi: 8 mm (5/16")  
Steel Lo: 13 mm (1/2")  
Wood Hi: 25 mm (1")  
Wood Lo: 40 mm (1-9/16")  
Concrete: 20 mm (3/4")  
Impacts Per Minute (IPM) High: 0 - 58,000  
Low: 0 - 24,000  
No Load Speed (RPM) High: 0 - 2,900  
Low: 0 - 1,200  
Overall Length 362 mm (14 - 1/4")  
Net Weight 2.5 kg (5.6 lbs.)  
Power Supply Cord 2.5 m (8.2 ft)



## HR2470X5 24 mm (15/16") Rotary Hammer



Continuous Rating Input 780 W  
Impact Energy EPTA-Procedure 05/2009: 2.4 J  
Capacity Concrete: 24 mm (15/16")  
Core Bit: 54 mm (2-1/8")  
Steel: 13 mm (1/2")  
Wood: 32 mm (1-1/4")  
Impacts Per Minute (IPM) 0 - 4,500  
No Load Speed (RPM) 0 - 1,100  
Dimensions (L x W x H) 370 x 84 x 214 mm  
Net Weight 2.9 - 3.3 kg (6.4 - 7.3 lbs.)  
Power Supply Cord 4.0 m (13.1 ft)



## M8701X3G Combination Hammer



Continuous Rating Input 800 W  
Impact Energy EPTA-Procedure 05/2009: 2.3 J  
Capacity Concrete: 26 mm (1")  
Steel: 13 mm (1/2")  
Wood: 32 mm (1-1/4")  
Impacts Per Minute (IPM) 0 - 4,500  
No Load Speed (RPM) 0 - 1,200  
Dimensions (L x W x H) 362 x 71 x 194 mm  
Net Weight 2.7 kg (6 lbs.)  
Power Supply Cord 5.0 m (16.4 ft)



## M0801G 16mm (5/8") Hammer Drill



Continuous Rating Input 500W  
Capacity Concrete: 16mm (5/8")  
Steel: 13 mm (1/2")  
Wood: 20 mm (13/16")  
Impacts Per Minute (IPM) 0 - 48,000  
No Load Speed (RPM) 0 - 3,200  
Dimensions (L x W x H) 261 x 69 x 195 mm  
Net Weight 1.7 kg (3.7 lbs.)  
Power Supply Cord 2.0 m (6.6 ft)



## M0900G 100 mm (4") Angle Grinder

**Top Slide Switch**

Suhu gelangsar atas 顶部滑动开关

**Convenient for left & right handed**

Mudah dipukul dengan tangan kiri atau kanan 双向使用

Continuous Rating Input 540W  
Wheel Diameter 100 mm (4")  
No Load Speed (RPM) 12,000  
Dimensions (L x W x H) 251 x 118 x 97 mm  
Net Weight 1.6 kg (3.5 lbs.)  
Power Supply Cord 2.0 m (6.6 ft)







# POWER ACTION

Power action tools are your smart choice



Brushless Rotary hammer	BRH2100
Voltage	DC21V
No load speed	0-1400/min
Impact frequency	0-600/min
Charge time	2 hours
Battery pack	2X4.0Ah
Max drill capacity	Concrete: $\varnothing$ 24mm, wood: $\varnothing$ 28mm, steel: $\varnothing$ 13mm
3 function	Rotation/hammer/ Rotation & hammer
Drill bits	SDS plus
PCS/CTN, G.W	5pcs/23.8kg
Measurement	52.5X43.5X33CM



Brushless Angle Grinder	CC-BAG2100
Voltage	DC21V
No load speed	8500/min
Max capacity	$\varnothing$ 100mm
PCS/CTN, G.W	6pcs/11.4kg
Measurement	46X30X25CM



Cordless Drill	CD1200
Voltage	DC12V
Chuck diameter	10mm
No-load speed	0-350 & 0-1300/min
Torque setting	16+1
Maximum torque	24Nm
Charge time	1h
Battery capacity	2000mAh
PCS/CTN, G.W	5PCS / 11.2kg
Measurement	51X32X28cm



Rotary Hammer	RH850
Voltage/Frequency	220-240V~ 50Hz
Input power	850W
No-load speed	0-1100/min
Impact rate	0-4400/min
Impact force	3.6J
Max. drilling capacity	concrete:26mm
3 Function	rotation/hammer/rotation&hammer
SDS PULS	
PCS/CTN, G.W	5PCS / 25kg
Measurement	56x44x31cm



Cordless Drill	CD1200A
Voltage	DC12V
Chuck diameter	10mm
No-load speed	0-350 & 0-1300/min
Torque setting	18+1
Maximum torque	24Nm
Charge time	1h
Battery capacity	2000mAh
PCS/CTN, G.W	5PCS / 10.5kg
Measurement	45.5X31X28cm



Impact Drill	ID750-C
Voltage/Frequency	220-240V~ 50Hz
Input power	750W
No-load speed	0-2800/min
chuck size	13mm
Max. drilling capacity	steel:10mm / concrete:13mm
PCS/CTN, G.W	4PCS / 12kg
Measurement	39x33.5x31.5cm



Circular Saw	CS1500
Voltage/Frequency	220-240V~ 50Hz
Input power	1500W
No-load speed	4700/min
Blade Diameter	$\varnothing$ 185mm
Max. 90° cutting depth	65mm
Max. 45° cutting depth	44mm
Supplied with parallel guide	
PCS/CTN, G.W	4PCS / 19.3kg
Measurement	51.5x33.5x36.5cm



Jig Saw	JS800
Voltage/Frequency	220-240V~ 50Hz
Input power	800W
No-load speed	1600-3000/min
Max. cutting depth	steel:8mm / wood:50mm
Bevel cutting capacity	$\pm$ 45°
PCS/CTN, G.W	6PCS / 13.5kg
Measurement	43x26x29cm



Marble Cutter	MC1200
Voltage/Frequency	220-240V~ 50Hz
Input power	1200W
No-load speed	12000/min
Blade Diameter	$\varnothing$ 110mm
Max. 90° cutting depth	34mm
Max. 45° cutting depth	29mm
PCS/CTN, G.W	4PCS / 13.98kg
Measurement	50x45.5x20.7cm



Jig Saw	JS870
Voltage/Frequency	220-240V~ 50Hz
Input power	870W
No-load speed	800-3000/min
Max. cutting depth	steel:10mm / wood:60mm
Bevel cutting capacity	$\pm$ 45°
PCS/CTN, G.W	5PCS / 29.4kg
Measurement	53X36.5X32cm



# POWER ACTION

Power action tools are your smart choice



Palm Sander	PS350
Voltage/Frequency	220-240V~ 50Hz
Input power	350W
No-load speed	12000/min
Sanding pad size	110x100mm
Oscillation diameter	2mm
<b>Dust extraction facility</b>	
PCS/CTN, G.W	10PCS / 16.5kg
Measurement	62.5X38X16.5cm



Air Compressor	AC2415
Voltage/Frequency	220-240V~ 50Hz
Input power	1500W
No-load speed	2850/min
Displacement	210L/min
Tank capacity	24L
Working pressure	0.8MPa
PCS/CTN, G.W	1PC / 16.9kg
Measurement	54.5X26.5X59cm



Rotary Sander	RS350
Voltage/Frequency	220-240V~ 50Hz
Input power	350W
No-load speed	6000-13000/min
Sanding pad size	Ø125mm
<b>Dust extraction facility</b>	
PCS/CTN, G.W	4PCS / 6.8kg
Measurement	53X25X18cm



Oilless air compressor	OAC3075
Voltage /Frequency	220-240V~ 50Hz
Input power	750W
No load speed	1450/min
Displacement	71L/m
Tank capacity	30L
Working pressure	0.8Mpa
PCS /CTN, G.W	1/1, 18kg
Measure	48X20X48cm



Angle Grinder	AG720
Voltage/Frequency	220-240V~ 50Hz
Input power	720W
No-load speed	11000/min
Dia. of wheel	100mm
Spindle lock	yes
2 Position side handle	
PCS/CTN, G.W	10PCS / 21kg
Measurement	58x32.5x25.5cm



Cut-off Machine	CM2200
Voltage/Frequency	220-240V~ 50Hz
Input power	2200W
No-load speed	3800/min
Blade diameter	Ø355 x Ø25.4mm
PCS/CTN, G.W	1PC / 13kg
Measurement	55x29x40cm



Spray Gun	SG550
Voltage/Frequency	220-240V~ 50Hz
Input power	550W
Max. output	800ml/min
Max. container capacity	600ml
Max. viscosity	60dn/sec
PCS/CTN, G.W	4PCS / 6.9kg
Measurement	52X31.5X29cm



Electric Router	ER680
Voltage/Frequency	220-240V~ 50Hz
Input power	680W
No-load speed	3000/min
Blade shank	6.35mm
PCS/CTN, G.W	10PCS / 20.5kg
Measurement	70x25x24cm



Hot Air Gun	HG2000
Voltage/Frequency	220-240V~ 50Hz
Input power	2000W
Temperature	400°C /500°C
Air flow	300 / 500L/min
PCS/CTN, G.W	10PCS / 7.9kg
Measurement	46X24X50.5cm



Reciprocating Saw	CRS120
Voltage/Frequency	12V
No-load speed	0-3000/min
Stroke	13mm
Tool holder	SDS
Charge time	1Hour
PCS/CTN, G.W	5PCS / 15kg
Measurement	48.5x34x30cm





# Air Duster & Hands Tools

**SOBAR Duster Air Gun**

010-0SO-BAR



**DG-10 Metal Air Duster Gun**

014-GUN-60W



**HG-078 'HA GANG'  
Air Duster Gun**

010-DG-10



哈钢®  
Ha Gang

**HG-016 6" "HA GANG"  
America Type  
Long Nose Plier**

110-HG-016



哈钢®  
Ha Gang

**HG-029 8" "HA GANG"  
America Type  
Long Nose Plier**

110-HG-029



哈钢®  
Ha Gang

**HG-107 'Ha Gang'  
Multi Function Scissors  
8" (Anti Slip) (HG-109)**

001-HG-107



哈钢®  
Ha Gang

**HG-031 8" "HA GANG"  
America Type  
Combination Plier**

110-HG-031



哈钢®  
Ha Gang

**HG-018 6" 'HA GANG'  
America Type  
Combination Plier**

110-HG-018



哈钢®  
Ha Gang

**HG-047 7" 'HA GANG'  
Auto Wire Stripper-B Type**

110-HG-047



哈钢®  
Ha Gang

**CR10" Locking Pliers  
HG-013 'Ha Gang'**

001-CR-10



哈钢®  
Ha Gang

# Hands Tools

HG-1014-09 'HA GANG'

Rabbit Plier

001-TINE-006



HG-3021 'HA GANG'

Multi-Function Scissors-

190mm

124-008-000



HG-304-08 'HA GANG'  
ADJUSTABLE SPANNER-  
CHROME -8"/200MM

713-085-884



HG-3017 'HA GANG'

Multi Functional Scissors -

9"/225mm

110-HG-017



HG-304-10 'HA GANG'  
ADJUSTABLE SPANNER-  
CHROME-10"/250MM

713-095-884



HG-026 'HA GANG'

Aviation Snip-Straight -10"

012-504-210



HG-033 'HA GANG'  
ELECTRICIAN KNIFE

110-HG-033



HG-3028 'HA GANG'

Black Oil Glass Cutter-

360deg Rotating Cutter

542-08-008



HG-070 'HA GANG'  
HackSaw Blade

12"/300MM


014-BAH-000



DS-12 DOUBLE Side  
HackSaw Blade

12" x 20mm x 8TPI

014-BS1-232





# Hands Tools

**HG-310 'HA GANG' ANTI-FALL**  
Measuring Tape -7.5M/25ft

110-HG-310



**HG-065 'HA GANG'**  
MAGNETIC ALUM.  
SPIRIT LEVEL

12"	110-065-12
16"	110-HG-060
24"	110-HG-065



**HG-3568C 'Ha Gang' 2 Way**  
S2 Telescopic Screwdriver  
6mmx38mm 1-1/2"

012-668-150



**HG-3568A 'Ha Gang' 2 Way**  
S2 Telescopic Screwdriver  
6mmx150mm /6"

012-3568-A



**HG-808D HaGang 2way**  
CRV T.S/Drive  
3mmX75mm/3" 808375

012-808-375



**HG-808 6"(-&+) 'HA GANG'**  
CRV Metal Head S/Driver  
Magnetic Tip

012-008-06-

012-808-06+



**HG-203 'HA GANG' 9PCS**  
S2 Ball Point Hex

110-HG-203

size: 1.5mm  
2.0mm  
2.5mm  
3.0mm  
4.0mm  
5.0mm  
6.0mm  
8.0mm  
10.0mm



**HG-203 (pc) 'HA GANG'**  
S2 Ball Point Hex Wrench

size: 1.5mm  
2.0mm  
2.5mm  
3.0mm  
4.0mm  
5.0mm



**TLD-HF254H Folding Hex**  
key Set 8pcs-Metric

021-000-001

size: 1.5mm  
2.0mm  
2.5mm  
3.0mm  
4.0mm  
5.0mm  
6.0mm  
8.0mm



In-Hex bolt head symbol

**Torx Key/Allen Wrench (set) 8pcs**

021-058-M4

size: T9  
T10  
T15  
T20  
T25  
T27  
T30  
T40



Torx bolt head symbol

# Hands Tools

## HG-038 'HA GANG' H/DUTY HAND RIVETER- SINGLE SPOUT

110-HG-038



Scope of application: 2.4mm, 3.2mm, 4.0mm, 4.8mm



## HG-1106 'HA GANG' Keel Plier Stud Crimper- 10"/255mm

001-INCLINED-006



## HG-6104-35 'HA GANG' RUBBER MOUNTING HAMMER-35#

110-HG-6104



Rubber Nylon



## HG-1107 'HA GANG' KEEL FORCEPS- 13"/330MM

012-HG-6686



## HG-209B 'HA GANG' Square Milled Face Magnetic Claw Hammer


412-070-020



Extra Long Redwood Handle 特长红木柄

\*Anti Slip 防滑

Strong Magnet 强磁



Specifications: Suitable for



## HG-902S HA GANG Tap Tapper Twist Drill Bit Set M3,4,5,6,8,10mm

soft metal, aluminum, iron, etc



728-012-921





# Hands Tools


**Sand paper**  
**Sia-silver/black**  
**1701**

P150  
P180  
P240  
P280  
P320



**Red Sandpaper 300mm x 50meter**

Model: P60, P80, P100, P120



**Laser Level**  
**Multiline**

**LLM-2 012-LLM-2**

**LLM-5 012-LLM-5**



**LLM-2 Laser Level Multiline**  
Leveling accuracy of base line  
Self-Leveling range (optimal)  
Operating temperature  
-20°C ~ 50°C  
+20°C ~ 40°C  
+10°C ~ 45°C  
+10°C ~ 45°C  
**CAUTION**  
Laser is on.  
Do not stare into beam.

**LLM-5 Laser Level Multiline**  
Leveling accuracy of base line  
Self-Leveling range (optimal)  
Operating temperature  
-20°C ~ 50°C  
+20°C ~ 40°C  
+10°C ~ 45°C  
+10°C ~ 45°C  
**CAUTION**  
Laser is on.  
Do not stare into beam.

**FREE stand**


\*Rechargeable\*  
Can use ≥ 8hour

**LLM2/LLM5 Level Multiline**  
**BATTERY Only 3.7V 1200Ah**

**010-907-12V**



**service charge**



\* adjustment balance light 2 line RM35  
\* adjustment balance light 5 line RM45

# Hands Tools

## HMT-300 Multi Cutter 300w

010-HMT-300



## Multi-cutter Saw Blade

32

012-578-008



65

012-582-100



85

012-046-L3



## EMT100C Laminate Cutter

016-EMT-100C



## Virutex C015L Laminates Cutter

016-0C0-15L



Virutex




## GLM40M Laser Rangefinder

010-LASER-40M



### TECHNOLOGY SPECIFICATIONS:

- Tolerance: ±2mm
- Minimum Display: 1mm
- Laser Level: 635nm Class II
- Measuring Mode: Length/Area/Volume/Pythagorean
- Battery: 2x1.5V AAA
- Dimension: 118x54x26.5mm




## 3/8" Pneumatic Drill Top Lion

013-3/8-TOP



## 4960 Star-M Metal Trimmer/Handle Black

\*cutter pvc / abs



Item Code: 012-004-960  
Size : R1.0mm

Item Code: 012-496-005  
Size : R0.3-0.5mm

## K-5MA Pneumatic Drill

010-K-5-MA



## Prima 5" R/O Air Sander

010-PRIMA-5AS



Stroke 5mm/ 10,000RPM  
Air Consumption 6.2L/sec

## 5" Air Sander Plate

010-PAS-005



Rock coating abrasive paper sheet

## 5" Sand Paper (Red)

Size: 125mm (5")  
Gain size: P80, P100, P120  
1box Quantity: 100/pcs





# Hands Tools

**STANLEY**  
Block Plane



12-020 (160mm)

12-508 Stanley Replacement Plane Irons (for 12-020-1&12-220-1)



12-220 (180mm)

12-504 Stanley Replacement Plane Irons (for 12-060-1)



12-060 (160mm)

12-330 STANLEY Replacement Plane Irons (for 12-116-1)



12-116 (180mm)

12-202 STANLEY Replacement Plane Irons (for 12-102-1)



12-102 (140mm)

33492 Stanley (5m) Tough Case Measuring Tape



STANLEY MEASUREMENT TAPE 8m/26ft



STANLEY 51-391 STANLEY HAMMER 450g/16oz



Record "STANLEY" Tubing Cutter 1/8"-11/8" (93-020)



BALANCING MEASUREMENT-STANLEY 16", 24"



8" Tower Pincer 200mm Heavy Duty "STANLEY" (84-288)



Small-sized Block plane 4", 5"



Wood Block Plane 180mm/ 280mm



73mm Wood Planer Film



Size: 73mm x 30m

44mm Wood Planer Film



size: 44mm x 2.3mm

22-078H STANLEY Handy File C/W Handle 8"



8" Wood Planner Handy Flat File (India)



FHS-10 HANDY FILE-SMOOTH





L-100 Cutter Blade No.10 0.7mm pack=10pc (F-125)



AK-8742 Asaki Cutter



RX-38L Cutter



JM-993 CUTTER (Jingmei)



A-100 CUTTER BLADE (No:12)0.5MM 1 Pkt=10pcs



# Hands Tools

## Opening Positioner (sucker)

014-HUG-016

Use on the Glass Drill Bit



## Diamond Drill Bit

Size: 5mm,6mm,8mm,10mm,12mm  
14mm,15mm,16mm,20mm  
25mm,30mm


Use: Marble, Ceramic, Glass, Plastic



## GT Glass & Til Drill Bit

Size: 5mm,6mm  
8mm,10mm  
12mm

Use: Ceramic Tile, Marble, Concrete, Wall Brick, Glass, Plastic



## Marble Hole Saw

Size: 6mm,8mm  
10mm,12mm  
16mm,20mm  
25mm,35mm  
60mm

Use: Marble, Ceramic, Glass, Plastic



## 90° Countersinks HSS

Size: 8.3mm 013-710-004  
10.4mm 013-710-005

Use: Aluminium, Metal, Acrylic, PVC



## Step Drill Bit

Size: 4-12mm  
4-20mm  
4-32mm

Use: Aluminium, Metal, Acrylic, PVC



## YS0833802 Adjust Able Countersink Bit

013-08338-02

Use: Aluminium, Wood, Acrylic, PVC



## RENO Wood Drill Bit (High Grade)

Size: 16, 19, 25, 30, 35, 40mm



## 3MMX10MM(KJ TYPE) COUNTERSUNK DRILL BIT

013-3MM-10MM

Use: Aluminium, Wood, Acrylic, PVC



## 35mm Wood Drill Bit (High Grade-With Stop)

013-500-035

Hole Size : 35mm  
Dia. : 12mm  $\phi$   
Min Wood : 16mm





# Hands Tools



## R'DEER Wood Chisel

size: 12mm, 16mm, 19mm,  
25mm, 32mm



## Spade Drill Bit

Size: 16mm  
19mm  
22mm  
25mm



## BOSSMAN Auger Bit

6#x16mm (5/8")  
6#x19mm (3/4")  
6#x22mm (7/8")



## BE59, Spade Drill Bit, 3/4"

013-BE5-934




1/4" Hex Shank HSS G  
Metal Drill Bit  
size : 4mm, 5mm



## HANS 2545 Hole Saw With Spring

Size: 15mm, 16mm, 19mm, 22mm,  
25mm, 30mm, 32mm, 35mm,  
38mm, 40mm, 50mm, 53mm,  
60mm, 80mm



\*Use: Aluminium, Wood, Metal plate

## JEFF 4mm HSS center sink hole drills

Steel, Copper, Aluminium alloy, Wood, etc.



## AMS HOLE SAW

Size: 35mm  
46mm  
54mm  
60mm  
70mm  
76mm  
79mm



\*Use: Aluminium, Wood



Pilot Drill Bit For A4 Arbor  
AMS Hole Saw

014-A4-PDB



Hole Saw Arbor A4 AMS

014-A04-001



# Hands Tools

## 311 HOLE SAW BLADE

Size: 35mm  
54mm  
60mm  
70mm  
76mm  
80mm



\*Use: Aluminium, Wood

## 311-A4 Hole Saw Diameter

014-311-A4



## BOSCH Progressor Holesaw



Size: 33mm  
35mm  
54mm  
60mm  
70mm  
79mm

## BOSCH Power Change Adapter (8mm Hex) (2608594253)

013-200-005



## BOSCH

### 2mm-6mm HSS-G SET (2607019114) 013-200-001

Size: 2, 3, 4, 5, 6mm



Use: Metal, Wood, Plastic



## BOSCH

### 2MM-6MM (bosch) 1/4" Hex Shank HSS G Metal Drill Bit (2608595517)

013-300-032

Size: 2, 3, 4, 5, 6mm



## Makita D-08660 9pcs.Assortment (5,6,8 TYPES) MKT-D-08660



Size: 5, 6, 8mm



## Makita D-30106 HSS Metal 5pc. Drill Bit Set (METRIC) MKT-D-30106



## RENO M62- HSS Drill Bit Use: Metal, Wood, Plastic

Size: 2mm,3mm,4mm,4.5mm,  
4.8mm,5mm,6mm,6.5mm  
7mm,7.5mm,8mm,9mm,  
9.5mm,10mm,12mm



## Makita D-46361 SDS-PLUS Drill Bit & Chisel 10pc/Set MKT-D-46361

Size: 5 x 160mm, 5.5 x 160mm  
6 x 160mm, 6.5 x 160mm  
8 x 160mm, 10 x 160mm  
12 x 160mm, 16 x 160mm  
Cold Chisel 20x140mm  
Bull Point 160mm





# Hands Tools

**Milwaukee** **MS2**  
**MS2 2CUT SDS-PLUS  
 DRILL BIT**

Size: 6 x 110mm  
 6 x 160mm



**Makita**  
**SDS-PLUS BIT (2cut)**


Size: 5.5x110 D-00044  
 6.0x110 D-00050  
 6.0x160 D-00066  
 8.0x160 D-00131  
 10 x160 D-00175  
 12 x160 D-00228  
 14 x160 D-00262




For SDS-Plus  
 Hammer



**BOSCH**  
**SDS Plus-1 S3 Drill Bit**



Size: 5.5x110 (2608680260)  
 6.0x110 (2608680262)  
 6.0x160 (2608680263)  
 8.0x160 (2608680270)  
 10 x160 (2608680273)  
 12 x160 (2608680277)



**Makita**  
**4-CUT  
 SDS-PLUS DRILL BIT**

Size: 6.0x110 B-62496  
 6.0x160 B-62505  
 8.0x160 B-62614



For SDS-Plus  
 Hammer




**BI-TWO SDS PLUS  
 DRILL BIT  
 (8.0MMX170MM)**

110-203-080

SDS  
 plus  
 Z4


8.0mm



NS2628-1668



**20%  
 FASTER  
 & BREAKER  
 POINTS**



**S4**

**LONG  
 LIFE**

**SDS Plus**



# Hands Tools

**Makita**

**D-33679 Screw Bit 65mm**

013-200-060



**Makita**

**D-34833 Screw Bit 110mm**

021-110-M5



**NIDA**  
耐特工具

**Yac Bit 65mm (S)**

012-S02-065



PH2



**NIDA**  
耐特工具

**Yac Bit 100mm(M)**

012-S02-150



PH2



**NIDA**  
耐特工具

**Yac Bit 150mm(L)**

012-S02-100



PH2



**8" (200mm) KATA CABLE CUTTER**

480-CABLE-REEL



**YK-80K Glass Cutter**

012-YK-80K



**GLA-N CRV Quick Change Bit Holder**

-1/4" 065-202-PVC



**SCR-3L 3PCS Sleeve Connecting**

**Rod Drill Nut Driver**

**Set -Long**

016-SYW-001

Size: 1/4", 3/8", 1/2"



**Universal Link Screw Bit**

012-ULS-BIT





# Hands Tools

**Milwaukee**

**48-32-1500 'Milwaukee'**  
**38pcs Quick-Lock Drill &**  
**Driver Bit Set**  
**010-GLT-QHS**



**Milwaukee**

**P-48-22-2606 6pc**  
**Precision Screw**  
**Driver set**  
**012-PRE-6PC**



⊕ 5/32  
 ⊕ 1/8  
 ⊕ 3/32  
 ⊕ 00  
 ⊕ 0



**48-22-2106 HEX KEY**  
**MULTI BIT**  
**MIL-22-2106**



HEX KEY  
 DRIVER

**48-22-2320 'Milwaukee'**  
**Compact 8 in 1 Ratchet**  
**Multi-Bit Driver**  
**MIL-22-2320**



**Milwaukee**

**#1 step drill bit set**  
**(1/8"-1/2" by 1/32")**  
**MIL-4889-9201**



**Milwaukee**

**49-56-7250**  
**MILWAUKEE HOLE SAW**  
**ARBOR 3/5"-32MM-**  
**152MM/11/4"-6"**  
**MIL-56-7250**



**Milwaukee**

**BI-METAL HOLE SAW**

Size: 21/8"/54MM **MIL-9626-54**

23/8"/60MM **MIL-9630-60**



**48-22-1905 GRNERAL**  
**PURPOSE UTILITY BLADE**

**MIL-22-1905**



5pcs



**Milwaukee**

**48-22-9936 STUD Tape**  
**Measure -7.5M/25FT**  
**MIL-22-9936**



**48-22-1901**  
**FASBACK UTILITY FLIP KNIFE-7-1/4**

**MIL-22-1901**





# Hands Tools


49-00-5463 Scraper Blade (1 1/2")

MIL-5463-112



48-00-1640 (Drywall) Access  
4" SAWZALL Blade

MIL-DSB-1640



**Milwaukee**



**Milwaukee**

49-00-5410 (Multi Material)  
4" HACKZALL Blade

MIL-HZB-5410

METAL



5pcs



**Milwaukee**

49-00-5460 HACKZALL  
BLADE-WOOD 4"  
(5PC/CARD) MIL-00-5460



5pcs

WOOD



**Milwaukee**

48-00-4182  
(6") Sawzall blade

MIL-4182-614

METAL



5pcs



**Milwaukee**

48-00-5035 (Wood)  
6"/6TPI SAWZALL Blade

MIL-SZB-5035



5pcs

WOOD



**Milwaukee**

48-00-4187 THIN KERF  
ICE HARDENED 9"X14TPI  
(5PC/CARD) MIL-00-4187

METAL

5pcs



**Milwaukee**

48-22-3522 TORQUE PLIER  
(C CLAMP SWIVAL JAW)

MIL-SZB-5035



TORQUR LOCK  
Faster Set-Up

**Milwaukee**

48-22-6108 DIAGONAL  
CUTTING PLIER-8"/200MM

MIL-22-6108



**Milwaukee**

48-22-3420  
Torque Lock  
Locking Plier  
(CURVE JAW)

MIL-22-3420



TORQUR LOCK  
Faster Set-Up



# Hands Tools

**Shape Ruler 6"**

012-40-7525



**Shape Ruler 10"**

012-40-5019



**Squeegee (4pc/set)**

010-F30-AL



**HG-233 'HA GANG' Trade Wall Stripper-8"/200mm**

110-203-010



**HG-7118-02 'HA GANG' 50# S/STEEL SCRAPER C/W TPR HANDLE-2"/50MM**

019-204-4BB



**HG-7118-03 'HA GANG' 50# S/STEEL SCRAPER C/W TPR HANDLE-3"/50MM**

019-206-6BB




**LC-05 Scraper With Rubber**

001-LC-05



**LC-01 Scraper**

001-LC-01



**Plastic Handle Knife Brush -Brass Coated**

001-RT-730



**Cathrine 710 'CATHRINE' PAINT BRUSH**

No.	Code
1"	016-001-006
1 1/2"	016-001-008
2"	016-002-010
2 1/2"	016-003-010
3"	016-002-012






# Hands Tools

**LXH105 Hand Glove - Baoshouwang**  
LXH-105-HG



**551-50-016 'NIETZ' RUBBER Mallet**  
-16OZ (51032)  
012-573-024



**DUWELL HAMMER 16 OZ 'META' 27mm**  
012-562-602



**'KUSO' Fibre Handle Claw Hammer 27mm**  
012-KUSO-H27



**'TWN' CIRCULAR SAW BLADE -FOR WOOD**  
4" X 40T  
016-SYW-002

110 x 1.6 x 40T x 20mm



**B-51649 2IN1 Grinding Wheel**  
100x2.2x16mm(Makita)  
MKT-B-51649

100 x 2.2 x 16mm



**B-45711 Thin cut off wheel**  
100x0.8x16 (Makita)  
MKT-457-11

100 x 0.8 x 16mm



*Fast Cutting*



**GRINDING DISC 5"**  
2608600263 (BOSCH)  
010-D28-111X


125 x 6.0 x 22, 23mm



**'ESICUT' Cutting Disc**  
4" X 1.2mm  
012-CD-4"



**Sterling ,Tubing Cutter (NIETZ)**  
012-682-8TC





# Hands Tools

**ASSIST® 宏迪®**

**Assist Measurement Tape**  
7.5m 63G-7525  
012-563-075

0.14mm The  
thickest blade



Water-proof



**7.5MX3 'V-MORE' Measuring Tape**  
012-70-244



**Measurement Tape, 5.0m (Feng Sui)**  
Self Lock  
012-563-050



Feng Sui

**3M 3M Grey PE Foam Tape 10mmX9yd**  
023-108-3MSMT  
**Superior Mounting Tape**

- Strong, double sided PE foam tape
- Conformable, Can be used on texture surfaces such as painted cement or brick



Instruction :

1. Make sure all surface are clean & dry. Wipe out dust & oil.
2. Cut length needed from roll. Do not remove protective liner as yet.
3. Press tape into position on back of object to be mounted. Press firmly on liner for good adhesive contact.
4. Remove liner and press firmly into place on wall.



10mm x 9yd

**Masking tape (Yellow) x 20yd**


Size	Code
18mm	023-045-018
24mm	023-045-024
48mm	023-045-048



**Acrylic Foam Clear Tape 10mmX9yd**  
023-AFCT-109



**2"(50mm) X (125g)(135g) - Stretch Film**  
001-NIC-002



**4"-100mmX250gms (1"Core) stretch film (Baby Roll)**  
001-NIC-004



**1.5kg (1.3kgX300gms) Stretch Film**  
001-NIC-015



**Recycle 500mmX2.3kgX300g(Core) Stretch Film**  
001-SF-23RC



# Hands Tools

## Silicone Tiub Gun

100-SIL-GUN

Hardened Steel with  
paint finishing



HEAVY DUTY  
FXB-09

## VSP-Sucking-1 Single Sucker Lifter 30KG

VSP-1-30KG



## VSP-Sucking-2 2 Way Sucker Lifter 80KG

VSP-2-80KG

VSP®



## VSP-Sucking-3 3 Way Sucker Lifter 145KG

VSP-3-145KG

VSP®



## WEST CR-V Allen Wrench 4mm With Handle



In-Hex bolt head  
symbol



# Roller Casters

## Nylon Caster 1" <sup>1</sup>/<sub>4</sub> , 2" , 2" <sup>1</sup>/<sub>2</sub>



Model	Size	Capacity Kgs
Without Move	1" <sup>1</sup> / <sub>4</sub> , 2" , 2" <sup>1</sup> / <sub>2</sub>	20kg , 30kg , 40kg
Move	1" <sup>1</sup> / <sub>4</sub> , 2" , 2" <sup>1</sup> / <sub>2</sub>	20kg , 30kg , 40kg
Move with Brake	1" <sup>1</sup> / <sub>4</sub> , 2" , 2" <sup>1</sup> / <sub>2</sub>	20kg , 30kg , 40kg



Model	Size	Capacity Kgs
Without Move	2" , 2" <sup>1</sup> / <sub>2</sub>	50kg , 60kg
Move	2" , 2" <sup>1</sup> / <sub>2</sub>	50kg , 60kg
Move with Brake	2" , 2" <sup>1</sup> / <sub>2</sub>	50kg , 60kg



Without Move




Move with Brake



Move

Caster R-Black

	3"	4"	5"
	75Kgs	95kgs	110kgs

Model	Size	Capacity Kgs
Without Move	3" , 4" , 5"	50kg , 60kg , 70kg
Move	3" , 4" , 5"	50kg , 60kg , 70kg
Move with Brake	3" , 4" , 5"	50kg , 60kg , 70kg

## Heavy Duty Caster Black



Size: 2" , 2" <sup>1</sup>/<sub>2</sub>

Model 1: Without Move



Model 2: Move



Model 3: Move with Brake



Model	Size	Capacity Kgs
Without Move	2" , 2" <sup>1</sup> / <sub>2</sub>	60kg , 70kg
Move	2" , 2" <sup>1</sup> / <sub>2</sub>	60kg , 70kg
Move with Brake	2" , 2" <sup>1</sup> / <sub>2</sub>	60kg , 70kg

## 6" x 6mm Heavy Nylon Caster



Capacity  
400Kgs













Without Move



Move White Brake

Model	Size	Capacity Kgs
Without Move	6"	400Kgs
Move	6"	400Kgs
Move with Brake	6"	400Kgs

# Saw Blade

 <p>300mm x 72T x 3.2/2.2mm 30mm <math>\phi</math> Max 6000rpm Chipboard</p>	 <p>*刀型</p>	<p><b>TCT Saw Blade</b> 300D(12")x3.2x72T For Chipboard (Germany) 014-72T-CHP</p>  <p>PREMIUM TOOLS GER MANY</p>	 <p>300x72T x 3.2/2.2mm x30mm <math>\phi</math> Max 6000rpm Playwood</p>	 <p>*刀型</p>	<p><b>TCT Saw Blade</b> 300x3.2x30x72T For Wood (Germany) 014-72T-WP</p>  <p>PREMIUM TOOLS GER MANY</p>
 <p>300mm x 96T x 3.2/2.2mm 30mm <math>\phi</math> Max 6000rpm Chipboard</p>	 <p>*刀型</p>	<p><b>TCT Saw Blade</b> 300x3.2x30x96T For Chipboard (Germany) 014-96T-CHP</p>  <p>PREMIUM TOOLS GER MANY</p>	 <p>300x96T x 3.2/2.2 x 30mm <math>\phi</math> Max 6000rpm Playwood</p>	 <p>*刀型</p>	<p><b>TCT Saw Blade</b> 300x3.2x30x96T For Wood (Germany) 014-96T-WP</p>  <p>PREMIUM TOOLS GER MANY</p>
 <p>250x100T x 3.2/2.2 x 30mm <math>\phi</math> Max 4400rpm Aluminium</p>	 <p>*刀型</p>	<p><b>TCT Saw Blade</b> 250D(10")x3.2x 30Bx100T For Aluminium (Germany) 014-100T-A10</p>  <p>PREMIUM TOOLS GER MANY</p>	 <p>300x120T x 3.0/2.0 x 30mm <math>\phi</math> Max 4400rpm Aluminium</p>	 <p>*刀型</p>	<p><b>TCT Saw Blade</b> 300x3.0x30x120T For Aluminium (Germany) 014-120T-A12</p>  <p>PREMIUM TOOLS GER MANY</p>
<p><b>freud.</b> Made In Italy</p> 	 <p><b>Freud# LU3D-</b> 0600-300-3.2-30B (96T) Chirpaord FREUD-96T-CP</p> 	<p><b>freud.</b> Made In Italy</p> 	 <p><b>Freud# LU5E-</b> 0300-255-2.8-25.4B (100T) ALUM FREUD-100T-ALUM</p>  <p>CARATTERISTICHE DEL DENTE - TOOTH'S FEATURES</p>		
<p><b>Makita</b></p> 	<p><b>P-68002 Saw Blade(10")</b> 255X2.1mmX100T For Alum (Makita) 014-TCT-100T(A)</p> 	<p><b>Makita</b></p> 	<p><b>P-67957 Saw Blade (7-1/4")</b> 185x1.2mmx40T For Wood (Makita) 014-TCT-48T(W)</p> 		





# BOSCH

## Circular Saw Blade 7 1/4" T40 (2608642984)(BOSCH)

014-300-303



Wood Max 8000rpm  
184mm x 40T x 2.0/1.4mm 25.4mm Ø



\*刀型

1pc x 20mm  
1pc x 18mm  
1pc x 16mm  
1pc x 5/8"



## Circular Saw Blade 6 1/8" T60 (2608642972)(BOSCH)

015-254-X28

## Circular Saw Blade 7 1/4" T60 (2608642985)(BOSCH)

015-300-X30



Wood Max 8000rpm  
184mm x 60T x 2.0/1.4mm 25.4mm Ø



\*刀型

1pc x 20mm  
1pc x 18mm  
1pc x 16mm  
1pc x 5/8"


Thickness: 1.2mm

## Circular Saw Blade 10" T80 (BOSCH)

(2 608 643 009)

For Wood

014-250-120T



## Circular saw blade for alum 10"x120T (BOSCH)

(2 608 642 203)

013-200-025


For Aluminium

## Circular saw blade for alum 12"x120T (BOSCH)

(2 608 642 210)

013-200-028

For Aluminium



# Jig Saw Blade

		<p><b>MAKITA D-34883 Jig Saw Blade (T144D)</b> 014-SNA-T144</p>		<p><b>MAKITA D-34899 Jig Saw Blade (T244D)</b> 014-SNA-T244</p>
		<p><b>MAKITA T144D Jig Saw Blade (A-85684)</b> 014-HANS-T144D</p>		<p><b>MAKITA T244D Jig Saw Blade (A-85690)</b> 014-H24-4D</p>
		<p><b>MAKITA T101B Jig Saw Blade (A-85634)</b> 014-101B-001</p>		<p><b>MAKITA T101BR Jig Saw Blade (A-85715)</b> 014-101-BR</p>
		<p><b>MAKITA T101AO Jig Saw Blade (A-80400)</b> 014-H10-1AO</p>		<p><b>MAKITA Jig Saw Blade (A-86577) For 58 for 4304</b> 014-3BEP-M10</p>
<p><b>MAKITA T144DF Jig Saw Blade (A-85771)</b> 014-HANS-T101D</p>				



# Jig Saw Blade

 <p><b>MAKITA D-34908 Jig Saw Blade (T118A) 014-SNA-10</b></p> <p>51 mm HSS 1-3mm 1.2 21TPI</p> 	 <p><b>MAKITA T118A Jig saw Blade (A-85737) 014-HANS-NO10</b></p> <p>51 mm HSS 1-3mm 1.2 21TPI</p> 
 <p><b>RENO T No.10 Jig Saw Blade For Makita 014-N10-006</b></p> <p>clean CUT HCS</p> 	<p><b>For Makita No.10</b></p> 
 <p><b>RENO T144D Jig Saw Blade 014-114-003</b></p> <p>fast CUT HCS</p> 	 <p><b>RENO T244D Jig Saw Blade 014-244-005</b></p> <p>fast CUT HCS</p> 
 <p><b>RENO T101AO Jig Saw Blade 014-RENO-101AO</b></p> <p>clean CUT HCS</p> 	 <p><b>RENO T101D Jig Saw Blade 014-101-001</b></p> <p>clean CUT HCS</p> 
 <p><b>RENO T101B Jig Saw Blade 014-118-002</b></p> <p>clean CUT HCS</p> 	 <p><b>RENO T101BR Jig Saw Blade 014-RENO-101BR</b></p> <p>clean CUT HCS</p> 



# Jig Saw Blade



**T144D (BOSCH) Jig Saw Blade**  
014-144-008




speed for Wood




**T244D (BOSCH) Jig Saw Blade**  
014-244-009



speed for Wood



**T101B (BOSCH) Jig Saw Blade**  
014-101-B



**T101BR (BOSCH) Jig Saw Blade**  
014-101-BR



clean for Wood



**T101AO (BOSCH) Jig Saw Blade**  
014-101-AO



clean for Wood



**T118A (BOSCH) Jig Saw Blade**  
014-118-A




basic for Metal





# Router Bit

## Straight Router Bit




Router Bit Size:

A	C
1/4	6mm
1/4	8mm
1/4	10.5mm
1/4	12mm
1/4	1/8"
1/4	1/4"
1/4	3/8"




## Straight Router Bit (Single Flute)



Router Bit Size:


A	C
1/4	3/32"
1/4	1/8"
1/4	5/32"
1/4	3/16"

## 90 degree V-Grooving Bit



	A	C
Green	1/4	1/4"
Green	1/4	3/8"

## Core Box Bit



	A	C
Green	1/4	1/4"
Green	1/4	3/8"

# Router Bit

## T2002 1/4 X 3/8 Router Bit (2 flute) (Green) T2002 1/4 X 3/8 Router Bit (3 flute) (Green)

Router Bit Size:

Model	A	C
2 Fluter	1/4	1/4"
2 Fluter	1/4	3/8"
3 Fluter	1/4	3/8"

Double Bearing

2 FLUTE   
3 FLUTE



## 1/4x10 Router Bit (Oblique Blade)

Router Bit Size:

Model	A	C
2 Fluter	1/4	10mm



## TCT 1/4 X 3/8 High Grade Router Bit 2BB RENO

More Sharper, More Lifetime Use



Collet: 6mm/ 1/4"  
Diameter: 9.5mm/ 3/8"

\*Trimmer Router Use\*



## TCT1/4 X1/4 x20mm Straight Bit (Two Bearing)




## Straight Bit With Single Bearing (Green)




## Chamfer Bit Router Bit (green)

Router Bit Size:

Model	A
7 deg	1/4
15 deg	1/4
22.5deg	1/4
25 deg	1/4



## S 1/4 x 45 degree Router Bit (Dovetail)





# Router Bit

## TCT6020 High Grade Rounding Router Bit



Router Bit Size:

Model	A	C
6020	1/4	R1.5
6020	1/4	R2.0

**\*Used edge-banding**

Router Bit Size:

Model	A	C
6020	1/4	3/16
6020	1/4	1/4"
6020	1/4	5/16"
6020	1/4	3/8"
6020	1/4	1/2"



## Rounding Over Bit (Green)




Router Bit Size:

	A	C
	1/4	1/8"
	1/4	3/16"
	1/4	1/4"
	1/4	3/8"
	1/4	1/2"

**\*\*Green Packing\*\***



## 45 Deg Router Bit With Bearing (Green) Angle 45°



**\*\*Green Packing\*\***



# Router Bit

## Straight Router Bit 1/2" (12mm) (Green)



Router Bit Size:

Cut Lt.	A	C
1"	1/2"	3/8"
1 1/2"	1/2"	1/2"
2"	1/2"	1/2"
3"	1/2"	1/2"

## Straight Router Bit with Single Bearing 1/2" (12mm) (Green)



Router Bit Size:

Cut Lt.	A	C
1 1/2"	1/2"	1/2"
2"	1/2"	1/2"

## Straight Router Bit with Double Bearing 1/2" (12mm) (Green)



Router Bit Size:

Cut Lt.	A	C
1 1/2"	1/2"	1/2"
2"	1/2"	1/2"



# Bolt & Nut Screw

## E-Nut M6x13mm (D-Nut) RB




\*Use : Chairs, tables, bed frames, cabinets, etc.

## E-Nut M8x20mm RB



\*Use : Chairs, tables, bed frames, cabinets, etc.

## JCBC(W) M6x50mm Screw (RB)



\*Use : Chairs, tables, bed frames, cabinets, etc.

## Minifix C/W Bolt (ZB)



## Plastic Magics Screw - Black



## Tee Nut M6 (RB)



## Tee Nut M10



\*Use : Chairs, tables, bed frames, cabinets, etc.

# Screw

## M4 Flat Washer 015-107-SM4



## Chipboard Screw

Size	Colour
3.5x12mm	RB
3.5x16mm	RB
3.5x20mm	RB
4.0x20mm	RB
4.0x25mm	RB
4.0x30mm	RB
4.0x32mm	RB
4.0x38mm	RB
4.0x45mm	RB
4.0x50mm	RB
4.0x65mm	RB
5.0x60mm	RB
5.0x75mm	RB



## Handle Screw



Size	Colour
4.0x20mm	RB
4.0x25mm	RB
4.0x30mm	RB
4.0x32mm	RB
4.0x38mm	RB
4.0x45mm	RB
4.0x50mm	RB
4.0x65mm	RB

## Nylon Wall Plug



#8x2"  
#8x3"  
#8x4"

## Connecting Screw M6x41



## Screw Cap



Colour: Black, White  
Brown, Oak  
Nyatoh,  
L/ Grey

## Screw Sticker Cap



Color:  
White / Light Grey / Black / Maple / Walnut





# x'traseal®

## X'BOND Construction Adhesive Sealant



## Construction & Furniture

### Bonding Applications



**WILL NOT STAIN  
ON MIRROR**



# CONSTRUCTION & HARDWARE

**\*Non Cured, Oil-Based Sealant**

## AWNING & ROOFING CAULK



### Awning, Roofing & Skylight



**RE-SKINNING**





# CONSTRUCTION & HARDWARE

**\* Superior Flexibility Sealant**

## MC-800 Acrylic Latex Sealant



040-036  
Low Emission  
Low Toxicity Adhesive / Sealant

## Gaps & Joints

Sealing Applications



**NON CRACK**

Item Code:	Size:	Available Colour:	Packaging Detail:	
			Inner Box	Outer Carton
x-800/480	480gm	White	-	24pcs
x-800/SAU	600ml	White	-	20pcs

# Silicone/Glue/Glassicoat

## SOLID 8000 CA GLUE

100-80-00



## RENO 311 Glue

Mode	Code
DAB	100-DAB-300
DAA	100-DAA-300



## DONSON 820 GLUE

100-DS-820



Use:  
Laminate  
PVC Edge  
Carpat  
PVC &  
Etc.



## TS505 Spray Glue 10kg

100-222-120



\*For Spray




## 505A Spray Glue 12kg Donson

100-0505-120



\*For Spray





# Silicone/Glue/Glassicoat

**GB11 White Glue, LATEX-0011 / NS990**

100-555-180



**NS990 white glue 4kg**

100-555-4kg



**VT-760 GLUE (4KG)**

100-760-4KG



**VT-760 GLUE (500g)**

100-760-500



**Super Glue BS8502**

100-508-20g



**HM Hot-Melt Glue (25kg/ctn)**



HM11-3003 120c-150c  
 HM16505 160c-180c  
 HM13070 120c-150c (Transparent)

**3091 Hi-Tech Glue 10g**

100-309-10g



**3091 Hi-Tech Glue (50g)**

100-309-50g



**Ottergel Wood Stain 1/3 Quart**

Wood Stain Colour



**Ottergel Wood Stain 1 Quart**



# Silicone/Glue/Glassicoat



**NC Sealer, White, SW2288,**  
5 litter **NCS-2288-Wht**

**NC Sealer White SW2288**  
20Lts **100-2288-20L**



SW2288



SW2288



**NC GLOSS WHITE 2001**  
5Lts **100-NC2-001**

**NC GLOSS WHITE 2001**  
20Lts **100-NC2001-20LT**



**NC CLEAR C233X5LTS**  
**100-NCC-233**

Lacquer clear 100% gloss



**NC SEALER S238X5LTS**  
**100-NCS-238**



Lacquer sealer 50%  
matt

**Thinner, 11 Liter**  
**(TBS-115) / 1073 NC**  
**THI-12.5-LIT**



**T555-11K X 12LTS**  
**(THINNER)**  
**THI-12-LTS**



**Thinner x 2.5 Lts (TB Toluene) TB-3**  
**THI-2.5-LIT**



**T555-2.2 X 2.5LTS (THINNER)**  
**THI-2.5-LTS**



**THINNER X 330ML -TB**  
**THI-TB-330**





# Silicone/Glue/Glassicoat

Eracoat Glass Paint (Glassicoat)  
Curing Agent BH-1X500LT

ERA-CUR-500



Eracoat, Glassicoat 1 litter



**COLOUR GLASSICCOAT**

# Silicone/Glue/Glassicoat

## VT-222 Silicone White (450ml)

102-688-480



## VT-230 Vital Nails (300ml)

102-VT-230



Green Bonding & Sealing Solutions

## Silicone Transparent (Acrylic) VT-210

"No Acid" 102-688-G02



## 288(277) Silicone Transparent VT-201



White 102-288-G01  
Clear 102-288-G02  
Black 102-288-G03

## Vital (VT-224) Gap Filler



## "Putty" Wood Filler White (VT-460) 500g



Natural (VT-462)

Teak (VT-462)



Content: 450gm  
Carton Quantity: 24 cartridges/carton  
Available Colors:





# Silicone/Glue/Glassicoat



**All Purpose MS Sealant (VT-621)**  
(Low VOC Compliant) **VT-621-WHT**

**KEROSENE-13L-NT X 13Lts**  
**KRS-13-LTS**



**Kerosene X 2.5 Liter**  
**KRS-2.5-LIT**



**KEROSENE X 330ML-TUR**  
(Turpentine)  
**KRS-330-ML**



**WHITE Furniture Marker**  
**016-WHT-FM**



**WOODKARE**®



# Laminate

maica™



ICA®  
Trendy Surface




FUTURO

NEW MIKA  
Decorative Laminates



polytec  
laminates





# **PVC Foam Board 15mm x1220x2440 (WHITE)**

**Density 0.55**

**Multi-purpose application:**



**Door Panels, Flush Door, Door Skins Partitions, Ceiling and Wall Exhibition Desk, Shelve in Supermarket Interior Lining For Automobiles Cabinet, Furniture and Modular Kitchen Advertisement Board and Sign Board Architectural Decoration and Upholstery Concrete formwork, bulding pillar/template**

**Thickness: 15mm**

**Density: 0.55g / cm<sup>3</sup>**

**Length: 2440mm Width: 1220mm**



# Why choose us Pvc Foam Board?

## Features:

New, Light Weight, Good tenacity and High Rigidity NO Maintenance,  
 NO Pollution and NO Deformation Fire, Chemical and High Impact Resistance  
 Water and Moisture Proof Excellent Heat, Sound and Electrical Insulation  
 Easy to Process, Cut, Saw, Drill, Screw, Nail, Glue, Stamp, Paint etc  
 Firm and Durable, Termite Proof and Fungus Resistance, Long Life  
 Wide range of dimension and thickness Contain NO Lead, UV Stabilized,  
 Environmental Friendly



Anti-Mould



UV Protection



Low Maintenance



Water Proof



Smooth Surface



Fire-retardant



Eco-Friendly



Recyclable



Long-Lasting



Sound Insulation



Anti-Static



Anti-Corrosive



Easy Clean



Lightweight



Weather-Resistant



Drilling



Milling



Sawing



Cutting



Nailing



Bending



Stamp ...



Screw ...



Gluing



Stapling




Taping



Painting



**Use too:**



Compare	PVC	Wood	Steel Formwork	Plywood Formwork
Recycle	Recyclable	Non-recyclable	Recyclable	Non-recyclable
Fire resistant	Yes	No	Yes	No
Rodent and Termite proof	Yes	No	Yes	No
Water Proof	Yes	No	Yes	No
Anti-Corrosion	Very good	Bad	Bad	Bad
Weather Resistant	Yes	No	Yes	No
Self-extinguishing	Yes	No	Yes	No
Light-weight	Light	Heavy	Heavy	Heavy
Smooth Surface	Yes	No	No	No
Protect or extract work	No	Yes	Yes	Yes
No shrinkage or swelling	Yes	No	No	No
Life-Cycle	Long	Short	Long	Short
Indoor/ outdoor Application	Both	Indoor	Both	Indoor

**Description:**

**PVC board are made by foaming and pressing into shape.**

**The main material used are PVC resin, other materials like**

**Calcium Powder and Additives. PVC boards are the best and**

**ideal material for Advertising, Decoration and Furniture Industry,**

**it has many advantages such as smooth surface,**

**moisture proof and heat-resistant, anticorrosive, ametabolic,**

**nontoxic and recyclable. PVC board covers not only wood features,**

**but also also very light and can be printed, engraved easily, more**

**ECO- friendly than wood.**




LIGHTING SYSTEM






## GLASS SHELF ALUMINIUM BLACK LIGHT



Model	Description	Carcase	Dimension ( W x D x H )	Wattage	List Price
L4024-564	4024-564 LED Glass Shelf Alum. Light Black 4500k 5.2W	600 mm	563mm x 250mm x 35mm	5.2 W	RM 190.00
L4024-864	4024-864 LED Glass Shelf Alum. Light Black 4500k 8.2W	900 mm	863mm x 250mm x 35mm	8.2 W	RM 230.00
L4024-1164	4024-1164 LED Glass Shelf Alum. Light Black 4500k 10.6W	1200 mm	1163mm x 250mm x 35mm	10.6 W	RM 290.00



## LED Touch Sensor Light (Under Cabinet Application)



Model	Description	Carcase	Dimension ( W x D x H )	Wattage	List Price
L3043105	L3043105 LED Touch Sensor Under Cabinet Light 4500k 3.5W	~	160mm x 55mm x 60.5mm	3.5W	RM 75.00




**BADROOM  
FLEXIBEL SIDE LAMP**



Model	Description	Carcase	Dimension ( W x D x H )	Wattage	List Price
B1005006	B1005006 Bedroom Flexibel Side Lamp 4500k 2W	~	493mm x 50mm x 18mm	2.0 W	RM 140.00



**LED HANGING ROD  
PIR SENSOR LIGHT**




Model	Description	Carcase	Dimension ( W x D x H )	Wattage	List Price
HL17116-564	HL17116-564 LED Hanging Rod PIR Sensor Light 567mm(6w) 4000K	600 mm	567mm x 12mm x 32mm	6.0 W	RM 107.00
HL17116-864	HL17116-864 LED Hanging Rod PIR Sensor Light 867mm(9w) - 4000K	900 mm	867mm x 12mm x 32mm	9.0 W	RM 129.00
HL17116-1164	HL17116-1164 LED Hanging Rod PIR Sensor Light 1167mm(12w) - 4000K	1200 mm	1167mm x 12mm x 32mm	12.0 W	RM 147.00








## LED GLASS SHELF LIGHTING



Model	Description	Carcase	Dimension ( W x D x H )	Wattage	List Price
HL16113-564	HL16113-564 LED Glass Shelf Lighting 564mm(6w) - 4000K	600 mm	567mm x 28mm x 18mm	6.0 W	RM 33.00
HL16113-864	HL16113-864 LED Glass Shelf Lighting 864mm(9w) - 4000K	900 mm	867mm x 28mm x 18mm	9.0 W	RM 47.00




## LED WOOD SHELF LIGHTING



Model	Description	Carcase	Dimension ( W x D x H )	Wattage	List Price
HL17112-567	HL17112-567 LED Wood Shelf Lighting 567mm(11w) - 4000K	600 mm	567mm x 28mm x 18mm	11.0 W	RM 86.00
HL17112-867	HL17112-867 LED Wood Shelf Lighting 867mm(16.5w) - 4000K	900 mm	867mm x 28mm x 18mm	16.5 W	RM 107.00




**LED LIGHTING SHELF**



Model	Description	Carcase	Dimension ( W x D x H )	Wattage	List Price
HL18131-600	HL18131-600 LED Lighting Shelf 600mm (11w) - 4000K	600 mm	600mm x 230mm x 68mm	11.0 W	RM 443.00
HL18131-900	HL18131-900 LED Lighting Shelf 900mm(16.5w) - 4000K	900 mm	900mm x 230mm x 68mm	16.5 W	RM 639.00



**LED CABINET LIGHTING DOUBLE SIDE INFA-RED SENSOR**




Model	Description	Carcase	Dimension ( W x D x H )	Wattage	List Price
HL15108-560	HL15108-560 LED Cabinet Lighting Duoble-Side Infa-Red Sensor 560mm(5w) - 4000K	600 mm	560mm x 40mm x 9.5mm	5.0 W	RM 172.00
HL15108-860	HL15108-860 LED Cabinet Lighting Duoble-Side Infa-Red Sensor 860mm(8w) - 4000K	900 mm	860mm x 40mm x 9.5mm	8.0 W	RM 211.00






## CONCEAL LED LIGHT BAR PIR SENSOR



Model	Description	Carcase	Dimension ( W x D x H )	Wattage	List Price
HL17103-567	HL17103-567 Conceal LED Light Bar PIR Sensor 567mm(6w) - 4000K	600 mm	567mm x 22mm x 11.5mm	6.0 W	RM 92.00
HL17103-867	HL17103-867 Conceal LED Light Bar PIR Sensor 867mm(9w) - 4000K	900 mm	867mm x 22mm x 11.5mm	9.0 W	RM 106.00
HL17103-1167	HL17103-1167 Conceal LED Light Bar PIR Sensor 1167mm(12w) - 4000K	1200 mm	1167mm x 22mm x 11.5mm	12.0 W	RM 121.00




## CONCEAL LED LIGHT BAR HAND SWEEP SENSOR



Model	Description	Carcase	Dimension ( W x D x H )	Wattage	List Price
HL17104-567	HL17104-567 Conceal LED Light Bar Hand Sweep Sensor 567mm(6w) - 4000K	600 mm	567mm x 22mm x 11.5mm	6.0 W	RM 92.00
HL17104-867	HL17104-867 Conceal LED Light Bar Hand Sweep Sensor 867mm(9w) - 4000K	900 mm	867mm x 22mm x 11.5mm	9.0 W	RM 106.00




## CONCEAL LED LIGHT BAR



Model	Description	Carcase	Dimension ( W x D x H )	Wattage	List Price
HL19107-567	HL19107-567 Conceal LED Light Bar 567mm(6w) - 4000K	600 mm	567mm x 22mm x 11.5mm	6.0 W	RM 52.00
HL19107-867	HL19107-867 Conceal LED Light Bar 867mm(9w) - 4000K	900 mm	867mm x 22mm x 11.5mm	9.0 W	RM 66.00
HL19107-1167	HL19107-1167 Conceal LED Light Bar 1167mm(12w) - 4000K	1200 mm	1167mm x 22mm x 11.5mm	12.0 W	RM 81.00
HL19107-2000	HL19107-2000 Conceal LED Light Bar 2000mm(21w) - 4000K	~	2000mm x 22mm x 11.5mm	21.0 W	RM 136.00
HL19107-2500	HL19107-2500 Conceal LED Light Bar 2500mm(26w) - 4000K	~	2500mm x 22mm x 11.5mm	26.0 W	RM 170.00
HL19107-3000	HL19107-3000 Conceal LED Light Bar 3000mm(32w) - 4000K	~	3000mm x 22mm x 11.5mm	32.0 W	RM 204.00




## SURFACE LED LIGHTING BAR TRIANGLE SHAPE



Model	Description	Carcase	Dimension ( W x D x H )	Wattage	List Price
HL18117-567	HL18117-567 Surface LED Light Bar Triangle-Shape 567mm	600 mm	567mm x 22mm x 11.5mm	6.0 W	RM 62.00
HL18117-867	HL18117-867 Surface LED Light Bar Triangle-Shape 867mm	900 mm	867mm x 22mm x 11.5mm	9.0 W	RM 83.00
HL18117-1167	HL18117-1167 Surface LED Light Bar Triangle-Shape 1167mm	1200 mm	1167mm x 22mm x 11.5mm	12.0 W	RM 116.00




## SURFACE LED ROUND LIGHT



Model	Description	Dimension ( W x D x H )	Wattage	List Price
HL13207	HL13207 Surface LED Round Light (2.2w) $\phi$ 72mm x 10mm 4000K	$\phi$ 72mm x 10mm	2.2 W	RM 50.00

## CONCEAL LED LIGHT



Model	Description	Dimension ( W x D x H )	Wattage	List Price
HL19210	HL19210 Conceal LED Light Warm Light 4000K	$\phi$ 65mm x 10mm	1.8 W	RM 42.00

## T5 LED LIGHT





Model	Description	Dimension ( W x D x H )	Wattage	List Price
HL15110-600	HL15110-600 T5 LED Light (6.5w) 4000K	600mm x 10mm x 4mm	6.5 W	RM 25.00
HL15110-900	HL15110-900 T5 LED Light (9.5w) 4000K	900mm x 10mm x 4mm	9.5 W	RM 36.00
HL15110-1200	HL15110-1200 T5 LED Light (12.5w) 4000K	1200mm x 10mm x 4mm	12.5 W	RM 49.00

## LED LIGHT BELT





Model	Description	Length	Wattage	List Price
SE-L8-2835-12-30K	SE-L8-2835-12-30K 5M LED Light Belt Yellow Light 3000K	5 meter	14.0 W	RM 120.00
SE-L8-2835-12-40K	SE-L8-2835-12-40K 5M LED Light Belt Warm Light 4000K	5 meter	14.0 W	RM 120.00
SE-L8-2835-12-65K	SE-L8-2835-12-65K 5M LED Light Belt White Light 6500K	5 meter	14.0 W	RM 120.00

**PIR MOVING SENSOR**





Model	Description	Dimension ( W x D x H )	Wattage	List Price
L1013133	L1013133 PIR Moving Sensor LED Light - Champion	79mm x 79mm x 15mm	0.5 W	RM 130.00

**INFA-RED SENSOR FOR LED LIGHT**




Model	Description	Dimension ( W x H )	Wattage	List Price
HLGS13003	HLGS13003 Infa-red Sensor for LED Light (24w)	37mm x 17mm	24.0 W	RM 42.00
HLGS16003	HLGS16003 Infa-red Sensor for LED Light (60w)	37mm x 17mm	60.0 W	RM 74.00

**HAND SWEEP SENSOR FOR LED LIGHT**



Model	Description	Dimension ( W x H )	Wattage	List Price
HLGS13004	HLGS13004 Hand Sweep Sensor for LED Light (24w)	37mm x 17mm	24.0 W	RM 42.00

**PIR SENSOR FOR LED LIGHT**



Model	Description	Dimension ( W x H )	Wattage	List Price
HLGS16005	HLGS16005 PIR Sensor for LED Light (24w)	37mm x 17mm	24.0 W	RM 45.00




## SEMICIRCLE-SHAPE WIRE TRUNKING



Model	Description	Dimension ( L )	Wattage	List Price
HL002	HL002 Semicircle-Shape Wire Trunking 1000mm	1000 mm	~	RM 7.00

## TRIANGLE-SHAPE WIRE TRUNKING



Model	Description	Dimension ( L )	Wattage	List Price
HL003	HL003 Triangle-Shape Wire Trunking 1000mm	1000 mm	~	RM 7.00

## LED STRIP CONNECTION



Model	Description	Dimension ( L )	Wattage	List Price
HLDCC03	HLDCC03 LED Strip Connection	1.50 meter	~	RM 7.00

## LIGHTING CONNECTION



Model	Description	Dimension ( W x D x H )	Wattage	List Price
HLGSBOX609-4	HLGSBOX609-4 Lighting Connection (4 Hole)	~	~	RM 9.00

**WIRELESS CONTROLLER**




Model	Description	Dimension ( W x D x H )	Wattage	List Price
HLGS17009	HLGS17009 LED Wireless Controller - Black	~	~	RM 45.00

**WIRELESS RECEIVER**



Model	Description	Dimension ( W x D x H )	Wattage	List Price
HLGS17013	HLGS17013 LED Wireless Receiver 60w - Black	~	60 W	RM 49.00

**LED DRIVER**





Model	Description	Dimension ( W x D x H )	Wattage	List Price
LED16001	LED16001 LED Driver 15 W	135mm x 48mm x 24mm	15.0 W	RM 50.00
LED15015	LED15015 LED Driver 30 W	135mm x 48mm x 24mm	30.0 W	RM 68.00
LED15016	LED15016 LED Driver 60 W	135mm x 48mm x 24mm	60.0 W	RM 129.00



## Model 1

Material : Aluminium  
Colour : NA  
Length : 3 meter





## 2112 -3 Meter LED Profile (W)




## Model 2 : 2020 LED Profile 3 Meter

Material : Aluminium  
Colour : NA  
Length : 3 meter





## Model 3 : Aluminium LED Profile (V)

Material : Aluminium  
Colour : NA  
Length : 3 meter



## Model 4 : Aluminium LED Profile (U)

Material : Aluminium  
Colour : NA  
Length : 3 meter



# SLT32835-60 LED Strip 2835 4.8w



SLS030180 LED STRIP CONNECTOR 1.8M  
(SLT36602D) **010-AIR-3HT**

Size : 9mm x 5meter

Colour : Warm Light (3000K)

**712-902Y-LED**

Warm white (4000K)

**JAM-L16-876**

Watt : 4.8w / meter

## SLT39936 LED DRIVER 36W

**712-824-035**



## SLT35510-60 LED DRIVER 60W

**012-2W-112**



\*Suitable for LED Aluminium Profile





# Light / Light Profile

902C LED Light 240V/1.5W White

White 712-2W-E27

Yellow 712-LED-3#



White

Yellow



LED Round Light 60x7mm  
Yellow (set) 712-LED-1.8W



MODEL: 1-3W  
INPUT: AC85-265V 50/60Hz  
OUTPUT: DC3-12V240mA± 5%

A22 48W UV Light With  
Handle 712-012-831




Door On-off Switch White  
718-VS-OFS



Auto On-Off Switch For Sliding Door

Open Door Switch  
718-410-001

718-410-001



Door contact switch



Door Open = Light on  
Door Closed = Light off

AC4134 Door Electronic Switch  
718-AC-4134

718-AC-4134



33mm

Voltage capacity : 6V-250V



Door Open = Light on  
Door Closed = Light off




PIR Moving Sensor For  
LED Light 0.5w  
HAU-LEDS-15W#

HAU-LEDS-15W#





Infa-Red Sensor For LED Light  
37mmx17mm

HLGS13003 (24w)  
HLGS16003 (60w)





PIR Sensor For LED Light  
37mmx17mm

HLGS16005 (24w)



Hand Sweep For LED Light  
37mmx17mm

HLGS13004 (24w)



## PU Door (Spray Panel Door)

Description	Price (Per Sqft)
PU Door White (Glossy) - 5side	
PU Door Colour (Glossy) - 5side	
PU Door White (Matt) - 5side	
PU Door Colour (Matt) - 5side	
PU Door (Texture) - 5side	

### Remark:

1. Minimum Order Per Door : 2sqft.
2. Free Hinge Hole.
3. Free 35 or 45 degree Slope Handle.


Term and condition apply \*\*\*\*\*

02/2021

**SUPER  
SALE**

**White**

**Black**





## Acrylic Panel

Colour	Arcylic Spray Paint Solid (Team : 3xxx)	Arcylic Spray Paint Metallic (Team : 1xxx)	Arcylic Original Black/White (Team : 5001-W/5353-B)
<b>5 side</b>			
<b>6 side</b>			

**\*\*\*Minimun Order 2.5sqft/per door.**

### Additional Charges:

1. Aluminium G Handle -
2. 35° Slope Handle -
3. Hinge Hole - F.O.C
4. Additional 1side acrylic
5. Corner Infill -
6. For special colour below 30sqft additional change











Remark : Door thickness 17mm+-

### Term and Condition Apply

- \* Price Supply Within Klang Valley Area
- \* Confirmation Production : 14day working days after official confirmation or collection payment ,Whichever later.







# Aluminium Door











# Aluminium Door



# Aluminium Door



Additional Charges:  
 A) Model: G2, G3, D1, C1, AJP1 = M.O.Q 15 sqft/door  
 B) Model: SG19 = M.O.Q 18 sqft/door







# 2021 YEAR

[www.teamstar.com.my](http://www.teamstar.com.my) Web



## TEAMSTAR® Furniture Hardware Chain Stores

f Teamstar Furniture Hardware  
Accessories Chain Stores

