

# The Ideal Kitchen & Wardrobe Accessories

[www.teamstar.com.my](http://www.teamstar.com.my)



# **00** Table Of Content

**1 KITCHEN BASKET/WARDROBE**

**12 LIFT UP STAY**

**15 ALUMINIUM HANDLE**

**18 HANDLE**

**30 CABINET HINGES/DOOR HINGES**

**52 DOOR LOCK/DRAWER LOCK**

**77 DRAWER RUNNER SYSTEM**

**83 BRACKETS**

**98 ALUMINIUM/STEEL PROFILE**

**104 SLIDING/FOLDING DOOR SYSTEM**

**130 GLASS FITTING/CABLE CLAMP**

**136 FLOOR SPRING SYSTEM**

**150 DOOR FITTING/DOOR CATCH**

**161 AIR HOLE**

**170 BOLT & NUT SCREW**

**172 LIGHT/LIGHTING PROFILE**

**175 LAMINATES/ BFC FLUTED PANELS**

**178 TOOLS MACHINERY**

**190 PU DOOR/ALUMINIUM DOOR**

**197 HAND TOOLS**

**219 SILICONE/GLUE/GLASSICOAT**



# KITCHEN BASKET

VOLUME - 1



Description	Cabinet Size (mm)	Product Size (mm) (W x D x H)	Material	Finish	Packing
AG600-QC	600	564 x 440 x 245	Aluminium	Nano Coat	1set/ctn

## ALUM 3 SIDES COMPARTMENT STORAGE BASKET

AG SERIES



Description	Cabinet Size (mm)	Product Size (mm) (W x D x H)	Material	Finish	Packing
AG800-BC	800	764 x 440 x 245	Aluminium	Nano Coat	1set/ctn
AG900-BC	900	864 x 440 x 245	Aluminium	Nano Coat	1set/ctn

## ALUM 3 SIDES COMPARTMENT STORAGE BASKET

AG SERIES



Description	Cabinet Size (mm)	Product Size (mm) (W x D x H)	Material	Finish	Packing
AG600-WP	600	564 x 440 x 190	Alum + Tempered Glass	Nano Coat	1set/ctn
AG800-WP	800	764 x 440 x 190	Alum + Tempered Glass	Nano Coat	1set/ctn
AG900-WP	900	864 x 440 x 190	Alum + Tempered Glass	Nano Coat	1set/ctn

## ALUM + GLASS 4 SIDES DISH & BOWL BASKET

AG SERIES




Description	Cabinet Size (mm)	Product Size (mm) (W x D x H)	Material	Finish	Packing
AG600-GJ-50-4	600	564 x 440 x 95	Aluminium	Nano Coat	1set/ctn
AG800-GJ-50-4	800	764 x 440 x 95	Aluminium	Nano Coat	1set/ctn
AG900-GJ-50-4	900	864 x 440 x 95	Aluminium	Nano Coat	1set/ctn

## ALUM PULL OUT CUTLERY TRAY

AG SERIES

# KITCHEN BASKET

VOLUME - 2



Description	Cabinet Size (mm)	Product Size (mm) (W x D x H)	Material	Finish	Packing
AG900-SC	900	864 x 440 x 155	Alum + Tempered Glass	Nano Coat	2sets/ctn

## ALUM + GLASS 4 SIDES SINK BOTTOM BASKET


AG SERIES



Description	Cabinet Size (mm)	Product Size (mm) (W x D x H)	Material	Finish	Packing
AG450-TD	450	414 x 440 x 555	Aluminium	Nano Coat	1set/ctn
AG600-TD	600	564 x 440 x 555	Aluminium	Nano Coat	1set/ctn

## ALUM MULTI FUNCTION SEASONING BASKET

AG SERIES



Description	Cabinet Size (mm)	Product Size (mm) (W x D x H)	Layer (Basket)	Material	Finish	Packing
AG450-LB	450	414 x 520 x 520	2 Layers	Alum + Tempered Glass	Nano Coat	1set/ctn

## ALUM + GLASS TWO LAYER TANDEM BASKET

AG SERIES



Description	Cabinet Size (mm)	Product Size (mm) (W x D x H)	Material	Finish	Packing
AG200-DCL	200	145 x 470 x 595	Alum + Tempered Glass	Nano Coat	1set/2ctns
AG300-DCL	300	245 x 470 x 595	Alum + Tempered Glass	Nano Coat	1set/2ctns

## ALUM + GLASS 2-TIER SIDE BASKET

AG SERIES





Description	Cabinet Size (mm)	Product Size (mm) (W x D x H)	Material	Finish	Packing
AG300-TL	300	264 x 440 x 515	Alum + Tempered Glass	Nano Coat	1set/ctn
AG350-TL	350	314 x 440 x 515	Alum + Tempered Glass	Nano Coat	1set/ctn

**ALUM + GLASS TABLEWARE  
SEASONING BASKET**

**AG SERIES**



Description	Cabinet Size (mm)	Product Size (mm) (W x D x H)	Material	Finish	Packing
AG350-TC	350	314 x 440 x 555	Aluminium	Nano Coat	1set/ctn
AG400-TC	400	364 x 440 x 555	Aluminium	Nano Coat	1set/ctn

**ALUM SEASONING  
COLLECTION BASKET**

**AG SERIES**



Description	Cabinet Size (mm)	Product Size (mm) W x D x H	Material	Finish	Packing
AG900/02	800-900	600 x 460 x 595	Alum + Tempered Glass	Nano Coat	1set/2ctns

**ALUM + GLASS  
MAGIC CORNER**

**AG SERIES**



Description	Cabinet Size (mm)	Product Size (mm) W x D x H	Material	Finish	Packing
AS182L (Left)	900	815 x 390 x 600-750	Steel/Wood	Nano Coat	1set/ctn
AS182R (Right)	900	815 x 390 x 600-750	Steel/Wood	Nano Coat	1set/ctn

**SWING CORNER BASKET**

**AG SERIES**



# KITCHEN BASKET

VOLUME - 4



Description	Cabinet Size (mm)	Product Size (mm) W x D x H	Material	Finish	Packing
AG600/03	600	568 x 280 x 560	Alum + Tempered Glass	Nano Coat	1set/ctn
AG800/03	800	768 x 280 x 560	Alum + Tempered Glass	Nano Coat	1set/ctn
AG900/03	900	868 x 280 x 560	Alum + Tempered Glass	Nano Coat	1set/ctn
AG600-DH	-	393 x 105 x 65	Aluminium	Nano Coat	1 set/ctn
AG800-DH	-	560 x 105 x 65	Aluminium	Nano Coat	1 set/ctn
AG900-DH	-	660 x 105 x 65	Aluminium	Nano Coat	1 set/ctn

## ALUM + GLASS ELEVATOR BASKET

AG SERIES



Description	Cabinet Size (mm)	Product Size (mm) (W x D x H)	Material	Finish	Packing
AG200-6GSC	200	145 x 470 x 1740	Alum + Tempered Glass	Nano Coat	1set/2ctns

## ALUM + GLASS SIDE MOUNT TALL UNIT SPACE RACK

AG SERIES



Description	Cabinet Size (mm)	Product Size (mm) W x D x H	Layer (Basket)	Material	Finish	Packing
AG300-5GS	300	264 x 530 x (1585-1885)	5 layers	Alum + Tempered Glass	Nano Coat	1set/2ctns
AG400-5GS	400	364 x 530 x (1585-1885)	5 layers	Alum + Tempered Glass	Nano Coat	1set/2ctns

## ALUM + GLASS TALL LARDER PULL OUT BASKET

AG SERIES




Description	Cabinet Size (mm)	Product Size (mm) W x D x H	Layer (Basket)	Material	Finish	Packing
AG302-450	450	414 x 500 x 1750	6 layers	Alum + Tempered Glass	Nano Coat	1set/2ctns
AG302-600	600	564 x 500 x 1750	6 layers	Alum + Tempered Glass	Nano Coat	1set/2ctns

## ALUM + GLASS TANDEM TALL UNIT BASKET

AG SERIES



002-SSB-30"




**SSB 30" SEMIROUND BASKET CHROME "DF005-A"**

Model	Carcase Width (mm)	Dimension (mm) WxDxH
Df005-A	800mm	725mmx390mm x65m



002-008-180



**DF005>180 DEG 2 TIER CHROME BASKET (W751)**


Model	Carcase Width (mm)	Dimension (mm) WxDxH
DF005	800mm	740mmx390mm x70m

\*All pictures shown are for illustration purpose only.




# KITCHEN BASKET

VOLUME - 6



Description	Cabinet Size (mm)	Product Size (mm) (W x D x H)	Layer (Basket)	Material	Finish	Packing
AG600-5TK	600	564 x 530 x (1730-2030)	5 layers	Alum + Tempered Glass	Nano Coat	1set/3ctns

## ALUM + GLASS FLEXI SHELF TALL LARDER




Description	Cabinet Size (mm)	Product Size (mm) (W x D x H)	Material	Colour	Packing
AK-18B	400 (20L x 2)	345 x 480 x 415	ABS	Dark Grey	1set/ctn
AK-18B-Bracket	-	-	Metal	Dark Grey	1set/bag

## BOTTOM MOUNTED BIN WITH SOFT CLOSE SLIDE





RENO®



**TROUSERS RACK**

Soft Closing


Description	Cabinet Size (mm)	Product Size (mm) W x D x H	Material	Color	Packing
W201-600	≥600	564 x 460 x 71	Aluminium	Modern Grey	1set/ctn
W201-800	≥800	764 x 460 x 71	Aluminium	Modern Grey	1set/ctn
W201-900	≥900	864 x 460 x 71	Aluminium	Modern Grey	1set/ctn



**RATTAN BASKET**

Soft Closing

Description	Cabinet Size (mm)	Product Size (mm) W x D x H	Material	Color	Packing
W202-600	≥600	564 x 460 x 185	Aluminium	Modern Grey	1set/ctn
W202-800	≥800	764 x 460 x 185	Aluminium	Modern Grey	1set/ctn
W202-900	≥900	864 x 460 x 185	Aluminium	Modern Grey	1set/ctn




**FLANNELETTE SORTING BOX**

Soft Closing

Description	Cabinet Size (mm)	Product Size (mm) W x D x H	Material	Color	Packing
W205-600	≥600	564 x 460 x 71	Aluminium	Modern Grey	1set/ctn
W205-800	≥800	764 x 460 x 71	Aluminium	Modern Grey	1set/ctn
W205-900	≥900	864 x 460 x 71	Aluminium	Modern Grey	1set/ctn


RENO®



**SIDE MOUNTED TROUSERS RACK**




Description	Cabinet Size (mm)	Product Size (mm) W x D x H	Material	Color	Packing
W211	≥500	350 x 455 x 115	Aluminium	Modern Grey	1set/ctn



**TOP MOUNTED PANTS RACK WITH V-SHAPED**



Description	Cabinet Size (mm)	Product Size (mm) W x D x H	Material	Color	Packing
W213	≥500	340 x 455 140	Aluminium	Modern Grey	1set/ctn




**TOP MOUNTED PANTS RACK WITH TWO-ROW**



Description	Cabinet Size (mm)	Product Size (mm) W x D x H	Material	Color	Packing
W212	≥700	630 x 455 x 115	Aluminium	Modern Grey	1set/ctn





## CLOTHES HOLDER



Description	Cabinet Size (mm)	Product Size (mm) W x D x H	Material	Color	Packing
W214	≥500	115 x 455 x 115	Aluminium	Modern Grey	1set/ctn




## WARDROBE LIFT



Description	Cabinet Size (mm)	Product Size (mm) W x D x H	Material	Color	Packing
W215	>880	830-1150 x 140 x 820	Aluminium	Modern Grey	1set/ctn






## IRONING BOARD


Soft Closing 

Description	Cabinet Size (mm)	Product Size (mm) W x D x H	Material	Color	Packing
W228	≥400	295 x 430 140	Aluminium	Modern Grey	1set/ctn




## ROTATING PULL OUT DRESSING MIRROR

Description	Cabinet Size (mm)	Product Size (mm) D x H	Material	Color	Packing
W223	≥350	1200 x 350	Aluminium	Modern Grey	1set/ctn



**ABS Drawer Clapboard**  
**5mmx60mmx2000mm**



**Colour: Dark Grey**

Item Code.	Size
FER-SS-RCC	5mmx60mmx2000mm

Item Code.	Size
FER-SS-SCC	5mmx60mmx2000mm

039A2-60mm Dark Grey  
2-Side Connector



039B3-60mm Dark Grey  
3-Side Connector



039C4-60mm Dark Grey  
4-Side Connector



**Colour: Coffee Velvet**

pg 117



# STAYS SYSTEM

VOLUME - 1

**LAMP** by SUGATSUNE




**AILERON STAY FOR OLYMPIA HINGE**

by SUGATSUNE  
**LAMP**



NSDX-10R

Soft Opening




NSDX-10 is designed to securely latch a flap closed

Per piece: 1.96- 6.686N.m  
Per pair: 3.92- 13.72N.m

**NSDX-10 L/R DOWNWARD OPENING STAY**

**LAMP** by SUGATSUNE  
Two stop version (hold door at 65 and 90 ) is also available



NSDX-35R



NSDX-35L



Per piece: 1.96- 4.9N.m  
Per pair: 3.92- 9.8N.m

**NSDX-35 L/R UPWARD OPENING STAY**

**bramah** 105°



**BRAMAH A2 LIFT ASSIST MECHANISM WITH SOFT CLOSING (PAIR)**

**bramah** 105°




**88-10 LIFT MECHANISM STAY**



# STAYS SYSTEM

VOLUME - 2



Torque=Door Calculation  
Loading: per piece: 0.5kg - 3kg (40-100kgf.cm)  
per pair: 3kg - 5kg (55-120kgf.cm)


## 6" Stay S/S AD150 SUS304

124-S/S-006



## WS Window Arm Stainless Steel


128-WS-102



Torque=Door Calculation  
Loading: per piece: 0.5kg - 1.5kg (40-80kgf.cm)  
per pair: 1.5kg - 3.5kg (50-100kgf.cm)

## XP31 Lid Stay


124-XP31-STAY



## 5" & 9" Ball Stay

5" 124-005-005

9" 124-005-009




Torque=Door Calculation  
Loading: per piece: 2.0kg - 3.5kg (40-80kgf.cm)  
per pair: 4kg - 6kg (50-100kgf.cm)

## T317 Flap Stay Left/Right

LEFT 124-T317-L

RIGHT 124-T317-R



Torque=Door Calculation  
Loading: per pair: 0.5kg - 2kg (35-70kgf.cm)

## X3409 Lift Up Stay Steel Nickel Plated

124-012-3409




## Tatami Stay (S) 100N

124-006-000



## TS13 Soft Closing Mechanism Hinge

124-TS-13



## 8" Movable Stay

124-007-008

# STAYS SYSTEM

VOLUME - 3

Torque=Door Calculation  
Loading: per piece: 0.2kg - 0.5kg (20-50kgf.cm)  
per pair: 0.3kg - 1.3kg (40- 100kgf.cm)

## FS100 Soft Down Stay

- Right 124-002-001
- Left 124-002-002

Torque=Door Calculation  
Loading: per piece: 0.2kg - 0.5kg (20-70kgf.cm)  
per pair: 0.5kg - 1.5kg (40-100kgf.cm)

## H106 Swing Down Stay

124-H106-000

Instructions:

## 250mm Gas Spring With Damper (White)

- 80N GAS-SPR-BRA
- 100N 124-BRM-100
- 150N 124-BRM-150

Model	Door Weight/Kg
100N	2.8kg~5.6kg
150N	3.2kg~6.4kg

## Plastic Head Pneumatic Support

- 100N.m 124-003-120
- 150N.m 124-003-130

Model	Door Weight/Kg
60N	2.0kg~4.0kg
80N	2.5kg~5.0kg

## Pneumatic Support

- 80N.m 124-003-150
- 60N.m 124-003-610

Torque=Door Calculation  
Loading: per piece: 1.5kg - 4.0kg (40-80kgf.cm)  
per pair: 4.0kg - 8kg (55-100kgf.cm)

## Lift Up Stay (748280)

- RIGHT 124-581R-STAY
- LEFT 124-581L-STAY

Torque=Door Calculation  
Loading: per piece: 3.0kg - 6kg (50-100kgf.cm)  
per pair: 5kg - 8kg (60-110kgf.cm)

## 88-15 Heavy Duty Soft Down Stay

124-288-15

Torque=Door Calculation  
Loading: per piece: 2kg~5kg (45-80kgf.cm)  
per pair: 3kg~7.0kg (50-100kgf.cm)

## 88-12 Heavy Duty Soft Down Stay

124-288-12

Torque=Door Calculation  
Loading: per piece: 10kg - 12kg (80-1500kgf.cm)  
per pair: 13kg - 18kg (100-1500kgf.cm)

## H007-250N Heavy Duty Stay


124-H007-250N

\*All pictures shown are for illustration purpose only.



# ALUMINIUM HANDLE


VOLUME - 1



Material : Aluminium  
Finish : AL

**1623 Aluminium Handle**  
12ft


200-H836-3.66



Material : Aluminium  
Finish : AL

**1630 Aluminium Handle**  
12ft


200-081-1630



Material : Aluminium  
Finish : AL

**1923 Aluminium Handle**  
12ft


200-H837-3.66



Material : Aluminium  
Finish : AL

**1930 Aluminium Handle** 12ft


515-1930-18.8



**Aluminium Profile (Flat NA Surface) 12ft**

16mm Flat 510-16M-F12


19mm Flat 510-190-F12



Material : Aluminium  
Finish : AL

**T35000 Aluminium Handle** 3.0 Meter

200-35-000




Material : Aluminium  
Finish : AL

**T3551 Aluminium Handle** 3.0 Meter

012-562-606

# ALUMINUM HANDLE


VOLUME - 2



Size: 16mm, 19mm  
Material : PVC


## Aluminium Profile End Bracket

- 16mm 510-16-CSV
- 19mm 510-19-CSV




## 777 Aluminium Handle (AL/MB)

- 777-80x64
- 777-150x128
- 777-300x256



## 8005 Aluminium Handle

Screw Hole Size	Finish
96mm	AL/ MB
128mm	AL/ MB
160mm	AL/ MB
192mm	AL/ MB



## 3551 Aluminium Handle


- 3551-50x32
- 3551-150x128
- 3551-300x256



## Aluminium Handle C118/C119 3.6 Meter

Material : Aluminium  
Finish : AL

EV118C, EV119L, EV128C & EV129L  
Aluminium Handle Bracket




## 3550/35150/35300 Aluminium Handle

- 3550-32
- 35150-128
- 35300-256



Model	Finish
0503-32	AL
0503-64	
0503-96	



## 4002E-Aluminium Handle

Screw Hole Size	Finish
160mm	AL
192mm	AL
256mm	AL
320mm	AL



## 2271 Aluminium Handle

Screw Hole Size	Finish
160mm	AL
192mm	AL
256mm	AL

\*All pictures shown are for illustration purpose only.





#300x256 200-777-256W

#150x128 200-777-128W

#80x64 200-777-64W



777 (Gold Colour) Handle

#300x256 200-777-256G

#150x128 200-777-128G

#80x64 200-777-64G

EV119 C HANDLE

Material: Aluminium  
Finishing: Epoxy Black




EV118 L HANDLE

Material: Aluminium  
Finishing: Epoxy Black




# HANDLES

VOLUME - 1




Material : Zinc Diecast  
Finish : SN

Model	A
0803	128mm
0803	160mm
0803	192mm



Material : Zinc Diecast  
Finish : SN

Model	A
0902	128mm
0902	160mm



Material : Zinc Diecast  
Finish : Matt Black

Model	A
0902	128mm
0902	160mm



Material : Zinc Diecast  
Finish : SN

Model	A
2704	96mm




Material : Zinc Diecast  
Finish : SN

Model	A
2163	96mm




Material : Zinc Diecast  
Finish : SN

Model	A
823	96mm
823	128mm



Material : Zinc Diecast  
Finish : SN

Model	A
7709	96mm



Material : Zinc Diecast  
Finish : SN

Model	A
2278	96mm

\*All pictures shown are for illustration purpose only.



# HANDLES

VOLUME - 2



Material : Zinc Diecast  
Finish : SN

Model	A
8128	128mm




Material : Stainless Steel  
Finish : SS

Model	A
150	128mm



Material : Zinc Diecast  
Finish : SN

Model	A
8122	128mm
8122	160mm



Material : Zinc Diecast  
Finish : SN

Model	A
2391	128mm



Material : Stainless Steel  
Finish : SS

Model	A
182	160mm




Material : Zinc Diecast  
Finish : SN

Model	A
6107	128mm



Material : Zinc Diecast  
Finish : SN

Model	A
2092	96mm



Material : Zinc Diecast  
Finish : SN

Model	A
1602	96mm
1602	128mm



Material : Zinc Diecast  
Finish : SN

Model	A
2304	96mm

\*All pictures shown are for illustration purpose only.

# HANDLES

VOLUME - 3

Screw Hole Size	Size
96mm	6"
192mm	12"



φ 10mm

**HF Bar Handle S/S 10mm (Matt Black)**

X6401 #6" & 8" HF Bar Handle 10x150&256mm (Gold)

Screw Hole Size	Size
96mm	6"
128mm	8"
160mm	10"
192mm	12"



φ 10mm


**HF Bar Handle Stainless Steel 10mm**

Screw Hole Size	Size
96mm	6"
128mm	8"
192mm	12"




φ 12mm

**HF Bar Handle Stainless Steel φ1 mm**



Material : Zinc Diecast  
Finish : Chrome / SN

Model	A
6132	96mm




Material : Zinc Diecast  
Finish : Chrome / SN

Model	A
6132	96mm



Material : Zinc Diecast  
Finish : Chrome / SN

Model	A
2016	96mm



Material : Zinc Diecast  
Finish : SN

Model	A
2201	96mm



Material : Steel  
Finish : Chrome

Model	A
701	96mm



Material : Steel  
Finish : Black


Model	A
701	96mm
701	128mm
701	160mm

\*All pictures shown are for illustration purpose only.




# HANDLES

VOLUME - 4




Material : Zinc Diecast  
Finish : SN

Model	A
2532	96mm
2532	128mm
2532	160mm
2532	192mm




Material : Zinc Diecast  
Finish : Matt Black

Model	A
2532	96mm
2532	128mm
2532	160mm
2532	192mm



Material : Zinc Diecast  
Finish : SN

Model	A
2256	128mm
2256	160mm
2256	192mm



Material : Stainless Steel  
Finish : SS

001 Pull Handle With  
Plate SS 300x100

019-DL-U001




Glass Open Hole: 50mm

Material : Stainless Steel  
Finish : SS

Glass Sliding Handle  
SS Round

200-11002-50



Material : Stain  
Finish : SS

002 Push Plate  
SS 300x100

019-DL-U002



Material : Zinc Diecast  
Finish : SN

TTR-110-Handle SN

202-026-568




\*Solid

Material : Stainless Steel  
Finish : SS

Screw Hole Size	Size
96mm	6"
128mm	8"
192mm	12"

10mm S/S Bar Handle



Material : Zinc Diecast  
Finish : Matt Black

TTR-110 Handle  
Matt Black

STG-HAN-303

# HANDLES

VOLUME -5



**254#19x300 One Size Fixing Small Handle SS (MB)/(SS)**

220-254-300MB

220-254-300SS



**40x200mm Hole Punch Black Handle**

202-40-200B



Material : Zinc Diecast  
Finish : SN

**2136 Handle Matt (5385)**

202-2136-MATT



Door thickness Min. 18mm

Material : Zinc Diecast  
Finish : SN

**PK-04 Push Knobs With or Without Latch SN**

202-PK-04SN



Material : Zinc Diecast  
Finish : SN / Chrome / Matt Black

**1507 Knob Handle**



Material : Zinc Diecast  
Finish : SN

**3502 Knob Handle Matt**

200-3502-28



**(632) 5087 (S) Handle**

**(632) 5087 (L) Handle**

Material : Zinc Diecast  
Finish : SN

**(632) 5087 (S)/(L) Handle**

(S) 202-024-087

(L) 202-025-087



**2292 (S) Knob (PG) (5182)**

Finish PG

**2290 S (B) Knob Handle Matt Black**

Material : Zinc Diecast  
Finish : SN / Matt Black / PG

**2292/2290 (S) Knob Handle 25mm**



Material : Zinc Diecast  
Finish : SN

**2283 Door Pull Handle**

\*All pictures shown are for illustration purpose only.



Material :Stainless Steel  
Finish : SS

**25x38 Door Handle Square  
Stainless Steel**

Code	A	B	C
200-206- 900	900mm	860mm	25mm
200-206-1200	1200mm	1160mm	25mm



Material :Stainless Steel  
Finish : Matt Black

**2538x1200mm Matt Black  
Door Pull Handle**

Code	A	B	C
200-047-380	1200mm	1160mm	25mm



Material :Stainless Steel  
Finish : SS

**3825 Square Handle**

Code	A	B	C
200-3825- 900	900mm	860mm	38mm
200-3825-1200	1200mm	1160mm	38mm



Material :Stainless Steel  
Finish : Matt Black

**3825x1200mm Matt Black  
Door Pull Handle**

Code	A	B	C
200-044-900	1200mm	1160mm	38mm



Material :Stainless Steel  
Finish : Chrome

**1030-300mm Door Pull Handle**



Material :Stainless Steel  
Finish : Chrome

**2513 Door Pull Handle**

200-042-450



Material :Stainless Steel  
Finish : SS


Code	A	B	C
202-3800- 450	38mm	250mm	450mm
200-3800- 600	38mm	300mm	600mm
200-3800- 900	38mm	600mm	900mm
200-3800-1200	38mm	900mm	1200mm
200-3800-1500	38mm	1200mm	1500mm
200-3800-1800	38mm	1500mm	1800mm



Material :Stainless Steel  
Finish : Matt Black

**38x1200mm Matt Black  
Door Pull Handle**

Code	A	B	C
200-045-380	38mm	800mm	1200mm



Material :Stainless Steel  
Finish : SS

**Flexible Handle 304SS  
Square H Shape**

Code	A	B	C
200-304- H900	900mm	Flexi	38mm
200-304-H1200	1200mm	Flexi	38mm

\*All pictures shown are for illustration purpose only.



# DOOR PULL HANDLE

VOLUME -1




2299 Door Pull Handle




094 Door Pull Handle




Door Pull SS



2288-90 Door Pull Handle S/ST



128 Door Pull SS



224 Door Pull Handle S/ST

200-042-450



1844 Door Pull Square SN



2492 Door Pull Handle S/ST

\*All pictures shown are for illustration purpose only.

# DOOR PULL HANDLE

VOLUME -2



35135 Handle S/ST



60x180mm Door Pull Handle ss (Square)



Model	A
281	35mm
5301	53mm
4035	35mm



60x180mmn Door Pull Handle ss (Round)



Model	A
281	35mm
5301	53mm
4035	35mm



Model	A
281	35mm
5301	53mm
4035	35mm

# DOOR PULL HANDLE

VOLUME -3



Material : Zinc Diecast  
Finish: SN

1604 Door Pull Round SN

202-1604-128



Material : Zinc Diecast  
Finish: SN

Mobile Z-710 Handle With  
Euro Profile Key


LM-Z-710



Material : Zinc Diecast  
Finish: Black Matt

1605 Round Door Pull Handle Matt Black

005-AZM-0618



Material : Zinc Diecast Finish: Black Matt    Material: Zinc Diecast Finish: Gold

1605 Square Door Pull Handle Matt Black    120x40 Door Pull Handle Gold SS201

200-014-304


400-191-204



Material : Zinc Diecast  
Finish: Black Matt

2292E-96 Door Pull Handle Matt Black

202-599-96



Material : Zinc Diecast  
Finish: Black Matt

2292E-128 Door Pull Handle Matt Black

202-599-128



Material : Stainless Steel  
Finish: SS

65x298 S Pul Handle With Plate

202-019-268



Material : Stainless Steel  
Finish: SS

19x200mm Pull Handle

220-19-200



Material : Stainless Steel  
Finish: SS

22x300mm Pul Handle

220-22M-300



RB 54 BARN DOOR HANDLE

DOOR-SL12-TFG

RB54 Barn Door Handle

DOR-SL12-TFG



RB58 BARN DOOR LOCK

DOR-SL12-GFG



\*All pictures shown are for illustration purpose only.

# CASEMENT HANDLE

VOLUME -1



Material :Aluminium  
Finish : White / Black

**CH440KEY Window Casement Handle With Key-L**



Material :Aluminium  
Finish : White / Black

**MCH440KEY Window Casement Handle With Key-R**




Material :Aluminium  
Finish : White / Black

**CH440 Window Casement Handle R**




Material :Aluminium  
Finish : White / Black

**CH440 Window Casement Handle L**



Material :Aluminium  
Finish : Silver / White / Black

**CH 430 Window Casement Handle With Blade- L**



Material :Aluminium  
Finish : Silver / White / Black

**CH 430 Window Casement Handle With Blade - R**



Material :Aluminium  
Finish : Silver

**SR440 ST-Guchi Window Handle (Silver) L**


STG-440-WH(L)



Material :Aluminium  
Finish : Silver


**SR440 ST-Guchi Window Handle (Silver) R**

STG-440-WH(R)



# CASEMENT HANDLE


VOLUME - 2



Material :Zinc Alloy  
Finish : NA

**CF320 Crescent Fastener  
With Key (NA)-L**


**KEN-CF-320L**



Material :Zinc Alloy  
Finish : NA

**CF320 Crescent Fastener  
With Key (NA)-R**


**KEN-CF-320**



Material :Aluminium  
Finish : NA

**CF350 Crescent Fastener (NA)-L**

**KEN-CF-350L**



Material :Aluminium  
Finish : NA


**CF350 Crescent Fastener (NA)-R**

**KEN-CF-350**



# BOX HANDLE FITTINGS


VOLUME - 1



Material : Stainless Steel  
Finish : SS

2" Box Fittings (SS)

017-BXL-004




Material : Stainless Steel  
Finish : SS

3" Box Fittings (SS)

001-AC-5072

Material : Stainless Steel  
Finish : SS



4" Box Fittings (SS)

001-AC-5071

# CABINET HINGES

VOLUME -1



Opening angle: 95°  
 Material: Steel  
 Finish: Nickel plated  
 Door thickness: Min. 16mm~19mm  
 Hinge open hole:  $\phi$  35mm



Opening angle: 95°  
 Material: Steel  
 Finish: Nickel plated  
 Door thickness: Min. 16mm~19mm  
 Hinge open hole:  $\phi$  35mm



Opening angle: 95°  
 Material: Steel  
 Finish: Nickel plated  
 Door thickness: Min. 16mm~19mm  
 Hinge open hole:  $\phi$  35mm




Opening angle: 95°  
 Material: Steel  
 Finish: Nickel plated  
 Door thickness: Min. 16mm~21mm  
 Hinge open hole:  $\phi$  35mm



Opening angle: 95°  
 Material: Steel  
 Finish: Nickel plated  
 Door thickness: Min. 16mm~19mm  
 Hinge open hole:  $\phi$  35mm



Opening angle: 95°  
 Material: Steel (1.2mm)  
 Finish: Nickel plated  
 Door thickness: Min. 16mm~19mm  
 Hinge open hole:  $\phi$  35mm



Opening angle: 95°  
 Material: Steel  
 Finish: Nickel plated  
 Door thickness: Min. 16mm~19mm  
 Hinge open hole:  $\phi$  35mm



Opening angle: 155°  
 Material: Steel  
 Finish: Nickel plated  
 Door thickness: Min. 16mm~19mm  
 Hinge open hole:  $\phi$  35mm



Opening angle: 95°  
 Material: Steel  
 Finish: Nickel plated  
 Door thickness: Min. 16mm  
 Hinge open hole:  $\phi$  35mm

\*All pictures shown are for illustration purpose only.

# CABINET HINGES

VOLUME -2

## 5/8" SUS304 S/Steel Soft Closing Hinges

500-304-4305



Opening angle: 95°  
Material: SUS304 Stainless Steel  
Finish: SS  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm

## H26 Glass Hinge 5/8 With Soft Closing


4-5mm  
500-112-916



Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Glass thickness: Min. 4~5mm  
Hinge open hole:  $\phi$  26mm

## SCH 5/8" Soft Close Hinge

500-100-005



Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm

## 2/8" SUS304 S/Steel Soft Closing Hinges

500-304-4302



Opening angle: 95°  
Material: SUS304 Stainless Steel  
Finish: SS  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm

## H26 Glass Hinge 2/8 With Soft Closing


4-5mm  
002-HOD-19M



Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Glass thickness: Min. 4~5mm  
Hinge open hole:  $\phi$  26mm

## KS108 Alum Hinge 5/8 With Soft Closing

500-261-405



Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Aluminium Frame: Min. 20mm

## 7/8" SUS304 S/Steel Soft Closing Hinges


500-304-4307



Opening angle: 95°  
Material: SUS304 Stainless Steel  
Finish: SS  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm

## H26 Glass Hinge 7/8 With Soft Closing


4-5mm  
500-112-001



Opening angle: 155°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm

## KS107 Alum Hinges 5/8

500-KS-107



Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Aluminium Frame: Min. 20mm

\*All pictures shown are for illustration purpose only.



# CABINET HINGES


VOLUME - 3

**EH-204 Easy-on Hinge**  
500-200-025




Opening angle: 90°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Mix. 20mm

**260 CSS Hinges (S)**  
500-110-260



Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 12mm~15mm  
Hinge open hole:  $\phi$  26mm

**315 A Hinges E'LOIS (No Spring)**  
500-130-315




Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm  
Hinge open hole:  $\phi$  35mm

**BT403A 5/8 Hinges (short) RENO**  
500-BT-403A




Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm  
Hinge open hole:  $\phi$  35mm

**170° EH-001 Easy-On Hinge**  
500-263-405



Opening angle: 135°~170°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Mix. 20mm

**TS70 Hinge With Soft Closing**  
500-TS-70



Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm  
Hinge open hole:  $\phi$  35mm

**Adjustable Flap Hinges**  
500-200-888



Opening angle: 95°  
Material: Zinc Diecast  
Finish: SN  
Door thickness: Min. 16mm  
Hinge open hole:  $\phi$  35mm

2/8" Straight Hinges 16-25mm (Black) 5/8" Straight Hinges 16-25mm (Black) 7/8" Straight Hinges 16-25mm (Black)  
500-28-1625 500-58-1625 500-78-1625



Door Thickness: 16-25MM  
HINGE Open Hole: **35mm**

\*All pictures shown are for illustration purpose only.

# CABINET HINGES

VOLUME - 4


## 4011 Italiana Kimana Up & Down Flap Hinge



Opening angle: 95°  
 Material: Zinc Diecast  
 Finish: SN  
 Door thickness: Min. 18mm  
 Hinge open hole:  $\phi$  26mm

## RENO 315 A Hinges E'LOIS (No Spring)


500-130-315



Opening angle: 95°  
 Material: Steel  
 Finish: Nickel plated  
 Door thickness: Min. 16mm~19mm  
 Hinge open hole:  $\phi$  35mm

## 318 Negative Action Hinge (RENO) 5/8"


500-130-318



Opening angle: 95°  
 Material: Steel  
 Finish: Nickel plated  
 Door thickness: Min. 16mm~19mm  
 Hinge open hole:  $\phi$  35mm

## Corner Hinge


500-130-000



Opening angle: 65°  
 Material: Steel  
 Finish: Nickel plated  
 Door thickness: Min. 16mm~19mm  
 Hinge open hole:  $\phi$  35mm

## 318 Negative Action Hinge (RENO) 2/8"


500-130-N28



Opening angle: 95°  
 Material: Steel  
 Finish: Nickel plated  
 Door thickness: Min. 16mm~19mm  
 Hinge open hole:  $\phi$  35mm

## TP-05 5/8 Soft Closing Hinges For Door Thickness 16-28mm


500-220-000



Opening angle: 95°  
 Material: Steel  
 Finish: Nickel plated  
 Door thickness: Min. 16mm~28mm  
 Hinge open hole:  $\phi$  35mm

## 5/8 CUP 40mm Hinges For Door Thickness 18-30mm


500-CUP-540



Opening angle: 95°  
 Material: Steel  
 Finish: Nickel plated  
 Door thickness: Min. 18mm~30mm  
 Hinge open hole:  $\phi$  40mm

## TP-02 2/8 Soft Closing Hinges For Door Thickness 16-28mm

HAU-HIB10



Opening angle: 95°  
 Material: Steel  
 Finish: Nickel plated  
 Door thickness: Min. 16mm~28mm  
 Hinge open hole:  $\phi$  35mm

## 2/8 CUP 40mm Hinges For Door Thickness 18-30mm

500-CUP-240



Opening angle: 95°  
 Material: Steel  
 Finish: Nickel plated  
 Door thickness: Min. 18mm~30mm  
 Hinge open hole:  $\phi$  40mm


\*All pictures shown are for illustration purpose only.

# CABINET HINGES

VOLUME - 5

## TP-07 7/8 Soft Closing Hinges For Door Thickness 16-28mm

500-16-007



Opening angle: 95°

Material: Steel

Finish: Nickel plated

Door thickness: Min. 16mm~28mm

Hinge open hole:  $\phi$  35mm

## 7/8 CUP 40mm Hinges For Door Thickness 18-30mm

500-CUP-740



Opening angle: 95°

Material: Steel


Finish: Nickel plated

Door thickness: Min. 18mm~30mm

Hinge open hole:  $\phi$  40mm

## 5/8" E'LOIS Hinges 4 Holes

500-TSR-5-4H



Opening angle: 95°

Material: Steel


Finish: Nickel plated

Door thickness: Min. 16mm~19mm

Hinge open hole:  $\phi$  35mm

## 90 Deg Hinge

500-130-090



Opening angle: 95°

Material: Steel


Finish: Nickel plated

Door thickness: Min. 16mm~19mm

Hinge open hole:  $\phi$  35mm

## 30 Deg Hinge

500-130-030



Door angle: 30°

Material: Steel


Finish: Nickel plated

Door thickness: Min. 16mm~19mm

Hinge open hole:  $\phi$  35mm

## 45 Deg Hinge

500-130-045



Door angle: 45°

Material: Steel


Finish: Nickel plated

Door thickness: Min. 16mm~19mm

Hinge open hole:  $\phi$  35mm

## Negative Hinge -45 Deg

500-DEG-045



Door angle: - 45°

Material: Steel


Finish: Nickel plated

Door thickness: Min. 16mm~19mm

Hinge open hole:  $\phi$  35mm

## Negative Hinge -30 Deg

500-DEG-030



Door angle: - 30°

Material: Steel


Finish: Nickel plated

Door thickness: Min. 16mm~19mm

Hinge open hole:  $\phi$  35mm

## 270 Deg Hinge

500-130-270



Opening angle: 270°

Material: Zinc Diecast

Finish: Nickel plated

Door thickness: Min. 16mm~19mm

Hinge open hole:  $\phi$  35mm


\*All pictures shown are for illustration purpose only.



# CABINET HINGES

VOLUME - 6

**119-135 Deg Mitre Hinge**  
500-C119-135




Opening angle: 135°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm

**808 Folding Door Hinges**  
500-003-308



Opening angle: 270°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm

**SS01 System Song Strong Damper (Grey)**  
500-SS-01



**RENO X50 2/8 Soft Closing Hinges**  
540-365-OSS



Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm

**T90 Deg 5/8 Hinge With Soft Close (below Ninety Deg)** 311-90-502



Opening angle: 90°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm

**RENO X50 5/8 Soft Closing Hinges**  
500-261-205



Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm

**RENO X50 7/8 Soft Closing Hinges**  
540-365-OSS



Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm

**Repair Patch SS**  
101-RPH-SS




\*All pictures shown are for illustration purpose only.

# CABINET HINGES

VOLUME - 7

**RENO<sup>®</sup>**



Opening angle: 165°  
Material: Steel  
Finish: Onyx Black  
Door thickness: Min. 16mm~19mm



Opening angle: 95°  
Material: Steel  
Finish: Nickel plated  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm

**RENO<sup>®</sup>**



**RENO 165deg Alu Frame Hinge With Soft Close (Onyx Black)**  
500-101-405

**RENO 5/8" Soft Close Hinge (onyx black)**  
500-263-458


**RENO<sup>®</sup>**



Opening angle: 95°  
Material: Steel  
Finish: Onyx Black  
Door thickness: Min. 16mm~19mm  
Aluminium Frame: Min.20mm



**RENO<sup>®</sup>**



Opening angle: 165°  
Material: Steel  
Finish: Onyx Black  
Door thickness: Min. 16mm~19mm  
Hinge open hole:  $\phi$  35mm



**RENO 90deg Alu Frame Hinge With Soft Close (Onyx Black)**  
500-103-205

**RENO 5/8 T165 deg (Onyx Black) Soft Closing Hinge**  
HAU-HI-R95

**RENO<sup>®</sup>**



Opening angle: 95°  
Material: Steel  
Finish: Onyx Black  
Door thickness: Min. 16mm~19mm  
Aluminium Frame: Min.20mm



**TKF 5/8 Alum Frame Hinge With Soft Close**  
500-SIA-95A

\*All pictures shown are for illustration purpose only.

**CLIP top BLUMOTION**






Integrated soft-closing



BCOR



Onyx black (ONS)

<p>107°</p> 	75B1550 BCOR	BCOR	
	75B1550 ONS	Onyx black	
 <p>173L6100 BCOR</p>	 <p>173H7100 BCOR</p> <p>173H7100 ONS</p>	<p>BCOR</p> <p>Onyx black</p>	 <p>175H3100 BCOR</p> <p>175H3100 ONS</p>
			<p>BCOR</p> <p>Onyx black</p>
<p>95° / 107° / 110°</p> 	70T3504 BCOR	BCOR	
	70T3504 ONS	Onyx black	

\*All pictures shown are for illustration purpose only.




## Hinge Model: NVT5 / SC5 / ALF / SC5 Onyx Black

### SUS 304 S/steel Hinge

Door Width: 300mm~600mm  
 Door Height: 450mm~2400mm  
 Installation Pitch: Min. 300mm

Test a minimum of 100,000 door uses -  
 equivalent to 20years of useful life

NUMBER OF HINGES NEEDED FOR EACH DOOR




## Hinge Model: SC6 / 5/8 Bramah Soft Closing Hinge

Door Width: 300mm~600mm  
 Door Height: 450mm~2400mm  
 Installation Pitch: Min. 300mm

Test a minimum of 100,000 door uses -  
 equivalent to 20years of useful life

NUMBER OF HINGES NEEDED FOR EACH DOOR




## Hinge Model: H09 / TP-05 /

### 40mm Cup Soft Closing Hinge

Door Width: 300mm~600mm  
 Door Height: 450mm~2400mm  
 Installation Pitch: Min. 300mm

Test a minimum of 100,000 door uses -  
 equivalent to 20years of useful life

NUMBER OF HINGES NEEDED FOR EACH DOOR




- Please set the door center of gravity as the door center.
- If you want to increase the door width, please increase the number of hinges accordingly.
- Attach the upper and lower hinges within 90 mm from the edge of the door.
- When using three or more, install at regular intervals.
- Figures shown in the tables above are only indicative.
- Please always test before finalizing your design.

# DOOR HINGES

VOLUME -1

## ACTS-4119 BI-FOLD Hinge Spring 2 1/2"


500-000-704



Material : Zinc Alloy  
Finishing: Silver

## 2Bearings Flush Stainless Steel Hinge

3" 500-210-103



Size	A	B
3"		
4"	100mm	75mm

4" 500-210-004

Material : Stainless Steel  
Finishing: SS

## GA01-030SS 102x75.5x2.5mm 2BB BI-FOLD Hinge SUS304

500-SS-01




## GA01-030HSS 4x2.5mm BI-FOLD Hinge With Handle SS

490-BIF-UPS



## Stainless Steel Concealed Hinge




(A)	(B)	Colour
12	45	Gold
12	45	SN
16	70	SN
19	95	SN

All the measurement by millimeter (mm)

## 28x118 Conceal Hinges S/S

500-28-118




Door weight : 30~50kg/2pcs  
Door thickness : 35 ~ 40mm  
Door width : 750mm~900mm  
Door Height : 2400mm

Material : Zinc Alloy Body  
Stainless Steel Arm  
Finishing: SN

## 1 3/4 SJx600 Conceal (Spring) Hinges


500-402-110



Door weight : 30~45kg/2pcs  
Door thickness : 30 ~ 35mm  
Door width : 700mm~800mm  
Door Height : 2400mm

Material : Zinc Alloy Body  
Stainless Steel Arm  
Finishing: SN

## 35125 Stainless Steel Concealed Hinge



Door weight : 50kg/2pcs  
Door thickness : 40mm  
Door width : 750mm~900mm  
Door Height : 2400mm

Material : Stainless Steel  
Finishing: SN

## Stainless Steel Piano Hinge 7ft (2100mm)



Size: 25mm, 32mm  
38mm, 50mm


Size

# DOOR HINGES

VOLUME -2

## Soft-Close Dampening Hinge

HG-JHM16-50



Door Height D	Door Weight M
250mm	3.73~5.48kg
300mm	2.94~4.32kg
350mm	2.42~3.57kg
400mm	2.06~3.03kg
450mm	1.80~2.64kg

## CL180 Pivot Upper & Down Guide

023-000-003



Retractable pin

Pin retracting screw


50 kg

108mm

15mm

## CL117 Top Pivot Hinge Stainless Steel

500-CL-117




25mm

130mm

## Mini Floor Hinge

500-320-000



100 kg

186mm

23mm

89mm

49mm

## 25x105 Pivot Guide Hinge

Stainless Steel

023-25X-105




105mm

25mm

60 kg

## 3" Flag Hinge

500-200-FL3



23mm

75mm

Material : Stainless Steel  
Finishing: SS

## 4" Stainless Steel Flag Hinge

500-200-FL4




102mm

30mm

Material : Stainless Steel  
Finishing: SS

## 5" Stainless Steel Flag Hinge

500-200-FL5



62mm

98mm

127mm


18mm

13mm

Material : Stainless Steel  
Finishing: SS

## 4" Stainless Steel Rising Hinge (LH)

500-300-401 (L)



102mm

78mm

RH

LH

Door opens in

Door opens out


\*All pictures shown are for illustration purpose only.



# DOOR HINGES

VOLUME -3

**4" Stainless Steel Rising Hinge (RH)**  
500-300-400 (R)



**4x3x3 Door Hinge (Matt Black) SS (Pair)**  
VIV-4BB-SS



Size : 4"  
Material : Stainless Steel  
Thickness: 3.0mm  
Packing : Per Pair

**4" Single Action Spring Hinge Stainless Steel**  
500-340-510




Size : 4"  
Material : Stainless Steel  
Thickness : 1.5mm  
Packing : Per Pair


**Double Action Spring Hinge Stainless Steel**

4" 500-102-004  
6" 500-150-006

Size	A	B
4"	102	40
6"	152	45




**4" Single Action Spring Hinge SS**  
500-340-510



Size : 4"  
Material : Stainless Steel  
Thickness : 2.5mm  
Packing : Per Pair

**St Guchi Stainless Steel Double Action Hinge**




Size	A	B	Code
3"	77	40	SIG-DAH-3SS
4"	102	40	SIG-DAH-4SS
5"	127	40	SIG-DAH-5SS

\*All the measurement by millimeter (mm)

**Butterfly Hinge With Spring**


500-007-002



Material : Steel

**6" Single Action Spring Hinge SS**


500-340-SAS



Size : 6"  
Material : Stainless Steel  
Thickness : 3.0mm  
Packing : Per Pair

**X1222 Flap Hinge (Gold)**

500-200-X1222



Material : Brass  
Finishing : Gold / Chrome


\*All pictures shown are for illustration purpose only.

# DOOR HINGES

VOLUME- 4

## 4" Double Action Spring Hinge SS

500-340-511



Size : 4"  
Material : Stainless Steel  
Thickness : 2.5mm  
Packing : Per Pair

## 6" Double Action Spring Hinge SS


500-340-DAS



Size : 6"  
Material : Stainless Steel  
Thickness : 3.0mm  
Packing : Per Pair

## Table Hinge (Gold)


500-007-000



Material : Steel  
Finishing : RB

## 1" S/S Hinge (AAA)

500-304-AAA



Size : 1" (25mm)  
Material : Stainless Steel  
Thickness: 0.8mm  
Packing : Per Pair

## S/S Hinge (777)




Size	A	B	Code
1 1/2"	38mm	30mm	500-201-777
2"	50mm	37mm	019-777-003

Size : 38mm, 50mm  
Material : Stainless Steel  
Thickness: 1.0mm, 1.2mm  
Packing : Per Pair


## Brass Hinge

1" 500-BH-025  
1 1/2" 500-BRS-015  
2" 500-220-012  
2 1/2" 500-BRS-025



## (2bb) Brass Hinge

2" 500-220-022  
2 1/2" 500-220-023



## 4" Stainless Steel Door Hinge

500-432-GKY




Size : 100mmx71mm  
Material : Stainless Steel  
Thickness: 2.0mm  
Packing : Per Pair



## 2BB Stainless Steel Hinge

Size	A	B	Code
2"	50mm	38mm	500-222-032
2 1/2"	60mm	38mm	500-222-253
3"	70mm	40mm	500-222-303




Size : 2", 2 1/2", 3"  
Material : Stainless Steel  
Thickness: 1.2mm, 1.3mm, 1.3mm  
Packing : Per Pair

# DOOR HINGES

VOLUME - 5

## 4" 4BB Stainless Steel Hinge

Size	A	B	Code
4"	100mm	74mm	500-310-432
4"	100mm	74mm	500-4x3-2.5




Size : 4"  
Material : Stainless Steel  
Thickness: 1.6mm, 2.5mm  
Packing : Per Pair

## 4" x 4" x 3mm SS Hinge (Gao Dun)

500-340-DAS

Size	A	B	Code
4"	100mm	102mm	500-300-414


Size : 4"  
Material : Stainless Steel  
Thickness: 3.0mm  
Packing : Per Pair



## 5" 4BB Stainless Steel Hinge

Size	A	B	Code
5"	125mm	90mm	500-535-4BB


Size : 5"  
Material : Stainless Steel  
Thickness: 3.0mm  
Packing : Per Pair




## Stainless Steel Hinge

Size	A	B	Code
6"	153mm	103mm	500-300-643
8"	204mm	103mm	500-300-843

Size : 6", 8"  
Material : Stainless Steel  
Thickness: 3.5mm, 3.5n  
Packing : Per Pair



## HG304 SS Hinge with Soft Closing (R&L)



Installed, Can ensure shut the door, after shut the door and adjust the spring to 2-3 (shown in pictures), and try to close the door leaf, as long as a clutch sound, can easily to open and close

## RENO 6" Soft Close E type Multi-functional Hydraulic Hinge (Black)







# 3 WAY ADJUSTABLE CONCEALED HINGE (80KG/2PC)



Colour : Silver  
Matt Black



No.	Part Name	Material
1	Body	Zinc Alloy
2	Base Frame	Zinc Alloy
3	Arm	Zinc Alloy
4	Shaft	304 Stainless Steel
5	Cover	ABS


Door weight : 60 ~ 80kg/2pcs , 80~100kg/ 3pcs

Door thickness : Min.36 ~ 45mm


Door width : 800mm~1000mm

Door Height : 2400mm


### Installation






### 3 WAY Adjustiment



# 3 WAY ADJUSTABLE CONCEALED HINGE (L/R) 29MM X 111MM X 75MM



Door weight : 40 ~ 60kg/2pcs , 50~70kg/ 3pcs  
 Door thickness : 35 ~ 40mm  
 Door width : 750mm~900mm  
 Door Height : 2400mm



# AUTOMATICALLY SHUT DOWN HINGE (TS11)

Bottom Soft Close



Top Pivot



**注意事项:**  
**Attention**


- 在安装本产品时，请留意地面对门重量的支撑力，需确认下部托座至地面托座不会下沉再进行安装  
Please pay attention on the supporting force. Before install this hinge, please make sure that the down supporting plate will not sink.
- 门、门框和托座的位置正确好后，请用上部、下部安装尺寸，打好孔，再安装螺丝。  
Make sure the door, door frame and plates are in the right positions, then make holes in top doors and bottom doors, after that, fix the screws.
- 上部、下部定位板安装完成，将下部弹簧座螺丝松开，再把门放在门窗安装  
Install the positioning plates of the top door and the bottom door, then loosen the screws in the spring pad, after that, fix the doors.
- 开始时门的上端部（心轴螺丝向下调节，固定门）  
At first, start from the top doors
- 门自动关闭，按门重量调整，只能调整45度  
The door is closed automatically. Adjust the angel according to the door weight(45° ).

**installation:**



**instruction**

1. Door Thickness : Mi. 32mm~38mm
2. Door Height : 2200mm
3. Door Width : 850mm~950mm
4. Suitable For Door of 25Kg~50kg
5. Door With Hold-Open : 90°






### 304 - SS Spring Hinge




Model	Spec	(W)	(H)
500-304-38	1 1/2"	33mm	38mm
500-304-50	2"	36mm	50mm
500-304-65	2 1/2"	40mm	60mm

### 525 Pivot Hinges s/s

500-PIVOT-525



Double acting doors



### 4" Spring Hinge (Black)

500-210-003



# One Touch Automatically Open (7.5KG & 25KG) 16340247 & 316-32-600



**One Touch  
Automatically Open**

**Open Softly**




# TS9898 SC Soft Closer Door Hinge 75Kg





**KS228-28X177 RENO 3 WAY CONCEALED HINGES (MATT BLACK) 150MM & 177MM**

015-104-B06 & 300-159-828



\*All pictures shown are for illustration purpose only.


# DRAWER LOCK

VOLUME -1


## Drawer Lock



## Drawer Lock



## Drawer Lock Key Alike



## Cam Lock



## 9013-01 Sliding Glass Door Lock

RN-9013-01




## Front Lock



## Side Lock



## Lever Lock



\*All pictures shown are for illustration purpose only.

# DRAWER LOCK

VOLUME -2

**Sliding Glass Lock**



**Espagnolette Lock c/w 2meter**



**AS-001 Upper & Lower Lock**




**The Magnetic Lock**



**206 Sliding Window Lock**  
005-AZ0-038



**RENO 9004-19-01 Push Lock**  
9004-19-01



**RENO A605-22-01 Mortise Lock**  
A605-22-01



**Digit Combination Lock**  
CL-822-M5W



**A363V-22-01 Tambour Door Lock**  
A636V-22-01





# DRAWER LOCK

VOLUME - 3

**CL1/3 AM8 262-29-91**

(Left) 005-AM8-262L  
(Right) 005-AM8-262R



**BMT201Q-20-01/DK377 Quick Fix Filing Cabinet Lock**  
009-AL3-201-20



**M1-518-01/K-085-91-CG/GL Furniture Lock**  
003-M1-518



**CL1/3P AMT 512-01/G224 /K-200-91-CC/CL Furniture Lock (16.5mm)**  
003-AMT-512




**A637V-22-01 Tambour Door Lock**  
500-540-405



**A554R-04-G320 Lock**  
001-554-04



**G038 Roller Shutter Lock**  
100-G0-38



**BMT201Q-20-01 Quick Fix Cam Lock**  
009-BMT-201




\*All pictures shown are for illustration purpose only.

## 3101-22-01

### Rim Lock

Item Code : NV-3101-22


- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast



## 3002-22-01

### Side Central Lock

- ▶ Cabinet side installation
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ With aluminum bar
- ▶ Zinc alloy die cast




## 3603-22-01

### Front Central Lock

Item Code : NV-3603-22

- ▶ Cabinet front installation
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ With aluminum bar
- ▶ Zinc alloy die cast









**3624-01-12**  
Single Glass Door Lock

- ▶ Single glass door lock
- ▶ Two lengths available
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system




Item Code: NV-3624-09



**3625-01-12**  
Double Glass Door Lock

- ▶ Double glass door lock
- ▶ Two lengths available
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system



Item Code: NV-3625-09



**3642-22-01**  
Sliding Glass Door Lock

- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system










Illustration of left or right side installation for 3642 series

Item Code: NV-3642-22



**3642-DA194**  
Sliding Glass Door Lock

- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system






**3604-22-01** Push Lock




- ▶ Push-in locking, no key required when locking
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast
- ▶ Accessories options: Extension pin (DU036)




Item Code : NV-3604-22


**3607-20-01** Cam Lock  
Item Code : NV-3607-22




**3607-36.5-01** Cam Lock  
Item Code : NV-3607-36.5




**3607-25-01** Cam Lock  
Item Code : NV-3607-25



**3607-44.5-01** Cam Lock  
Item Code : NV-3607-44.5



**3607-30-01** Cam Lock  
Item Code : NV-3607-30




- ▶ 90° and 180° rotary cam movement, convertible
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast



### 3655-25-01

Swinging Glass Door Lock

- ▶ For single door
- ▶ Suitable for 4-14mm glass thickness
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast




### 3656-01

Swinging Glass Door Plate



- ▶ To be used with 3655 to suit double glass door lock requirement
- ▶ Suitable for 4-11mm glass thickness
- ▶ Zinc alloy die cast



- To be used with 3655 to suit double glass door lock requirement
- Use I064 screw for 4-7mm glass thickness
  - Use I065 screw for 8-11mm glass thickness


### 3657-25-01

Swinging Glass Door Lock



- ▶ For double door
- ▶ Suitable for 4-14mm glass thickness
- ▶ Click action mechanism


- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast








- ▶ Quick-fix system
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast



**3201Q-20-01C01**  
Locker Lock  
Item Code:NV-3201-C01




- ▶ Quick-fix system
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast



**3201Q-20-01-DK033**  
Filing Cabinet Lock  
Item Code:NV-3201-DK033




- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast




**3502U-01-G490**  
Desk Drawer Bolt Lock




- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast



**3502U-01-G491**  
Desk Drawer Bolt Lock



- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast




**3512-15-G224**  
Filing Cabinet Lock  
Item Code:NV-3512-G244






**3261H-91 &  
3261-20-91-C01**  
Handle Lock

- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system




**3262-20-98-C01 &  
3262H-98**  
Handle Lock

- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system




**3161-C03**  
Swinging Cabinet  
Door Lock

- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast



**3162-C03**  
Swinging Cabinet  
Door Handle


- ▶ To be used with 3161
- ▶ Zinc alloy die cast






**3261H-91 &  
3261-20-91-C01**  
Handle Lock

- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system




**3262-20-98-C01 &  
3262H-98**  
Handle Lock

- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system




**3161-C03**  
Swinging Cabinet  
Door Lock

- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast



**3162-C03**  
Swinging Cabinet  
Door Handle

- ▶ To be used with 3161
- ▶ Zinc alloy die cast






**3562-98-DOWN** Plastic Sliding Door Lock



- ▶ Quick-fix system
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system



AVAILABLE FINISH  
FOR 3562


▼ 91 BLACK



**3562-91-UP** Plastic Sliding Door Lock



- ▶ Quick-fix system
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system



AVAILABLE FINISH  
FOR 3562


▼ 98 CREAM



**3564-98-DOWN** Plastic Sliding Door Lock



- ▶ Quick-fix system
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system



AVAILABLE FINISH  
FOR 3564


▼ 91 BLACK



**3564-91-UP** Plastic Sliding Door Lock



- ▶ Quick-fix system
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system



AVAILABLE FINISH  
FOR 3564

▼ 98 CREAM






**3008-22-01** Cupboard Lock





- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast





**3612-22-01**  
Espagnolette  
Lock

- ▶ For 6mm diameter profile rod
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast



**3664-22-01**  
Push Bar Lock

- ▶ For 6mm diameter profile rod
- ▶ Click action mechanism
- ▶ Key removable in locked & unlocked positions
- ▶ Master key system
- ▶ Zinc alloy die cast



RENO®


WOODEN  
FURNITURE LOCK

9001  
Rim  
Lock



- SPECIFICATIONS**
- DRAWER LOCK (STANDARD VERSION)
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - SPCC STEEL HOUSING BASE
  - ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING
  - WITH KEYLIKE

- FINISH**
- 01 NICKEL
  - 02 BRASS
  - 04 BLACK E.D.P.
- A SET INCLUDES**
- 1 LOCK
  - 1 CYLINDER CORE (FIXED IN HOUSING)
  - 2 KEYS
  - 1 BEZEL




Item code : 9001-22-01

9002  
Side  
Lock



- SPECIFICATIONS**
- SIDE CENTRAL LOCK
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - FOR USE WITH ALUMINIUM BAR
  - SPCC STEEL HOUSING BASE
  - ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING

- FINISH**
- 01 NICKEL
  - 02 BRASS
  - 04 BLACK E.D.P.
- A SET INCLUDES**
- 1 LOCK
  - 1 CYLINDER CORE (FIXED IN HOUSING)
  - 2 KEYS
  - 1 BEZEL
  - 1 SET OF ACCESSORIES




Item code : 9002-22-01

9003  
Front  
Lock




- SPECIFICATIONS**
- FRONT CENTRAL LOCK (HORIZONTAL VERSION)
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - FOR USE WITH ALUMINIUM BAR
  - ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING

- FINISH**
- 01 NICKEL
  - 02 BRASS
  - 04 BLACK E.D.P.
- A SET INCLUDES**
- 1 LOCK
  - 1 CYLINDER CORE (FIXED IN HOUSING)
  - 2 KEYS
  - 1 BEZEL
  - 1 SET OF ACCESSORIES
  - 1 ALUMINIUM BAR (600mm)



ALUMINIUM BAR

(For the length(L) of the aluminium bar depends on customer specification)



Item code : 9003-20-01




RENO®

WOODEN  
FURNITURE LOCK

9004  
Push  
Lock



- SPECIFICATIONS**
- PUSH LOCK
  - PUSH-IN LOCKING, NO KEY REQUIRED WHEN LOCKING
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING



Item code : A642-22-01


- FINISH**
- 01 NICKEL
  - 02 BRASS
  - 04 BLACK E.D.P.
- A SET INCLUDES**
- 1 LOCK
  - 1 CYLINDER CORE (FIXED IN HOUSING)
  - 2 KEYS
  - 1 BEZEL



9006  
Lever  
Lock



- SPECIFICATIONS**
- LEVER LOCK
  - 90° ROTARY CAM MOVEMENT, CONVERTIBLE
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING



Item code : A639V-22-01

- FINISH**
- 01 NICKEL
  - 15 WHITE ZINC
- A SET INCLUDES**
- 1 LOCK
  - 1 CYLINDER CORE (FIXED IN HOUSING)
  - 2 KEYS

- 1 BEZEL
- 1 CAM (5C50)


9007-16-01-5C18  
Cam Lock



**CAP MATERIAL CHOICES:**

- SUS304
- SPCC

- SPECIFICATIONS**
- CAM LOCK
  - 90° ROTARY CAM MOVEMENT, CONVERTIBLE
  - SUS304 STAINLESS STEEL CAPPED TO PREVENT RUST
  - SPCC STEEL CAPPED TO PREVENT RUST
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING



Item code : A664-22-01

- FINISH**
- 01 NICKEL
  - 15 WHITE ZINC
- A SET INCLUDES**
- 1 LOCK
  - 1 CYLINDER CORE (FIXED IN HOUSING)
  - 2 KEYS

- 1 CAM
- 1 WASHER
- 1 SET OF ACCESSORIES


9007-20-01-5C18  
Cam Lock



**CAP MATERIAL CHOICES:**

- SUS304
- SPCC

- SPECIFICATIONS**
- CAM LOCK
  - 90° ROTARY CAM MOVEMENT, CONVERTIBLE
  - SUS304 STAINLESS STEEL CAPPED TO PREVENT RUST
  - SPCC STEEL CAPPED TO PREVENT RUST
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING



Item code : A664-22-01

- FINISH**
- 01 NICKEL
  - 15 WHITE ZINC
- A SET INCLUDES**
- 1 LOCK
  - 1 CYLINDER CORE (FIXED IN HOUSING)
  - 2 KEYS
  - 1 CAM
  - 1 WASHER
  - 1 SET OF ACCESSORIES



ALL MEASUREMENTS : mm



RENO®

WOODEN  
FURNITURE LOCK

9007-25-01-5C18  
Cam Lock



CAP MATERIAL CHOICES:  
- SUS304  
- SPCC

Item code : 9007-2501-5C18

SPECIFICATIONS


- CAM LOCK
- 90° ROTARY CAM MOVEMENT, CONVERTIBLE
- SUS304 STAINLESS STEEL CAPPED TO PREVENT RUST
- SPCC STEEL CAPPED TO PREVENT RUST
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING

FINISH

- 01 NICKEL
- 15 WHITE ZINC

A SET INCLUDES

- 1 LOCK
- 1 CYLINDER CORE (FIXED IN HOUSING)
- 2 KEYS



- 1 CAM
- 1 WASHER
- 1 SET OF ACCESSORIES

9007-30-01-5C18  
Cam Lock



CAP MATERIAL CHOICES:  
- SUS304  
- SPCC

Item code : 9007-3001-5C18

SPECIFICATIONS


- CAM LOCK
- 90° ROTARY CAM MOVEMENT, CONVERTIBLE
- SUS304 STAINLESS STEEL CAPPED TO PREVENT RUST
- SPCC STEEL CAPPED TO PREVENT RUST
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING

FINISH

- 01 NICKEL
- 15 WHITE ZINC

A SET INCLUDES

- 1 LOCK
- 1 CYLINDER CORE (FIXED IN HOUSING)
- 2 KEYS



- 1 CAM
- 1 WASHER
- 1 SET OF ACCESSORIES



9013  
Sliding Glass  
Door Cabinet

SPECIFICATIONS

- SLIDING GLASS DOOR CABINET LOCK WITH RATCHET BAR
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING
- EASY INSTALLATION, NO GLASS DRILLING REQUIRED


FINISH

- 01 NICKEL
- 02 BRASS
- 04 BLACK E.D.P.



A SET INCLUDES

- 1 LOCK HOUSING
- 1 CYLINDER CORE (FIXED IN HOUSING)
- 2 KEYS
- 1 RATCHET BAR
- 1 PLASTIC SCREWS (51030)

Item code : RN-9013-01



Fixing




**RENO®**

**A625-DOWN**  
Double Glass Door  
Cabinet Lock  
(Downward Version)



**SPECIFICATIONS**

- DOUBLE GLASS DOOR CABINET LOCK (DOWNWARD VERSION)
- CYLINDER HOUSING ALSO FUNCTIONS AS HANDLE
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING
- EASY INSTALLATION, NO GLASS DRILLING REQUIRED
- WITH KEYLIKE




**A625-UP**  
Double Glass Door  
Cabinet Lock  
(Upward Version)



**SPECIFICATIONS**

- DOUBLE GLASS DOOR CABINET LOCK (UPWARD VERSION)
- CYLINDER HOUSING ALSO FUNCTIONS AS HANDLE
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING
- EASY INSTALLATION, NO GLASS DRILLING REQUIRED
- WITH KEYLIKE





AVAILABLE IN 2 BRACKET LENGTHS:

- A-625-09 FOR 4-7 mm
- A-625-12 FOR 4-10 mm

GLASS THICKNESS

Fixing



**FINISH**

- 01 NICKEL
- 02 BRASS
- 03 CHROME
- 04 BLACK E.D.P.
- 27 SATIN-NICKEL
- 28 SATIN-CHROME

**A SET INCLUDES**

- 1 LOCK HOUSING
- 1 CYLINDER CORE
- 2 KEYS
- 1 RUBBER BUSHING
- 2 PLASTIC SCREWS
- 1 STRIKE PLATE

Item code : A625-09-01  
A625-12-01


**A636V**

Roller Shutter Cabinet Lock  
(Vertical Version)



**SPECIFICATIONS**

- ROLLER SHUTTER CABINET LOCK (VERTICAL VERSION)
- SUITABLE FOR DOUBLE DOOR CABINET
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER HOUSING
- PLASTIC BASE



**FINISH**

- 01 NICKEL
- 04 BLACK E.D.P.
- 33 MATT SILVER

**A SET INCLUDES**

- 1 LOCK HOUSING
- 2 KEYS
- 1 BEZEL
- 1 HOOK SUPPORT (R155)

Item code : A636V-22-01


**A637V**

Roller Shutter Cabinet Lock  
(Vertical Version)



**SPECIFICATIONS**

- ROLLER SHUTTER CABINET LOCK (VERTICAL VERSION)
- SUITABLE FOR DOUBLE DOOR CABINET
- CLICK ACTION MECHANISM
- KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
- ZINC ALLOY DIE CAST CYLINDER HOUSING
- PLASTIC BASE



**FINISH**

- 01 NICKEL
- 04 BLACK E.D.P.
- 33 MATT SILVER

**A SET INCLUDES**

- 1 LOCK HOUSING
- 2 KEYS
- 1 BEZEL
- 1 STRIKE PLATE (DK175)

Item code : A637-22-01

ALL MEASUREMENTS : mm



**RENO<sup>®</sup>**

**WOODEN**  
FURNITURE LOCK




**642**  
Sliding Glass  
Door Cabinet  
Lock



- SPECIFICATIONS**
- SLIDING GLASS DOOR CABINET LOCK
  - AVAILABLE IN TWO VERSIONS : LEFT AND RIGHT
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - ZINC ALLOY DIE CAST HOUSING
  - NO GLASS DRILLING REQUIRED

- FINISH**
- 01 NICKEL
  - 04 BLACK E.D.P.
  - 33 MATT SILVER
- A SET INCLUDES**
- 1 LOCK HOUSING
  - 1 CYLINDER CORE (FIXED IN HOUSING)
  - 2 KEYS

Item code : A642-22-01




**A639V**  
Push Bar Lock  
(Vertical Version)



- SPECIFICATIONS**
- PUSH BAR LOCK (VERTICAL VERSION)
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - ZINC ALLOY DIE CAST HOUSING

- FINISH**
- 01 NICKEL
  - 02 BRASS
  - 04 BLACK E.D.P.
  - 09 A.B.
- A SET INCLUDES**
- 1 LOCK HOUSING
  - 2 KEYS
  - 1 BEZEL
  - 1 SET OF ACCESSORIES

Item code : A639V-22-01




**A664**  
Extending  
Bar Lock



- SPECIFICATIONS**
- EXTENDING BAR LOCK
  - ONLY SUITABLE FOR THE INSET CABINET DOOR
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - ZINC ALLOY DIE CAST HOUSING

- FINISH**
- 01 NICKEL
  - 02 BRASS
  - 04 BLACK E.D.P.
  - 09 A.B.
- A SET INCLUDES**
- 1 LOCK HOUSING
  - 2 KEYS
  - 1 BEZEL
  - 1 SET OF ACCESSORIES

Item code : A664-22-01





**RENO<sup>®</sup>**

**WOODEN**  
FURNITURE LOCK


**A605**  
Mortise  
Lock



- SPECIFICATIONS**
- MORTISE LOCK
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING

- FINISH**
- 01 NICKEL
  - 15 WHITE ZINC

- A SET INCLUDES**
- 1 LOCK HOUSING
  - 1 BEZEL
  - 2 KEYS
  - 1 STRIKE PLATE (DK102)



Item code : A605-22-01


**A612**  
Espagnolette  
Lock



- SPECIFICATIONS**
- ESPAGNOLETTE LOCK
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - ZINC ALLOY DIE CAST HOUSING

- FINISH**
- 01 NICKEL
  - 02 BRASS
  - 04 BLACK E.D.P.
  - 09 A.B.

- A SET INCLUDES**
- 1 LOCK HOUSING
  - 2 KEYS
  - 1 BEZEL
  - 1 L-BRACKET (DK100)




Item code : A612-22-01

**A624-DOWN**  
Single Glass Door  
Cabinet Lock  
(Downward Version)




- SPECIFICATIONS**
- SINGLE GLASS DOOR CABINET LOCK (DOWNWARD VERSION)
  - CYLINDER HOUSING ALSO FUNCTIONS AS HANDLE
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING
  - EASY INSTALLATION, NO GLASS DRILLING REQUIRED
  - WITH KEYLIKE



**A624-UP**  
Single Glass Door  
Cabinet Lock  
(Upward Version)





- SPECIFICATIONS**
- SINGLE GLASS DOOR CABINET LOCK (UPWARD VERSION)
  - CYLINDER HOUSING ALSO FUNCTIONS AS HANDLE
  - CLICK ACTION MECHANISM
  - KEY REMOVABLE IN LOCKED & UNLOCKED POSITIONS
  - ZINC ALLOY DIE CAST CYLINDER CORE & CYLINDER HOUSING
  - EASY INSTALLATION, NO GLASS DRILLING REQUIRED
  - WITH KEYLIKE



**AVAILABLE IN 2 BRACKET LENGTHS:**  
A-624-09 FOR 4-7 mm GLASS THICKNESS  
A-624-12 FOR 4-10 mm

**Fixing**



- FINISH**
- 01 NICKEL
  - 02 BRASS
  - 03 CHROME
  - 04 BLACK E.D.P
  - 27 SATIN-NICKEL
  - 28 SATIN-CHROME

- A SET INCLUDES**
- 1 LOCK HOUSING
  - 1 CYLINDER CORE
  - 2 KEYS
  - 1 RUBBER BUSHING
  - 2 PLASTIC SCREWS
  - 1 STRIKE PLATE

Item code : A624-09-01  
A624-12-01

DEADBOLT LOCKSET

**BK 261SS DEADBOLT LOCKSET**

Deadbolt Lockset  
Easy to Install Instructions Enclosed  
Code: BEST-261-SN

Single Deadbolt



**BK 262SS DEADBOLT LOCKSET**

Deadbolt Lockset  
Easy to Install Instructions Enclosed  
Code: BEST-262-SN

Double Deadbolt



**BK 264SS DEADBOLT LOCKSET**

Deadbolt Lockset  
Easy to Install Instructions Enclosed  
Code: BEST-264-SN

Half Deadbolt



**SGDB-D361 SN Deadbolt (Square)**

Code: STG-D36-SQ



**Deadbolt Latch 60~70mm**



**Rebated Strike Plate (NJ402F Round Lever)**

Code: 012-RBT-000



**BKEY 150SN Sliding Lock (Round)**

Code: BEST-150-SLR

Finish : SN  
Thickness : 35mm-50mm  
Use : Wood



**BKEY 151SN Sliding Lock (Square)**

Code: BEST-151-SLS


Finish : SN  
Door Thickness : 35mm-50mm  
Can use : Wood







**SGTL-8600**  
Tubular Lever



TL-8600 Entrance Tubular Lever Lock, SN (Nett Price)  
STG-8600-SN

**SGTL-527**  
Tubular Knobset

Material - Stainless Steel SUS304 / Brass  
Backset - 60-70 (Adjustable)  
D.Thickness - 32-45




TL 527 Tubular Lock, SS (St Guchi) Nett  
STG-527-SS

**SGDB-D264**  
DEADBOLT LOCK



SGD-264 Half Dead Bolt, SS (Nett)  
STG-264-SS

**SGDB-D261**  
DEADBOLT LOCK



SGD261 (SS) Deadbolt Lock (single cylinder) Nett  
STG-261-SS


\*All pictures shown are for illustration purpose only.





**GM3800-2T US15**

Tubular Lever



Finish	Satin Nickel
Structure Design	Tubular
Backset	Adjustable 60-70mm
Door Thickness	35-50mm
Function	Privacy
No. of Keys	No Key for Privacy
Testing Cycles	100,000 Cycles

**GM3800-7T US15**

Tubular Lever



Finish	Satin Nickel
Structure Design	Tubular
Backset	Adjustable 60-70mm
Door Thickness	35-50mm
Function	Entrance
No. of Keys	3 pcs
Testing Cycles	100,000 Cycles

GM3800-2T GATEMAN Tubular Leverset, Privacy Function US15-Visual Packed

**GM-3800-2TUS15**

GM3800-7T Entrance Function, GATEMAN Tubular Leverset, US15-Visual Packed

**GM-3800-7TUS15**

**GM587-7T SS**

Tubular Knobset



Finish	Satin Stainless Steel
Backset	Adjustable 60-70mm
Door Thickness	32-45mm
Function	Entrance
No. of Keys	3 pcs
Testing Cycles	100,000 Cycles

GM587-7T GATEMAN Knobset Tubular, Entrance Function, US32D-visual Packed

**GM-587-7TSS**

# LEVER HANDLE Stainless Steel SUS304

**BKEY 0101SS Lever Handle SUS304**  
SUS304 Stainless Steel  
Code: BEST-0101-SS




**BKEY 0201SS Lever Handle SUS304**  
SUS304 Stainless Steel  
Code: BEST-0201-SS



**BKEY 0271SS Lever Handle SUS304**  
SUS304 Stainless Steel  
Code: BEST-0271-SS



**60x85mm Mortise Sash Lock SS**  
Code: BEST-60-85



**BK45SNT ENT.Lock Cylinder (Half with Thumb turn)**  
Code: BEST-KEY-45T



**BK45SNT ENT.Lock Cylinder (Half with Key)**  
Code: BEST-KEY-45H



**ENT.Lock Cylinder (One Key)**



**ENT.Lock Cylinder (Double Key)**



\*more other models

**BKEY Privacy Lock Cylinder**





Code: BEST-KEY-60PT  
Code: BEST-KEY-70PT

MORTISE LOCK CYLINDER			
Function	Material	Size	Colour
Single Key	Brass	60/70/90/100/125	SN
Double Key	Brass	60/70/90/100/125	SN
Privacy	Brass	60/70	SN

**SLIDING DOOR LOCK MORTISE**

Code: BEST-181-SS



**F12B Round Escutcheon**

Code: STG-SGEC-F12B



**F31 Oval Escutcheon**

Code: STG-F31B-SS



**BK60SNS ENT.Lock Cylinder (One Key)**



**BK60SND ENT.Lock Cylinder (Double Key)**



**NJ 401 Rebated Part**

Code: 012-401-000



**Stainless Steel Mortise Lock Rebated Part**


164mm Code: BEST-SS-164

240mm Code: BEST-SS-240






**SGEP-S3030**  
Euro Profile Cylinder



60MM Thumbturn & Key Profile Cylinder




L	A	B
60	30	30

**SGML-181**  
Double Hook Sliding Mortise Lock




SUS304 Front Plate & Striker Plate




St Guchi,Onekey,SGSC 60SN Cylinder (SGEP-S3030) Nett  
STG-SC-20SN

SGSLC-181/40mm Sliding Door Lock Mortise, SS (Nett)  
STG-181-SS

**SGML-856000**  
60X85MM MORTISE SASH LOCK



Size	J	K	L	M	N	O	P	Q	SS	AS	PS	SUS304 Latch	SUS304 Bolt	Brass Latch	Brass Bolt	Fire Rated
25 x 85	25	30	35	42	52	60	72	84	23	15	3	*				*
30 x 85	30	35	42	52	60	72	84	96	23	15	3	*				*
40 x 85	40	45	52	62	72	84	96	108	23	15	3	*	*			*
45 x 85	45	50	57	67	77	87	99	111	23	15	3	*	*	*		*
50 x 85	50	55	62	72	82	92	104	116	23	15	3	*	*	*	*	*
60 x 85	60	65	72	82	92	102	114	126	23	15	3	*	*	*	*	*
70 x 85	70	75	82	92	102	112	124	136	23	15	3	*	*	*	*	*



SGSL 60x85 Mortise Sash lock, SS (SGML-856000) Nett  
STG-SL85-60SS

\*All pictures shown are for illustration purpose only.



# RENO®

## RENO 8800 Entrance Tubular Lever Lock (MB)




Material : Stainless Steel  
Finishing : Matt Black  
Backset : 60-70mm  
Door Thickness : 32-47mm  
Function : Entrance

## RENO 8800 Entrance Tubular Lever Lock (SN)




Material : Stainless Steel  
Finishing : Grey Nickel  
Backset : 60-70mm  
Door Thickness : 32-47mm  
Function : Entrance

## RENO 2818 Entrance Tubular Lever Lock (SN)



Material : Stainless Steel  
Finishing : Grey Nickel  
Backset : 60-70mm  
Door Thickness : 32-47mm  
Function : Entrance

## RENO 2818 Entrance Tubular Lever Lock (MB)



Material : Stainless Steel  
Finishing : Matt Black  
Backset : 60-70mm  
Door Thickness : 32-47mm  
Function : Entrance

**TUBULAR LEVER & TUBULAR KNOBSET**

**BKEY 587 Entrance Tubular Lock AB**

Code: BEST-587-AB



**BKEY 587 Entrance Tubular Lock PB**

Code: BEST-587-PB



**BKEY 587 Entrance Tubular Lock AC**

Code: BEST-587-AC



**BK 527SS TUBULAR KNOBSET**  
Stainless Steel Door Lock

**BKEY 587 Entrance Tubular Lock SS**

Code: BEST-587-SS

Code: BEST-527-ENT

Backset: 60-70mm  
Door Thickness: 32-47mm  
Function: Entrance  
Finishing: SN (Satin Nickel)  
Easy Installation



Code: BEST-527-PT

Backset: 60-70mm  
Door Thickness: 32-47mm  
Function: Privacy  
Finishing: SN (Satin Nickel)  
Easy Installation

**5871-SS Entrance Cylindrical Knobset (Box Packing)**  
Stainless Steel Door Lock



Code: 013-587-ENT

**Cylindrical Lock Latch**

60mm 70mm 90mm 100mm



60mm Code: 019-022-003  
70mm Code: 019-007-004  
90mm Code: 019-015-004  
100mm Code: 019-006-005



Drawer		
TBX S1	98.5 mm	30 kg
		65 kg



High fronted drawer, with single gallery		
TBX S2	192 mm	30 kg
		65 kg

High fronted drawer, with double gallery		
TBX S3	224 mm	30 kg
		65 kg



\*All pictures shown are for illustration purpose only.





Size: 300mm  
350mm  
400mm  
450mm  
500mm

**Soft Closing**

**30 kg**


**Aim Under Mount Runner**



Capacity: 30kgs  
Thickness: 1.0mm x 1.0mm x 1.2mm  
Size: 12", 14", 16", 18", 20"  
Finish: Stainless Steel

**30 kg**

**3-Way Stainless Steel Drawer Slide**



Size: 350mm  
400mm  
450mm  
500mm

**Soft Closing**

**30 kg**

**blum TANDEM Plus Full Extension Runners**



Capacity: 60kgs  
Thickness: 2.0mm x 2.0mm x 2.0mm  
Size: 14", 16", 18", 20", 22", 24", 28" & 36"  
Finish: Zinc (Chrome)

**60 kg**

**3-way Drawer Slide HEAVY DUTY 60KG**



Capacity: 30kgs  
Thickness: 1.0mm x 1.0mm x 1.2mm  
Size: 12", 14", 16", 18", 20"  
Finish: Black

**30 kg**

**RENO 311 Soft Close Drawer Slide Black**



Capacity: 30kgs  
Thickness: 1.0mm x 1.0mm x 1.2mm  
Finish: Black

**30 kg**

**RENO Push Rebound Slide 3-way Black**



Capacity: 30kgs  
Thickness: 1.5mm x 1.2mm x 1.2mm  
Size: 12", 14", 16", 18", 20"  
Finish: Black

**30 kg**


**RENO 322 Push Open & Soft Closing 3-way Drawer Runner**

\*All pictures shown are for illustration purpose only.



## S1 Standard Drawer WH 30Kg (115mm)

**bramah**  
Lifetime Warranty



LW: Inside Cabinet Width  
Bottom panel width=Inside Cabinet Width-75  
Bottom panel length=Runner length-10mm  
Back panel height= 115mm  
Back panel width=Inside Cabinet Width-87

Colour: White



Description	Colour	Basic Length	Internal Length	Min. height
S1-450mm 30kgs	White	450mm	424mm	115mm
S1-500mm 30kgs	White	500mm	474mm	115mm

## S2 Bramah Standard Drawer WH 30Kg With Single Gallery 182mm

**bramah**



Colour: White

Lifetime Warranty

LW: Inside Cabinet Width  
Bottom panel width=Inside Cabinet Width-75  
Bottom panel length=Runner length-10mm  
Back panel height= 142mm  
Back panel width=Inside Cabinet Width-87

Description	Colour	Basic Length	Internal Length	Min. height
S2-450mm 30kgs	White	450mm	424mm	182mm
S2-500mm 30kgs	White	500mm	474mm	182mm

## S3 Bramah Standard Drawer WH 30Kg With Double Gallery 227mm

**bramah**



Colour: White

Lifetime Warranty


LW: Inside Cabinet Width  
Bottom panel width=Inside Cabinet Width-75  
Bottom panel length=Runner length-10mm  
Back panel height= 185mm  
Back panel width=Inside Cabinet Width-87

Description	Colour	Basic Length	Internal Length	Min. height
S3-450mm 30kgs	White	450mm	424mm	227mm
S3-500mm 30kgs	White	500mm	474mm	227mm



**bramah**®


**SLIM  
BOX  
DRAWER  
SYSTEM**




Suitable for an 16mm base and backboard



**BS613** <sup>High</sup> 88mm  
SYNCHRONOUS  
STREAMLINEG  
STYLISH  
SOFT CLOSING



**BS616** <sup>High</sup> 171mm  
SYNCHRONOUS  
STREAMLINEG  
STYLISH  
SOFT CLOSING



Item Code	Description	Color	Loading Capacity
613500CG	BS613-500mm x 88mm High	Charcoal Grey	30kg

Item Code	Description	Color	Loading Capacity
616500CG	BS616-500mm x 171mm High	Charcoal Grey	30kg



**BS619** <sup>High</sup> 203mm  
SYNCHRONOUS  
STREAMLINEG  
STYLISH  
SOFT CLOSING



Item Code	Description	Color	Loading Capacity
619500CG	BS616-500mm x 203mm High	Charcoal Grey	30kg

\*All pictures shown are for illustration purpose only.

# DOOR STOPPER & DAMPER

VOLUME - 1



Material : Stainless Steel  
Finishing: SN

**311 Door Bumper Stainless Steel**  
065-JS-023



Material : Stainless Steel  
Finishing: SN

**3017 Door Stopper**  
942-34-041



Material : Stainless Steel  
Finishing : SN

**3040 SUS304 Door Stopper**  
500-9803-HRD



**30mm Door Stopper**




**Transparent 25mm Door Stopper**  
023-030-25




**Transparent Screw Washer 18x7mm**  
106-PTK-25

**Transparent 15mm Door Stopper**  
023-030-15



**SS01 System Song Strong Damper (Grey)**  
500-SS-01



**519 Buffer (Grey)**  
500-519-GREY



\*All pictures shown are for illustration purpose only.

# BRACKETS

VOLUME - 1




16x70x70 **101-16-7070**  
 19x38x38 **101-19-3838**  
 19x65x65 **101-19-6565**  
 19x89x89 **101-19-8989**

**Stainless Steel L Bracket**




35x46x46mm **101-35-4646**  
 38x86x86mm **101-38-8686**

**Stainless Steel L Bracket**




38x92mm **101-35-92**  
 38x125mm **101-38-125**  
 38x170mm **101-38-170**



19x85mm **101-19-85**  
 19x125mm **101-19-125**  
 19x175mm **101-19-175**  
 19x245mm **101-19-245**

**Stainless Steel Bracket Plate**



**1830 Zink/White L-Bracket**  
**101-1830-WH**

Size: 10", 14", 16"



**310 S/S Folding Bracket (Pair)**

Size: 8", 10", 12", 14"



**Folding Bracket**




Size: 6", 8", 10", 12", 14", 16"

**Stainless Steel Glass & Wood L-Bracket**

**3"X9" CONNECT L-Bracket (73225)**


**101-020-3X9**



Material: Zinc Steel  
 Thickness: 4mm

**3"X7" CONNECT L-Bracket (73173)**

**101-020-3X7**



Material: Zinc Steel  
 Thickness: 4mm

**3" Zinc L-Bracket (1980)**  
**101-010-300**

\*All pictures shown are for illustration purpose only.



# BRACKETS

VOLUME - 2

**19mm x3" Connect Plate (1978)**

101-004-193



**19mm x6 1/2" Connect Plate (19165)**

101-003-196



**Material: Zinc Steel**  
**Thickness: 4mm**




**Material: Steel**  
**Thickness: 1.5mm**

**30.5x34x34 L-Bracket**

101-30.5x3434

**EG-5000 L-Bracket**  
**RB 19mmx2mm**

101-011-500




**Thickness: 2mm**

**19 x 23.5mm RB**  
**L-Bracket**

101-020-830



**Thickness: 1.2mm**



**Material: Steel**  
**Thickness: 1.5mm**

**21x31x31 L-Bracket**


101-21x3131



**Material: Steel**  
**Thickness: 1.5mm**

**50x40x40 L-Bracket**

101-50-4040



**Material: Steel**  
**Thickness: 1.0mm**

**3/4" RB L-Bracket**

101-015-340




**Material: Steel**  
**Thickness: 1.0mm**

**833 L Bracket**

101-016-833



For Drawer Lock Use



**Material: PVC**

**X2806 Bracket With Cover White**

101-XL-2806



**Material: PVC**

**1" PVC L Bracket**

101-012-100

\*All pictures shown are for illustration purpose only.


# BRACKETS

VOLUME - 3



**ABS Hanging Holder V For Cabinet**  
HAU-HH-V

**Hanging Bracket With PVC For Cabinet**  
101-HB-WPW



Material : Steel

**3" Slide On Bracket (2031)**  
101-AC-2031

**25x123 Hanging Code**  
101-25-123

**25x62 Hanging Code**  
101-25-62

**Hanging Code Stainless Steel Bracket**  
19x40mm 101-19-40  
30x50mm 101-30x50




**Hook Bracket C/W Long Bed Joint & Screw(RB)**

**522-32 Japanese Bed Hinges**  
101-020-001


\*All pictures shown are for illustration purpose only.

# BRACKETS


VOLUME - 4



**1" Rainbow, Sign Board Hook Cam**  
128-002-300



**Rectangular Hook Cam**  
130-000-000




**Table Lock Hinge (Bracket)**  
500-007-001



Thickness: 3.0mm  
Material : Steel  
Finish : ZB

**114119 Folding Chair Fitting-CR3**  
101-022-000




**Door Lock Bracket S/S**  
101-S/S-BRK



**L Bracket G125 (Black)**  
015-101-850

**L Bracket 2.0x19mm (RB)**  
015-100-650




**16x70mm 1.0 L-Bracket**  
101-16-7070

**16x70mm 1.0 T-Bracket**  
101-T16-7070

Thickness: 1.0mm  
Material : Steel  
Finish : RB

Thickness: 1.0mm  
Material : Steel  
Finish : RB



**38x38x19 RB L-Bracket**  
101-014-340

**Bracket 118 119 Handle C/L Channel**  
HAU-HDB-CLC

Thickness: 2.0mm  
Material : Steel  
Finish : RB

Thickness: 1.8mm  
Material : Steel  
Finish : ZB

**Hook Bracket C/W Long Bed Joint & Screw(RB)**




**117x35x35 L-Bracket**  
101-117-3535

Thickness: 2.0mm  
Material : Steel  
Finish : ZB



# BRACKETS


VOLUME - 5




**Mirror Bracket (NC) USE**  
106-025-101




**128F L Mirror Bracket**  
106-024-128




**Glass Clip**



**Material: PVC**  
**21x28 ABS Bracket**  
101-013-100



**Material: PVC**  
**23x39 ABS Bracket**  
101-001-676



**Material: PVC**  
**17x28 ABS Bracket**  
101-002-676



**Smaller Heavy Duty Cabinet Hanging Bracket**  
101-HD-HB



**H1 Corner Bracket SS**  
002-015-222



**X2636A Butterfly L-Bracket**  
051-45-004

\*All pictures shown are for illustration purpose only.

**HEAVY DUTY L BRACKET 2.2MM & 5.0MM (BLACK)**

101-150-BLK, 101-250-BLK, 101-350-BLK & 101-450-BLK



SIZE: 6", 10", 14", 18"

**HEAVY DUTY FLOATING SHELF BRACKET (BLACK)**

101-230-MM & 101-320-MM



SIZE: 230MM & 320MM

# PIPE HOLDER BRACKET

VOLUME - 1



**Oval Bracket (Thick) 14.5g**  
 013-703-012  
**BTS16 (Thick)14.5g Oval Bracket**  
**Matt Black**  
 128-008-000




**1600 Oval Bracket With Cover Chrome**  
 122-002-1600



**Oval Bracket**  
 122-002-000



**Oval Bracket BTS16 Matt Black**  
 122-003-665



**Oval Bracket Middle**  
 122-001-000



**10# Oval Adjustable Pipe Holder (Middle)/Matt Black**  
 122-OV-10#



**12# Oval Adjustable Pipe Holder (End)/Matt Black**  
 122-OV-12#



**1" K293 Chrome Rod Holder (25mm)**  
 122-011-100



**V-Bracket Metal**  
 122-016-101

\*All pictures shown are for illustration purpose only.



# PIPE HOLDER BRACKET

VOLUME - 2



25.9mm Rod Holder Pipe Bracket  
122-MET-259



203 x 3/4" (19mm) Pipe Holder (End)  
122-203x3/4-EB



203A x 1" (25mm) Pipe Holder (End)  
122-203Ax1-EB



6/8" K294 Chrome Rod Holder (19mm)  
122-011-K294



1" Pipe Holder Double-End  
122-DOUBLE-END



1" Pipe Holder Middle Gao Ya  
122-010-100



1" Pipe Holder End Gao Ya  
122-006-100



# CLOTHES HOOK

VOLUME - 1



**TS50,70&80 S/S Hook**  
128-TS50-SS




**BTS50/70 S/S Hook Matt Black**  
127-2-D-200




**50, 100 & 150MM S/S Hook**  
128-50/100/150-SSH




**2202 Single Hook (Chrome)**  
128-22-02



**JS-301 Clothes Hook (Matt/Chrome)**  
127-003-014/004



**8004 Clothes Hook (SUS304)**  
130-8004-304



**J004 Clothes Hook (SUS304)**  
130-J004-304



**H001/H006/H007 Clothes Hook (SUS304)**  
128-003-011/128-HOOK-25/002-024-002

\*All pictures shown are for illustration purpose only.

# WINE GLASS HOLDER

VOLUME - 1



**GR01 (XG311) Single Glass Holder Chrome**  
002-012-GR01



**GR02 (XG321) Double Glass Holder Chrome**  
002-012-GR02



**95x280 Square Hole Glass Holder (Gold)**  
002-013-707



**95x280 Square Hole Glass Holder (Matt Black)**  
002-020-018




**86x315 C Shape Glass Holder (Matt Black)**  
200-049-025



**86x315 C Shape Glass Holder (Gold)**  
200-013-304






# 618 Folding Seat Stool Bracket Hinge Wall Chair (Black)

101-618-WC



# Flip-Down Folding Cabinet Table Slide Pull Out (Black)


101-FD-FCT





# Flip-Up Hidden Folding For Table (Black)

101-FU-HFT



## Flip-Up



# CABLE CAP

VOLUME - 1



**Cable Cap L/GREY**  
(35/60/80MM)



**Cable Cap D/Grey**  
(35/60/80MM)



**Cable Cap Nyatoh**  
(35/60/80MM)



**Cable Cap Brown**  
(35/60/80MM)



**Cable Cap Cream**  
(35/60/80MM)



**Cable Cap Oak**  
(35/60/80MM)



**60MM Cable Cap (MATT)**



**Cable Cap White**  
(35/60/80MM)



**Cable Cap Black**  
(35/60/80MM)

\*All pictures shown are for illustration purpose only.

## RECTANGLE WIRE COVER WITH 3 HOLE (BLACK)

**X5825A-135X300MM ALUM RECTANGLE WIRE COVER WITH 3 HOLE (BLACK)**



**X5825A-135X400MM ALUM RECTANGLE WIRE COVER WITH 3 HOLE (BLACK)**



**X5825A-135X500MM ALUM RECTANGLE WIRE COVER WITH 3 HOLE (BLACK)**







Material & Finish :Stainless Steel

**Surface Treatment Inlay  
Stainless Steel 304 (3.0 Meter)**

- 3mm x 6mm 530-363-304ss
- 6mm x 6mm 530-663-304ss
- 3mm x 9mm 530-3x9-304ss
- 5mm x 12mm 530-512-000



Material & Finish :Aluminium  
Colour : NA

**Aluminium Flat Bar (NA)**

- 3mm x 6mm 514-FB37-36
- 6mm x 6mm 514-SB019-66
- 5mm x 10mm 514-FB213-510



Material & Finish : Brass

**6 x 6 Brass Inlay (3.0 Meter)**


520-606-000



Material & Finish: Aluminium

**YC0427 Aluminium T-Profile  
(3.0 meter)**

514-0427-3M



Material & Finish: Aluminium

\*Color display is for reference only

**YC-0326 x 2.44 Meter (Yellow Gold)  
T Profile**

410-100-080



Material & Finish: Aluminium

\*Color display is for reference only

**YC0326 x 2.44 Meter (Bright Black)  
T Profile**

500-542-207




Material & Finish: Aluminium

\*Color display is for reference only

**YC0428 x 2.44 Meter (Bright Black)  
T Profile**

372-67-687



Material & Finish: Aluminium

\*Color display is for reference only

**YC0428 x 2.44 Meter (Rose Gold)  
T Profile**

200-050-192



Material & Finish: Aluminium

\*Color display is for reference only

**YC0428 x 2.44 Meter (Yellow Gold)  
T Profile**

200-050-021



**Aluminium Mini Pole Bracket**  
101-021-001



**Aluminium Upright 12ft**  
127-ALUM-3.66



**SPE-1820mm Stainless Steel Shelf Support 80Kg**  
LM-SPE-1820



**SPE-FB20 Shelf Stud LAMP**  
LM-SPE-FB20




**EV2865A Oval Pipe With Line (Thick) 3.05M**  
513-OVL-3M



**Oval Steel Tube Chrome**  
3.0m x 30mm x 15mm x 1.5mm  
513-OVL-METAL



**Chrome Pipe 3.66 Meter**  
19mm 513-6/8-L12  
25mm 513-001-L12



**2865B Black Oval Pipe With Line (Thick) 3.05M**  
513-OVL-3MB



**Oval Aluminium pipe With Line (x009)**  
513-OVL-M(12'')  
513-OVL-L02

### Upright



Size	Code	Finish	Material
4ft	127-501-004	Chrome	Steel
5ft	127-501-005	Chrome	Steel
6ft	127-501-006	Chrome	Steel
7ft	127-501-007	Chrome	Steel
8ft	127-501-008	Chrome	Steel

### A-10 Glass Bracket



Size	Code	Finish	Material
150mm	126-180-010	Chrome	Steel
200mm	126-240-010	Chrome	Steel
250mm	126-300-010	Chrome	Steel
300mm	126-360-010	Chrome	Steel
350mm	126-420-010	Chrome	Steel
400mm	126-480-010	Chrome	Steel
450mm	126-480-010	Chrome	Steel

### Up & Down Stand Bracket

101-023-000



Size	Code	Finish	Material
150mm	123-002-633	Chrome	Steel
200mm	123-002-833	Chrome	Steel
250mm	123-002-103	Chrome	Steel
300mm	123-002-123	Chrome	Steel
350mm	123-002-143	Chrome	Steel
400mm	123-002-163	Chrome	Steel
450mm	123-002-183	Chrome	Steel

### L020/PVC Footing-Trans

106-026-020



\*All pictures shown are for illustration purpose only.



## Square Bar



Size	Code	Finish	Material
4ft	127-500-004	Chrome	Steel
5ft	127-500-005	Chrome	Steel
6ft	127-500-006	Chrome	Steel
7ft	127-500-007	Chrome	Steel

530-363-304ss

## Square Bar Cap

127-002-001




## Square Bar Hook



Size	Code	Finish	Material
150mm	127-003-006	Chrome	Steel
200mm	127-003-008	Chrome	Steel
250mm	127-003-010	Chrome	Steel
300mm	127-003-012	Chrome	Steel

## Square Bar Bracket(Screw)

127-002-000



Aluminium Slatwall Profile 16ft  
127-SLA-T01



Slatwall Hook

Size	Code	Finish	Material
100mm	123-SLA-H04	Chrome	Steel
150mm	123-SLA-H06	Chrome	Steel
200mm	123-SLA-H08	Chrome	Steel
250mm	123-SLA-H10	Chrome	Steel
300mm	123-SLA-H12	Chrome	Steel

\*All pictures shown are for illustration purpose only.


# DOOR STRAIGHTENER




DS-244 2440mm  
DS-278 2780mm

WEST CR-V Allen Wrench 4mm With Handle


**Material : Aluminium**  
**Colour : Black**  
**Length : 2440 / 2780 (mm)**



### Dimension Specification:



### Router Bit For Door Straightener 12.7 x 12.1mm



\*All pictures shown are for illustration purpose only.




LSP-008 STRAIGHTENER 2 METER ALUM

LSP-008 STRAIGHTENER ALUM BLACK 2 METER

# LSP-008 Straightener 2 meter

■ Code : 361-LSP-008B

■ Code : 361-LSP-008



**NON -CONCEAL TYPE**



# SC680 Sliding Roller With Soft Closing

## 产品实例 Product Examples

### 家居移门/趟门阻尼缓冲滑轮

功能：用于家居移门、衣柜趟门的缓冲静音关闭。

功能：轨道内置隐藏缓冲阻尼，阻尼自动定位功能

安装简便，缓冲器带复位功能、防跳、防摆动

配置：可选配上下左右四路缓冲，以及上下双向缓冲  
单门最大负重：

### Sliding roller with soft closing series

Suitable for cushioning and Silent closing of various household moving doors and ward robe doors

Function: Rail track built-in hidden cushioning damp, damp automatic positioning function


Easy installation, reset function of buffer band, anti-jump and anti-swing

Configuration: Optional upper and lower four-way buffer, as well as up and down two-way buffer

Maximum single door load:



50kg

50kg





## 产品尺寸规格 Product size

适用于此类轨道  
Suitable for this kind of track




门柜与门洞尺寸关系： $H-h1=12\text{mm}$   
The formula between door height and cabinet height :  $H-h1=12\text{mm}$




# SC680 Sliding Roller With Soft Closing

安装使用说明 Installation Instructions


## 1 门板开槽尺寸 Door slotting dimension



## 2 门槽开槽尺寸 Gate slot slotting dimension



## 3 上滑轮安装 Upper pulley installation




## 4 下滑轮安装 Lower pulley installation



## 5 缓冲器入铝轨道安装 Buffer enters orbit installation



## 6 铝轨道堵头安装 Ending cap installation



## 7 铝轨道入门槽安装 The track is fitted into the door groove.

门槽开槽尺寸为图 2 ↑  
Gate slot slotting dimension is 2 ↑



# SLIDING BARN DOOR SYSTEM








## SL-2 Barn-style Sliding Door (Wooden)

Load Weight: 100kg

Track : 2.0meter , 2.5meter



### Soft Closing





# SLIDING BARN DOOR SYSTEM







**Top Mount Roller**

**Soft Closing**



## SLSW-7 Barn - Style Soft Closing Sliding Door


Load Weight: 100kg  
Track : 2.0meter , 2.5meter



\*All pictures shown are for illustration purpose only.

# T613 (DP-FC024) SELFIE WOODEN 1 SIDE S/CLOSE ROLLER (80KG)


## T613 (DP-FC024) Selfie-Wooden 1 Side S/Close Roller (80kg)



## **T616 TWO SIDE S/CLOSE HANGING ROLLER (60KG)**

**T616 Two Side Soft Close Hanging Roller  
60kg**

Code: 300-YDG-306



**T616 Two Side Soft Close  
Alum Track** Code: 409 60-903

Length : 2.0, 3.0, 4.0, 6.0 meter




# Modello Magic In-Wood Patented Concealed with Soft Close (1200mm, 80kg)

**Length : 1200mm**

**Loading Weight : 80kg**

**Door Thickness : 40mm - 50mm**



\*All pictures shown are for illustration purpose only.

# SLIDING DOOR SYSTEM

VOLUME - 8

**HÄFELE**  
**60kg Sliding Roller**  
 Code: 940-60-001



**HAFELE Sliding Track Silent 60/100kg**  
 Length : 2.0, 2.5, 3.0, 4.0, 6.1meter

**60kg Sliding Roller**  
 940-60-001

**HÄFELE**  
**100kg Sliding Roller**  
 Code: 941-02-001



**HAFELE Sliding Track Silent 60/100kg**  
 Length : 2.0, 2.5, 3.0, 4.0, 6.1meter

**100kg Sliding Roller**  
 941-02-001

**303 Door Hanging Roller (pc)**  
 Code: 300-303-000



**303 Door Hanging Roller (pc)**  
 Material: Steel body  
 Roller: Ball Bearing with Nylon  
 Door weight up to (60kg)

Use: Sliding & Folding Door

**203 Aluminium Track**  
 6ft, 8ft, 10ft, 12ft, 16ft, 20ft

**303 Door Hanging Roller**  
 300-303-000

**203 Sliding Roller**  
 Code: 300-203-000



**203 Sliding Roller**  
 Material: Zinc Alloy Body  
 Roller: Ball Bearing with Nylon  
 Door weight up to (70kg)

Use: Sliding

**203 Aluminium Track**  
 6ft, 8ft, 10ft, 12ft, 16ft, 20ft

**203 Sliding Roller**  
 300-203-000

**ACTS008 Door Hanging Roller (SB33)**  
 Code: 300-OSB-330



**ACTS008 Sliding Track (3.0,4.0meter)**  
 Code: 510-ACT5-008  
 Code: 510-ACT5-008 (4M)

**ACTS008 Door Hanging Roller (SB33)**  
 300-OSB-330

**ACTS009 Door Hanging Roller (70kg) SB33**  
 Code: 300-009-330



**ACTS009 Sliding Track(3.0,4.0meter)**  
 Code: 510-ACT5-009  
 Code: 510-ACT5-009 (4M)

**ACTS009 Door Hanging Roller (70kg) SB33**  
 300-009-330

**380 Sliding Door Roller**



**380 Sliding Door Roller**  
 Door thickness : 16mm-19mm  
 Door weight max: 40kgs/door

**380 Single Aluminium Track**  
 Length : 6ft, 8ft, 10ft, 12ft, 16ft, 20ft

**380 Double Aluminium Track**  
 Length : 6ft, 8ft, 10ft, 12ft, 16ft, 20ft

**380 Sliding Door Roller**  
 300-380-000

**1178-09 Sliding Door Roller**



**1178-09 Sliding Door Roller**  
 Door thickness : 16mm-19mm  
 Door weight max: 40kgs/door

**1194 Double Aluminium Track**  
 Length : 6ft, 8ft, 10ft, 12ft, 16ft, 20ft

**1178-09 Sliding Door Roller**  
 300-1178-09

**K445 Sliding Roller**  
 Code: 300-445-K00



**K445 Sliding Roller**  
 Cabinet sliding roller

**k445 Sliding Roller**  
 300-445-k00

\*All pictures shown are for illustration purpose only.



# SLIDING DOOR SYSTEM

VOLUME - 9

## 1138 Sliding Door Roller

Code: 300-328-000



Model: 1138 Sliding Door Roller  
Door weight max: 30kgs/door



## 1138 Sliding Door Roller

300-328-000



## SW02 Anti Jump Roller X4928-02#

300-381-318

## SW01 ANTI JUMP ROLLER


Code: 019-019-001



## SW01 ANTI JUMP ROLLER


019-019-001

## 500VS-MR-004-N Sliding Door Roller Economy



## 500VS-MR-004-N Sliding Door Roller Economy

012-514-400



## 500VS-MR-006-N-DB Sliding Door Double Roller Economy

300-007-0962


## S/S Roller for A642




## S/S Roller For A642

300-S/S-BER

## DP-M006A SLIDING ROLLER 120KG (T618)



Model : 302  
Aluminum Track  
6ft, 8ft, 10ft, 12ft, 16ft, 20ft




## DP-M006A SLIDING ROLLER 120KG (T618)

300-250-E00

## Adjustable Sliding Door Bracket

Code : 101-36-SDB



## Adjustable Sliding Door Bracket

101-36-SDB

## Ulih Roller 1"



## Ulih Roller 3/4"



## Ulih Roller 1"

300-Uli-1IN

## Ulih Roller 3/4"

300-Uli-3/4

\*All pictures shown are for illustration purpose only.



### FLUSH SLIDING DOOR SYSTEM MFU1200

#### Two-way Damper

INSTRUCTION


MonoFlat UNISON



[Black Parts]




[Two-way Damper]



- Soft open and close.
- 100 mm long damper stroke.
- Light opening and closing force.



[Installation Example]



Circled number represents the part number in the parts table. Refer to 1-2.

\* Drawings are for a Left to Right opening (MFU1200-L). Right to Left opening (MFU1200-R) is symmetrically opposed. \* The door cannot be opened from the inside without a handle (not included).

**FOLDING DOOR SYSTEM**



\*All pictures shown are for illustration purpose only.



# FOLDING DOOR SYSTEM

VOLUME - 2



Door can use :Folding/ Sliding  
Min. door thickness : 30mm  
For 1 roller 60kg 2 roller 120kg





**503 Roller Folding**  
300-503-000



Door can use : Sliding  
Min. door thickness : 30mm  
Weight of door (kg) Max.: 150kg



**TS150 Roller Sliding**  
300-103-000




**8ft, 10ft, 12ft, 16ft, 20ft**

**103 Aluminium Track**  
510-103-001

**710 Door Hanging Roller (pc)**

Code: 300-710-000





**710 Door Hanging Roller (pc)**  
300-710-000



**710 Aluminium Track (4 Meter)**  
510-710-038




**200Kg Folding & Sliding**  
300-3001-200



**6 meter**

**7200 Heavy Duty Aluminium Track**  
510-3001-200



**CENTOR 44mm TB-Pivot With SS L-Bracket 70Kg (Top)**  
CT-44-PV



**P840+P841 Top & Bottom Pivot**  
500-P840-P841

\*All pictures shown are for illustration purpose only.



# FLOOR GUIDE

VOLUME - 1




**LS012 Flo Guide (Adjustable)**  
023-LS-012




**7012 x 1/2 Floor Guide**  
023-001-7012



**G014 Nylon Floor Guide**  
023-G04-000




**22x90mm Floor Guide (Nylon)**  
16mm 023-5/8-2290  
12mm 023-1/2-2290  
10mm 023-3/8-2290



**1848 12mm Floor Guide Chrome**  
023-005-120



**4512 x 1/2 Floor Guide**  
023-450-12



**ACTS 7602 x 1/2 IRON T-Guide**  
023-1/2-GUIDE



**16mm Nylon Floor Guide**  
023-NYL-16mm



**1/2 L Shape Floor Guide (S/S Copper)**  
023-001-001


\*All pictures shown are for illustration purpose only.

# FLOOR GUIDE

VOLUME - 2

AFG-1002 Adjustable Floor Guide For 30mm to 50mm

Colour: White / Black



AFG-1002 Adjustable Floor Guide For 30mm to 50mm

122-25-AJS (White)  
014-ADJ-G08 (Black)

13x90 Floor Guide SS (Pivot)

Code: 023-008-139



13x90 Floor Guide SS (Pivot)

023-008-139

Center Floor Guide

Code: 023-002-015


GT16

Code: 023-007-133

GT12

Code: 023-006-953

GT10



GT16

023-002-015

GT12

023-007-133

GT10

023-008-953

12x90 T-Guide

Code: 023-T12-90



12x90 T-Guide

023-T12-90

Double Center Floor Guide

GT16mm

Code: 023-603-000



GT12mm

Code: 023-005-122

GT16mm

023-603-000

GT12mm

023-005-122

4" SS Center Guide 360 deg

Code: 023-000-4SS



4" SS Center Guide 360 Deg

023-000-4SS

15x57mm Pivot Hinge SS

Code: 500-15-57



15x57 mm Pivot Hinge SS

500-15-57

# ANTI JUMP DOOR SYSTEM

Code: 512-637-101

**6371 Upper Track 20ft**



Code: 512-03-18U

**0318 Single Upper Track 20ft**



Code: 512-637-001

**6370 Middle 20ft**



Code: 512-637-201

**6372 Handle 16ft, 20ft**



Code: 512-636-901

**6369 Lower 20ft**



Code: 300-AJR-T2

**Anti Jump Roller SE006**



Code: 512-03-17B

**0317 Single Lower Track 20ft**



Code: 512-636-501

**6365 Lower Track 20ft**




<p><b>Anti Jump 306 Stopper (Sticker)</b> Code: 300-STP-STK</p> 	<p><b>6x30mm Anti Jump Screw</b> Code: 015-106-630</p> 	<p><b>EST010 Anti Jump Door Damper</b> Load-bearing capacity: 15-35KG Service Lifetime: 50,000 times Code: 300-YL-ES</p>  <p>Bracket 1 (1pc) Bracket 2 (1pc) Bracket 3 (1pc)</p> <p><b>2 Year Warranty</b></p>
<p><b>1972 Anti Jump Rubber</b> 153METER Code: 023-1972-ANT</p> 	<p><b>Brush Sliding Door Seal</b> Code: 023-051-000</p>  <p>(Sticker)</p>	<p><b>8x13mm NON Adhesive Brush</b> Code: 023-NON-8x13 Colour: L/Gray</p>  <p>(NON Adhesive)</p>



\*All pictures shown are for illustration purpose only.



# bramah 2-way ANTI JUMP SLIDING DOOR DAMPER (15-30KG)



## Installation Instructions



\*All pictures shown are for illustration purpose only.



# EST010 Anti Jump Door Damper

Load-bearing capacity:15-35KG

Service Lifetime:50,000 times

Code: 300-YL-ES





# TS051/ TS061

## DOOR CLOSER

2 Speed Adjustment  
Reversible (left or right hand fixing)  
Adjustable Arm

# RENO

Material	Aluminium
Finish	Silver
Packing	10sest/ctn




Type	Width x Height (mm)	Door (Kg)	Function
TS051	800x2000	15~30	Open
TS051(H)	800x2000	15~30	Hole Open
TS061	900x2100	25~40	Open
TS061(H)	900x2100	25~40	Hole Open

Applicable Temperature Left Open or Right Open Door

Colour: Silver / Matt Black

## Model: SGDC 51/51H



TECHNICAL INFORMATION & FUNCTION		
Model	D51	D52
Delay Action	x	x
Backcheck Function	x	x
Width of Door ( mm ) Max.	800	900
Weight of Door ( kg ) Max.	30	65
Max. Open Angle	180°	180°
Spring Strength Adjustable	-	-
Closing Speed Adjustment	Speed 1	180°-15°
	Speed 2	15°-0°
Applicable Temperature	-30~40	-30~40
Weight ( kg )	0.905kg	
	Length	179
	Width	42
Dimension of Main Body	Height	67
	Passed Durability Test	500000

# RENO

**Model TS311**  
**Round / Square Concealed Door Closer**  
Colour: Silver / Matt Black

### TECHNICAL INFORMATION

Width of Door	1000mm
Weight of Door	45Kg
Max Open Angle	105°
Hold Open	Degree Adjustable
Applicability	Left or Right Open Door
Door Thickness	38mm (minimum)

Material	Aluminium
Finish	Silver
Packing	10sest/ctn





# BLACK SERIES

## DOOR CLOSER

2 Speed Adjustment  
Reversible (left or right hand fixing)  
Adjustable Arm

Model TS051 / TS061



Material	Aluminium
Finish	Black
Packing	10set/ctn

Type	Width x Height (mm)	Door (Kg)	Function
TS051	800x2000	15~30	Open
TS051(H)	800x2000	15~30	Hole Open
TS061	900x2100	25~40	Open
TS061(H)	900x2100	25~40	Hole Open



Applicable Temperature Left Open or Right Open Door

Model TS311 Round Concealed Door Closer

### TECHNICAL INFORMATION

Width of Door	1000mm
Weight of Door	45Kg
Max Open Angle	105°
Hold Open	Degree Adjustable
Applicability	Left or Right Open Door
Door Thickness	38mm (minimum)

Material	Aluminium
Finish	Black
Packing	10set/ctn



Material	Aluminium
Finish	Black
Packing	10set/ctn

Model TS311 Square Concealed Door Closer

### TECHNICAL INFORMATION

Width of Door	1000mm
Weight of Door	45Kg
Max Open Angle	105°
Hold Open	Degree Adjustable
Applicability	Left or Right Open Door
Door Thickness	38mm (minimum)



# SGDC-83

## Concealed Door Closer



TECHNICAL INFORMATION & FUNCTION			
Width of Door (mm) Max		1000	
Weight of Door (kg) Max		50	
Delay Action		-	
Backcheck Function		-	
Max Open Angle		105°	
Hold - Open		Degree Adjustable	
Closing Speed Adjustment	Speed	180° - 25°	
	1	25° - 0°	
Applicable Temperature		-25°C - 45°C	
Applicability		2	
Fire Door		Left or Right Open	
Dimension of Main Body		Length	220
		Width	32
		Height	55
Passed Durability Test		300,000 Cycles	
Weight (kg)		1.8	
Arms Type			
Hold Open Arm		Slide Arm w/Hold Open	
-		P	
		Parallel Arm Bracket	
		-	



\*All pictures shown are for illustration purpose only.



# SGDC-523BC

## Door Closer

Model		SGDC-523BC
Width of Door ( mm ) Max.		900
Weight of Door ( kg ) Max.		65
Delay Action		-
Backcheck Function		✓
Max. Open Angle		180°
Hold - Open		-
Closing Speed Adjustment	Speed 1	180°-15°
	Speed 2	15°-0°
Applicable Temperature		-30~40
Applicability		-
Fire Door		✓
Dimension of Main Body	Length	186
	Width	44.5





# MINI DOOR CLOSER

VOLUME - 1

### Mini Door Closer LS-32

**Colour: Black**  
Door width/kg : 900mm / 15Kg

LS-22	10Kg	Door width 800mm
LS-32	15Kg	Door width 900mm

**Colour: Chrome**

Mini Door Closer LS-32  
(Chrome) / (Black)

**Black**

**White**

**Door width/Kg : 900mm / 10~25kg**

Mini Door Closer LS-33 Round  
(Black) / (White)

### Mini Door Closer LS-34 (Square black)

**Door width/Kg : 900mm / 10~20kg**

Mini Door Closer LS-34 Square  
(Matt) / (Black)

### Mini Door Closer LS-34 (Square matt)

\*All pictures shown are for illustration purpose only.

# TABLE LEG

VOLUME - 1



**4" Square Leg (SS) 40 x 100mm**  
300-40-100



**1 1/2 x 4" Round Matt Leg S/S 38 x 100**  
300-LEG-38x100



**Round Matt Leg S/Steel (Upper Flexible)**  
50 x 150mm 300-101-008  
50 x 100mm 300-101-506



**Kitchen Adjustable ABS Leg**  
100mm HAU-LS3104A-100  
150mm 300-101-B06



4" 100mm  
6" 150mm  
8" 200mm  
30" 760mm  
40" 1000mm  
48" 1200mm  
**Adjustable Round S/Steel Leg**  
Stainless Steel  
50mm



**28" 9761 Round Chrome Leg 60 x 710**  
300-101-028



**M6 Adjustable Stud With Nut Nylon T-Nut Set**  
015-104-0M6



**M6 x 25mm Chair Leg Guide (BIK)**  
300-LEG-625



**3" x M10 Adjustable Stud With T-Nuts Set**  
015-75-M10

\*All pictures shown are for illustration purpose only.

PRODUCTS DETAILS

10+ Years experience in furniture hardware production



Furniture floor nails

High quality material  
Anti-skid and moisture proof increases

Apply to all kinds of solid wood furniture tables chairs and stools



(White) PVC Leg Nail With Pin

5/8" 300-100x5x8

6/8" 300-8810-18



45mm



M10 Adjustable Stud (Black)  
T-Nuts Set


015-104-B10

\*All pictures shown are for illustration purpose only.



# SHELF SUPPORT

VOLUME - 1



**Fish Mouth Shelf Support**  
500-800-FMS




**Fish Mouth Shelf Support**  
500-800-FMM



**Fish Mouth Shelf Support**  
500-800-FML



**21 x 29 Square Glass Holder Chrome**  
002-DL-H050




**21 x 59 Square Glass Holder Chrome**  
002-DL-H056



**2144 Glass Holder S/Steel**  
122-010-100



**2449 Glass Holder S/Steel RENO**  
002-018-012




**25 x 25 Glass Holder Chrome (L)**  
002-302-40L

\*All pictures shown are for illustration purpose only.

# SHELF SUPPORT

VOLUME - 2

**12 x 40 (Double) Glass Stud Chrome**  
106-001-140




**12 x 25 (Single) Glass Stud Chrome**  
106-002-232



**AC08 Stud & Ring(Set)**

106-009-080

Ø: 8mm



**AC09 Stud & Ring(Set)**

106-011-090

Ø: 10mm



**161 S/S Screw Fixing Shelf Support For Glass**

106-017-161



Material: Zinc Diecast  
(Glass Dimension: 5-6mm)

**DT617 Glass Shelf Support**

106-DT-617

hole open Ø: 4.8mm / 5mm



Material: Steel & Rubber

**K22927 Steel Socket (Ring)**

106-021-927

Ø: 7.5mm



**K22917 Shelf Support**

106-020-917




Material: Steel

**Glass Stud/BA011 Shelf Support**

106-016-000

hole open Ø: 4.8mm / 5mm



Material: Zinc Diecast & Rubber


**M5 x 16 Collar Stud With White Plastic**

106-019-516



**G014 Shelf Support**

106-014-014



Material: Steel & PVC



Material: Zinc Diecast & Rubber

**#3120 Glass Stud**

106-003-238

**M5 x 16 Collar Stud**

106-018-516

Ø: 5mm



**710-5 x 16 Glass Stud Cover**

106-011-025



# SHELF SUPPORT

VOLUME - 3




**M5 x 16 PVC CAP**

**White** 017-011-240

**Black** 106-001-140

**Nytoh** 106-002-232



**M6722 Shelf Support**

106-005-440




**6mm Stud & Ring**


106-012-006

**3/8 Stud & Ring (Set)**

106-007-380




**3" x 10mm T-Shape Shelf Support**



**5" x 10mm T-Shape Shelf Support**

107-75MM-10MM



**Material : Steel Metal**

**Wall Stud With Plug**

\*All pictures shown are for illustration purpose only.



**ACTS 1889-3/8" IRON STUD+ RUBBER (15mmx9mm)**

017-001-038



**FITTING CABLE CLAMP**  
VOLUME - 1



**Round Top Stay, 01A#**  
480-071-01A



**04# Round Bottom Stay Long**  
480-176-06L



**Multi Directional Round Top Stay**  
480-180-101



**04# Round Bottom Stay Short**  
480-176-05S



**09 Hanging Transition Clip**  
480-179-090



**07# Round Single Adjustable Clamp**  
480-176-070



**07# Round Double Adjustable Clamp**  
480-177-202



**08# Square Single Side Clamp (Horizontal)**  
480-175-411



**08# Square Double Side Clamp (Horizontal)**  
480-175-423

\*All pictures shown are for illustration purpose only.

# FITTING CABLE CLAMP


VOLUME - 2




**10# Fitting C/W Decoration Nut (Down Clamp)**  
480-174-10U




**03# Center Round Clamp**  
480-176-03M



**Long Type Top Stay (Ceiling)**  
480-178-111



**U Shape Bracket**  
480-173-02U



**U Shape Bracket Wire Clamp Only**  
480-173-C2U



**ST. Steel Cable (2mm) Chrome**  
480-182-02A



**Multi Direction Round Top Stay 02A#**  
480-3090-02A



**Round Bottom Hook Only**  
480-179-101

\*All pictures shown are for illustration purpose only.





# GLASS FITTING

VOLUME - 2



Material: Steel  
 Finishing: Matt  
 Glass Thickness: 4mm-5mm  
 Packing: set single door

**IN 900 Single Magnet (Chrome)**  
 500-900-111




Material: Steel  
 Finishing: Matt  
 Glass Thickness: 4mm-5mm  
 Packing: set double door

**IN 900 Double Magnet (Chrome)**  
 500-900-211



Material: Zinc Diecast  
 Finishing: Matt  
 Glass Thickness: 6mm-8mm  
 Packing: set single door

**RENO 218 Glass Hinges Matt Square**  
 500-100-218



Material: Zinc Diecast  
 Finishing: Matt  
 Glass Thickness: 6mm-8mm  
 Packing: set single door

**RENO 218 Glass Hinges Matt Round**  
 500-218-HALF



Material: Zinc Diecast  
 Finishing: Chrome  
 Glass Thickness: 6mm-8mm

**2525 # Glass/Glass Hinges 90 Deg**  
 500-825-090



Material: Zinc Diecast  
 Finishing: Chrome  
 Glass Thickness: 6mm-8mm

**2500 # Wood/Glass Hinges**  
 500-825-500



Material: Zinc Diecast  
 Finishing: Chrome  
 Glass Thickness: 6mm-8mm


**2525 # Glass/Glass Hinges 180 Deg**  
 500-825-180



**GR01 Single**  
 002-012-GR01

**GR02 Double**  
 002-012-GR02

Material & Finish : Steel with Chrome



**Material & Finish: Stainless Steel**  
**Stainless Steel Glass Holder**

Size A	Code
12"	002-012-012
14"	002-012-014
16"	002-012-016
18"	002-012-018

\*All pictures shown are for illustration purpose only.

# GLASS FITTING

VOLUME - 3



Material: Steel  
Finishing: Chrome

Advertising Nut 8 x 20  
400-122-820



Material: Steel  
Finishing: Chrome

Advertising Nut 8 x 80 (8 x 75)  
400-122-880



Material: Stainless Steel  
Finishing: Matt

Advertising Nut SS/Matt  
12 x 21 400-122-101  
12 x 25 400-122-501



Material: Stainless Steel  
Finishing: Matt

Advertising Nut SS/Matt



Material: Stainless Steel  
Finishing: Matt

Advertising Nut SS/Matt  
19 x 25 400-192-501  
19 x 30 400-193-001  
(Chrome)19 x 30 400-193-002



Material: Stainless Steel  
Finishing: Matt

Advertising Nut Head Only SS/Matt



Material: Stainless Steel  
Finishing: Matt

Advertising Nut SS/Matt

25 x 25 400-250-251  
25 x 30 400-250-301  
25 x 50 400-255-001



Material: Stainless Steel  
Finishing: Matt

304# Advertising Nut Head 25mm



Material: Stainless Steel  
Finishing: Matt

Advertising Nut Head Only

\*All pictures shown are for illustration purpose only.



Dimension	Height
25mm	30mm
25mm	50mm
25mm	75mm




Material: Stainless Steel  
Finishing: Matt

**Solid Screw Advertising Nut**

25 x 25 400-25-30SLM

25 x 50 400-25-50SLM

25 x 75 400-25-75SLM



Dimension	Height
30mm	100mm
30mm	120mm
30mm	150mm
30mm	200mm
30mm	250mm
30mm	300mm
30mm	400mm

Material: Stainless Steel  
Finishing: Matt

**Advertising Nut SS/Matt**

\*All pictures shown are for illustration purpose only.





# AIR TACKER & NAIL

VOLUME - 1

### Air Tacker Nail

F10, F15, F20, F25, F30

Diameter: 1.25mm  
Quantity: 5000pcs  
Leg Length: 10mm, 15mm, 20mm, 25mm, 30mm

Model	Size	Quantity
F10	10mm	5000pcs
F15	15mm	5000pcs
F20	20mm	5000pcs
F25	25mm	5000pcs
F30	30mm	5000pcs

**F30**

MP# F Air Nail (5000pcs)

FASTENING SYSTEMS  
STAPLES  
2500PCS  
T38

32mm  
38mm  
45mm  
50mm

Model	Size	Quantity
T25	25mm	2500pcs
T32	32mm	2500pcs
T38	38mm	2500pcs
T45	45mm	2500pcs
T50	50mm	2500pcs

**T50**

MP# T Air Nail (2500pcs)

13mm

FASTENING SYSTEMS  
STAPLES  
5000PCS  
1013J

10mm  
8mm  
10mm  
13mm  
16mm

Model	Size	Quantity
1008	8mm	5000pcs
1010	10mm	5000pcs
1013	13mm	5000pcs
1016	16mm	5000pcs
1019	19mm	5000pcs

**1022J**

MP# J Air Nail (5000pcs)

25mm

FASTENING SYSTEMS  
STAPLES  
5000PCS  
F25

4mm  
13mm  
16mm  
19mm

Model	Size	Quantity
413	13mm	5000pcs
416	16mm	5000pcs
419	19mm	5000pcs

**422J**

MP# J Air Nail (5000pcs)

\*For Wall Use

FASTENING SYSTEMS  
STAPLES  
1000PCS  
ST-45

Size	Quantity
18mm	1000pcs
25mm	1000pcs
32mm	1000pcs
38mm	1000pcs
45mm	1000pcs
50mm	1000pcs

**ST64**

Nickel Nail

ST Nail (1000pcs)

FASTENING SYSTEMS  
STAPLES  
1500PCS  
SF50

\*2 in 1

Size	Quantity
18mm	1500pcs
25mm	1500pcs
30mm	1500pcs
35mm	1500pcs
40mm	1500pcs
45mm	1500pcs
50mm	1500pcs

**SF50**

Black Nail

SFT Nail (1500pcs)

622

Size	Quantity
10mm	10000pcs
12mm	10000pcs
15mm	10000pcs
18mm	10000pcs
20mm	10000pcs
22mm	10000pcs

10mm  
12mm  
15mm  
18mm  
20mm  
22mm  
25mm

美特  
不锈钢  
蚊钉

Ø 0.63mm

Pin Nail (10000pcs)





ST64 Piston 13#(A503003)  
010-T64-505



SF-50 Piston 5#(A501003)  
010-F50-001



T50 Piston (DH) (A112016)  
010-T50-503



F-30 (DAHOO) Piston  
(A101037)  
010-F30-D01

5#422 Piston (A210003)  
010-422-501



1022 Piston 5# (A230003)  
010-122-502



622 Piston (DH) A001003  
010-622-D01

人性化防滑设计

防滑设计, 使手掌更贴合, 轻松应对长时间作业



ST64



ST50



F30



T50



422J



1022J



622







1022 Nails Holder  
010-102-222



F30 Nails Holder



10# Bumper St64 (A503202)  
010-T64104



2# SFT50 Bumper (A112202)  
012-LCB-30

2# Bumper T50 (A111202)  
010-T50-102



2# Bumper F30, 1022, 422 (A101203)  
010-F30-101



12# Bumper 622 (A001202)  
010-622-103



7# F30 Spare Part (A101202)  
010-F30-007



30# F30, T50, 1022, 422, Nozzle  
(A101901)  
010-F30-400




16# T50 Spar Part (A111411)  
010-T50-016



16# T50 Spare Part (A111411)  
010-T50-016

# F30-A/C/D/G/S Product Parts

型号: F30-A/C/D/G/S




序号	名称	编码	序号	名称	编码	序号	名称	编码
1*	壳体	A A101801	17*	排气盖	a A101402	37	隔板	A101702
		C A140801			b A140402		38	弹簧垫圈 5
		D A142801	18	内六角螺钉 M5*20	E4605020	39*	盖板	a A160701
		G A146801	19	管接头	E02111			
		S A167801	20	气门密封垫	A101504			b A103702
2	缓冲垫	A101203	21	气门嘴	A101503	40	内六角螺钉 M5*10	E4605010
3*	气缸	a A101201	22	气门杆	A101512	41	弹性圆柱销 2.5*16	E2702516
		b A140201	23	O形密封圈 1.8*1.8	E01018180	42	手柄组件	A161005
4	O形密封圈 30.3*2.5	E01303250	24	O形密封圈 10.5*1.9	E01105190	43	活动钉夹	A160706
5	撞针	A101037	25	气门套	A101501	44	弹性圆柱销 2.5*10	E2702510
6	O形密封圈 21.2*3	E01212300	26	扳机压簧	A101902	45	顶头	A102705
7	气缸套	A101202	27	扳机柄	A001901	46	送钉压簧	A160707
8	O形密封圈 24.6*3.6	E01246360	28	销轴	A001903	47	挡块	A101709
9	减震垫	A101302	29	矩形挡圈	A001904	48	轻型弹簧垫圈 4	E22040
10	平衡阀	A101301	30	限气塞	A101901	49	内六角螺钉 M4*7	E4604007
11	O形密封圈 31.3*2.5	E01313250	31	固定钉夹	A160704	50	锁紧螺母 M5	E08050
12	O形密封圈 40.6*1.2	E01406120	32	嵌条	A160703	51	连接支架	A160705
13	O形密封圈 13.6*2.4	E01136240	33*	分顶板	a A160702	52	锁紧弹簧片	A122705
14*	气缸盖	a A101401			b A161701	53	内六角螺钉 M4*8	E4604008
		b A140401	34	弹簧垫圈 4	E21040			
15	密封垫	A101403	35	内六角螺钉 M4*14	E4604014			
16	平衡阀压簧	A101303	36	弹性圆柱销 1.5*12	E2701512			

\*All pictures shown are for illustration purpose only.



# ST64-A/ST64-S

型号: ST64-A/ST64-S




序号	名称	编码	序号	名称	编码	序号	名称	编码	
1	管接头	E02111	22	阀套	A506401	44	锁紧座	A111705	
2	壳体	A	A506801	23	密封垫	A503402	45	锁紧柄	A111706
		S	A513801	24	排气盖	A505403	46	扭簧	A111707
3	气门密封垫	A130505	25	内六角螺钉M6*20	E4606020	47	销轴	A111904	
4	气门嘴	A505503	26	限气塞	A506901	48	矩形挡圈	A001904	
5	气门压簧	A130504	27	扳机柄	A505901	49	连接支架	A505705	
6	O形圈2.5*1.5	E01025150	28	保险片	A505902	50	内六角螺钉M4*12	E4604012	
7	气门杆	A505502	29	弹性圆柱销3*17	E2703017	51	内六角螺钉M5*22	E4605022	
8	气门套	A505501	30	销轴	A505903	52	锁紧螺母M5	E08050	
9	O形圈10.5*1.9	E01105190	31	矩形挡圈	A505904	53	隔板	A503702	
10	缓冲垫	A503202	32	固定钉夹	A503703	54	弹簧垫圈6	E21060	
11	O形圈52.3*2.5	E01523250	33	嵌条	A503706	55	内六角螺钉M6*30	E4606030	
12	气缸	A503201	34	活动钉夹	A503707	56	保险架	A505601	
13	撞针	A503003	35	弹性圆柱销2.5*12	E2702512	57	分钉板	A503704	
14	O形圈44.9*3.2	E01449320	36	顶头	A503710	58	弹性圆柱销2.5*16	E2702516	
15	平衡阀	A508301	37	弹簧座	A503708	59	内六角螺钉M5*16	E4605016	
16	O形圈33.3*3.5	E01333350	38	送钉压簧	A503709	60	盖板	A503701	
17	O形圈49*4.5	E01490450	39	挡板	A503711	61	内六角螺钉M5*14	E4605014	
18	O形圈58.5*2.4	E01585240	40	内六角螺钉M4*18	E4604018	62	十字盘头螺钉M5*8	E1205008	
19	O形圈13.6*2.4	E01136240	41	锁紧螺母M4	E08040	63	O形圈4.5*1.3	E01045130	
20	平衡阀压簧	A508302	42	内六角螺钉M4*9	E4604009				
21	O形圈60.4*2.5	E01604250	43	弹簧垫圈4	E22040				

\*All pictures shown are for illustration purpose only.



# 1022J-A/C/S

型号：1022J-A/C/S




序号	名称	编码	序号	名称	编码	序号	名称	编码		
1*	壳体	A	A101801	16	密封垫	A101403	34	销轴	A001903	
		C	A140801	17*	排气盖	A	A101402	35	矩形挡圈	E31020
		S	A167801			C	A140402	36	隔板	A202702
2	缓冲垫	A101203	S	A160402	37	盖板	A230701			
3*	气缸	A/S	A101201	18	内六角螺钉M5*22	E4605022	38	弹簧垫圈5	E21050	
		C	A140201	19	管接头	E02111	39	调节板	A230710	
4	O形密封圈30.3*2.5	E01303250	20	气门密封垫	A101504	40	内六角螺钉M5*5	E4605005		
5	撞针组件	A230003	21	气门嘴	A101503	41	焊接活动钉夹	A230008		
6	O形密封圈21.2*3	E01212300	22	气门杆	A101522	42	送钉拉簧	A230704		
7	气缸套	A101202	23	O形密封圈3.6*1.5	E01036150	43	顶头	A230703		
8	O形密封圈24.6*3.6	E01246360	24	O形密封圈10.5*1.9	E01105190	44	内六角螺钉M4*4	E4604004		
9	减震垫	A101302	25	气门套	A101501	45	弹簧垫圈4	E22040		
10	平衡阀	A101301	26	扳机压簧	A101902	46	内六角螺钉M5*22	E4605022		
11	O形密封圈31.3*2.5	E01313250	27	扳机柄	A924904	47	非金属嵌件锁紧螺母	E08050		
12	平衡阀压簧	A101303	28	销轴	A116904					
13	O形密封圈40.6*1.2	E01406120	29	矩形挡圈	A001904					
14	O形密封圈13.6*2.4	E01136240	30	限气塞	A101901					
15*	气缸盖	A	A101401	31	焊接固定钉夹	A230006				
		C	A140401	32	锁紧柄	A202703				
		S	A167401	33	扭簧	A202704				

\*All pictures shown are for illustration purpose only.



# 422J-A/C/D/G/S

型号：422J-A/C/D/G/S




序号	名称	编码	序号	名称	编码	序号	名称	编码
1*	壳体	A A101801	15	密封垫	A101403	34	销轴	A001903
		C A140801	16	平衡阀压簧	A101303	35	矩形挡圈	A001904
		D A141801	17*	排气盖	A A101402	36	隔板	A202702
		G A146801			C/D/G A140402	37	盖板	A210701
		S A167801			S A160402	38	弹簧垫圈5	E21050
2	缓冲垫	A101203	18	内六角螺钉M5*22	E4605022	39	调节板	A210703
3*	气缸	A/S A101201	19	管接头	E02111	40	内六角螺钉M5*5	E4605005
		C/D/G A140201	20	气门密封垫	A101504	41	焊接活动钉夹	A210008
4	O形密封圈30.3*2.5	E01303250	21	气门嘴	A101503	42	导杆	A210713
5	撞针组件	A210003	22	气门杆	A101522	43	送钉压簧	A210712
6	O形密封圈21.2*3	E01212300	23	O形密封圈3.6*1.5	E01036150	44	顶头	A210711
7	气缸套	A101202	24	O形密封圈10.5*1.9	E01105190	45	盘头螺钉M4*6	E1204006
8	O形密封圈24.6*3.6	E01246360	25	气门套	A101501	46	内六角螺钉M4*4	E4604004
9	减震垫	A101302	26	扳机压簧	A101902	47	弹簧垫圈4	E21040
10	平衡阀	A101301	27	销轴	A116904	48	内六角螺钉M5*22	E4605022
11	O形密封圈31.3*2.5	E01313250	28	扳机柄	A924904	49	锁紧螺母M5	E08050
12	O形密封圈40.6*1.2	E01406120	29	矩形挡圈	A001904			
13	O形密封圈13.6*2.4	E01136240	30	限气塞	A101901			
14*	气缸盖	A A101401	31	焊接固定钉夹	A210006			
		C/D/G A140401	32	锁紧柄	A210704			
		S A167401	33	扭簧	A202704			

\*All pictures shown are for illustration purpose only.



# T50- A/SF50- A

型号: T50-A/SF50-A




序号	名称	编码	序号	名称	编码	序号	名称	编码	
1	壳体	A112801	22	销轴	A112902	42*	分钉板	T50-A A111715	
2	缓冲垫	A112202	23	保险片	A112904		SF50-A A501702		
3	O形密封圈39.6*2.4	E01396240	24	矩形挡圈	A001904	43	弹性圆柱销2.5*20	E2702520	
4	O形密封圈37.5*2	E01375200	25	气门座	A112503	44	内六角螺钉M4*16	E4604016	
5	气缸	A112201	26	O形密封圈5.8*1.7	E01580170	45	内六角螺钉M5*12	E4605012	
6*	撞针组件	T50-A	A112016	27	气门杆	A112502	46	盖板	A112702
		SF50-A	A501003	28	O形密封圈2.8*1.8	E01280180	47	隔板	A112701
7	O形密封圈29.3*3.5	E01293350	29	气门压簧	A112504	48	弹簧垫圈5	E21050	
8	O形密封圈41*2.65	E01410265	30	气门套	A112501	49	内六角螺钉M5*30	E4605030	
9	平衡阀组件	A112015	31	O形密封圈8.7*1.8	E01870180	50	锁紧座	A111705	
10	O形密封圈49*2.5	E01490250	32	O形密封圈8.2*1.9	E01820190	51	扭簧	A111707	
11	O形密封圈9*1.9	E01090190	33	管接头	E02111	52	销轴	A111904	
12	平衡阀压簧	A112301	34	顶头	A111710	53	锁紧柄	A111706	
13	平衡阀套	A112303	35	送钉压簧	A503709	54	内六角螺钉M4*12	E4604012	
14	O形密封圈48.4*1.8	E01484180	36	弹性圆柱销2.5*12	E2702512	55	连接支架	A112704	
15	减震垫	A112402	37*	活动钉夹	T50-A	A112706	56	保险架	A112011
16	气缸盖	A112401			SF50-A	A502702	57	弹簧垫圈4	E22040
17	排气盖	A112403	38	挡块	A111711	58	内六角螺钉M4*7	E4604007	
18	内六角螺钉M5*22	E4605022	39	内六角螺钉M4*14	E4604014				
19	限气塞	A112901	40*	固定钉夹	T50-A	A112703			
20	扳机柄	A112903			SF50-A	A502701			
21	弹性圆柱销3*17	E2703017	41	嵌条	A112705				

\*All pictures shown are for illustration purpose only.



**T50 / T50-1 / SF50**



序号	名称	编码	序号	名称	编码	序号	名称	编码		
1*	壳体	T50	A111801	23	气门嘴	A101503	42*	活动钉夹	T50	A111709
		T50-1	A116801	24	气门杆	A101512			SF50	A501701
2	缓冲垫	A111202	25	O形密封圈1.8*1.8	E01018180	43	弹性圆柱销2.5*12	E2702512		
3	气缸	A111201	26	气门套	A101501	44	顶头	A111710		
4	O形密封圈38.5*2.4	E01385240	27	扭簧	A111902	45	送钉压簧	A503709		
5*	撞针组件	T50	A112016	28*	扳机柄	T50	A111903	46	挡块	A111711
		SF50	A501003			T50-1	A116903	47	内六角螺钉M4*14	E4604014
6	O形密封圈29.3*3.5	E01293350	29	保险座	A111601	48	内六角螺钉M4*7	E4604007		
7	导气杆	A111905	30*	销轴	T50	A111904	49	弹簧垫圈4	E22040	
8	O形密封圈3.7*1.9	E01037190			T50-1	A116904	50	保险架	A111603	
9	O形密封圈22.3*3	E01223300	31	矩形挡圈	A001904	51	保险架压簧	A111602		
10	O形密封圈35.5*3	E01355300	32*	固定钉夹	T50	A111702	52	开口挡圈	E31025	
11	平衡阀	A111301			SF50	A501701	53	盖板	A111701	
12	O形密封圈42.8*2.6	E01428260	33*	嵌条	T50	A111708	54	内六角螺钉M5*12	E4605012	
13	O形密封圈10.5*1.9	E01105190			SF50	A503706	55	隔板	A101702	
14	O形密封圈50*1.5	E01500150	34*	分钉板	T50	A111715	56	弹簧垫圈5	E21050	
15	平衡阀压簧	A111302			SF50	A501702	57	内六角螺钉M5*25	E4605025	
16	气缸盖	A111411	35	弹性圆柱销2.5*20	E2702520	58	六角螺母M5	E04050		
17	矩形垫	A101403	36	内六角螺钉M4*16	E4604016	59	保险块	A116603		
18	排气盖	A111412	37	锁紧座	A111705	60	保险拉簧	A116602		
19	内六角螺钉M5*20	E4605020	38	锁紧柄	A111706	61	扳机柄压簧	A101902		
20	管接头	E02111	39	扭簧	A111707	62	保险扭簧	A116601		
21	限气塞	A111901	40	连接支架	A111704					
22	气门密封垫	A101504	41	内六角螺钉M4*12	E4604012					

\*All pictures shown are for illustration purpose only.



Tube Diameter.  $\phi$  8mm

Pneumatic Air Tube, 5 x 8 (250ft)  
010-020-M58



Tube Diameter.  $\phi$  8mm

Pneumatic Air Hose With 5 x 8  
Coupler Set (6 Meter)  
010-5x8-set



Tube Diameter.  $\phi$  14mm

'TATA' Yellow Pressure Air Hose -  
8.5mm x 80meter  
010-AH-8.5x90



Tube Diameter.  $\phi$  8mm

SP5x8 AA Quick Coupler (Ychxc)  
010-SP-5x8



Orbit Hole Clip 000# (9mm-13mm)  
106-000-913



Ychxc 20PM Air Coupler  
010-YC-20PM



Ychxc 20PF Air Coupler  
010-YC-20PF



Tube Diameter.  $\phi$  14mm

Ychxc 20PH Air Coupler  
010-YC-20PH



20SM Air Coupler TAIWAN  
010-020-601





**Air Couple 3 Head Round**  
010-020-3HEAD



**Ychxc Self-Locking 20SH**  
010-YC-20SH



**5 x 8 Self-Locking Quick Coupler (Set)**  
010-020-5x8



**Ychxc Self-Locking 20SF**  
010-YC-20SF



**Ychxc Self-Locking 20SM**  
010-YC-20SM



**20SH Air Coupler JAPAN (Nietz)**  
010-020-603



**20SF THB Air Coupler (Nietz)**  
010-THB-20SF



**20SM THB Air Coupler (Nietz)**  
010-THB-20SM



**20PH Air Coupler TAIWAN (Nietz)**  
010-020-604

\*All pictures shown are for illustration purpose only.



# DOOR FITTING


VOLUME -1



**Flush Bolt Stainless Steel 304**



**Alum Barrel Bolt**



**S/S A Class Barrel Bolt**



**SGDB-600 Auto Flush Bolt SS**  
STG-ATB-CP




**4056 Door Latch**  
500-101-000



**4" SS Since The Bomb Latches**  
019-006-004



**C-01 Meite Square Latch (L)**  
019-006-002



**101 (S) Square Door Bolt (Latch)**  
019-008-101



**Door Bolt With Indicator 010 V/P**  
VRO-DB-010

\*All pictures shown are for illustration purpose only.

# DOOR FITTING

VOLUME - 2



Material : Stainless Steel

**2" Door Bolt (PROGRESS)**


019-007-002



Material : Stainless Steel

**TSQ1A Door Bolt Stainless Steel**

019-TS-Q1A




Material : Stainless Steel

**09 Door Latch S/S  
(Switch & Sliding Door Latch)**

**SUS304**

019-011-09



**Fastening Latch  
(S)**

019-011-001

**Fastening Latch  
(L)**

019-011-002

Material : Stainless Steel



Material : Stainless Steel

**90 Deg Door Bolt S**


StG-DB-Q1A



Material : Stainless Steel

**Mini L-Shape Door Latch SUS304**

019-MINI-LATCH




**Left** 019-4045-SSL

**Right** 019-4045-SSR

Material : Stainless Steel

**4045 Door & Window Latch S/Steel**

019-006-002



Material : Stainless Steel

**Indoor Security Bolt Bc-201**

019-BC-201



Material : Steel  
Finish : AB

**Taiwan Lock Fastener (AB 6276)**

022-6276-AB

\*All pictures shown are for illustration purpose only.


# DOOR FITTING

VOLUME - 3



Size	Code
4"	019-FTC-BH4
6"	019-FTC-BH6


SS Tower Bolt With Hasps



Size	Code	A
2.5"	002-H&S-002	85mm
3"	002-H&S-003	95mm
4"	002-H&S-004	138mm

Material : Steel Chrome


Safety Hasp (Gaoerfu)



Size	Code	A
S	022-038-180	75mm
M	022-039-180	90mm
L	022-040-180	110mm

Material : Stainless Steel

180 Deg Bag Clip (S) (M) (L)




Material : Stainless Steel

3" Stainless Steel Hasp Staple 85mm  
022-H&S-85mm



Material : Stainless Steel

TSQ1 90 Deg Door Bolt SS  
StG-DB-Q2



Size	Code	A	B
3.5"	022-891-0335	120mm	25mm
4.0"	022-891-014	145mm	35mm

Material : Stainless Steel

3.5", 4" Hasp Staple



Material : Stainless Steel

Hasp & Staple, WB 2 1/2 SS  
StG-H&S-WB21/2



AC6144 Lock Catch  
021-AC-6144



Japanese Hook Lock (Silver)  
022-037-002

\*All pictures shown are for illustration purpose only.



# DOOR FITTING

VOLUME - 4



**P033 Hidden Security Buckle Matt**  
019-DL-P033



**Material : Stainless Steel**  
**P020 Door Chain With Leather SS**  
019-DL-P020



**Material : Zinc Diecast + Steel**  
**P025 Safe Guard Chain With leather SS**  
019-DL-P025



**Material : Zinc Diecast**  
**P027 Safe Guard Buckle Matt**  
019-DL-P027




**Material : Steel Chrome**  
**050# Chrome Ball Catch**  
020-029-001



**Material : Stainless Steel**  
**Finishing : Chrome**  
**1031 Magnetic Roller Door Catch SS Chrome**



**Material : Brass & Steel**  
**Brass Ball Catch**



**A200 Deg Door Viewer Chrome**  
StG-DV-PB



**SGFP-002 Flush Pull Ring With Latch SS**  
StG-002-Lat

\*All pictures shown are for illustration purpose only.


# DOOR FITTING

VOLUME - 5



Material : Zinc Diecast  
Finishing: SN / Black

**Door Stopper S/S Half Round**  
SN MPC-GK01-005  
Black MPC-GK01-005



Material : Aluminium  
Finishing: NA

**P021 Aluminium Door Stopper**  
065-DL-P021



Material : Zinc Diecast  
Finishing: SN

**911 Magnetic Door Stopper Matt**  
065-DL-P019A



Material : Zinc Diecast  
Finishing: SN

**TS 020 Stopper SN**  
065-YGP-008



Material : Stainless Steel

**Foot Door Stopper SS**  
065-FOOT-SSS



Material : Zinc Diecast  
Finishing: SN

**1050 Door Stopper**  
065-105-OST



Material : Stainless Steel  
Finishing: Black

**P009A Heavy Duty Door Holder  
Matt Black**  
065-107-000



Material : Stainless Steel  
Finishing: SN

**P009 Heavy Duty Door Holder SN**  
065-DL-P009A




Material : Stainless Steel  
Finishing: SN

**P150 SS Door Holder**  
065-P150-SS

\*All pictures shown are for illustration purpose only.

# DOOR FITTING

VOLUME - 6




Material : Stainless Steel  
Finishing: SN  
**P910 Door Stopper SS**  
065-DL-P910



Material: Zinc Diecast  
Finishing: SN  
**P030 Door Stopper SS**  
065-DL-P030



Material: Stainless Steel  
Finishing: SN  
**023 Wall Door Stopper SS**  
StG-023-DStp



Material: Stainless Steel  
Finishing: SN  
**F03-020 S/S Door Stopper With Catch**  
065-1080-SS




Material: Zinc Diecast  
Finishing: SN  
**P107 Door Holder With Hook**  
065-017-WIH




Material: Stainless Steel  
Finishing: SN  
**5078 Door Stopper With Hook SS**  
StG-DS-SS



Material: Stainless Steel  
Finishing: Black  
**5078 Door Stopper With Hook Black**  
StG-DStp-SN




Material: Stainless Steel  
Finishing: SN  
**J7 Wall Mount Door Stopper (L)**  
StG-WMDS-SS



Material : Stainless Steel  
Finishing: SN  
**J7 Wall Mount Door Stopper (R)**  
StG-WMDS-SSR





Material : Stainless Steel  
Finishing: SN

2516 Sword-Shaped Door Stopper


065-STP- A/C



Material: Zinc Diecast  
Finishing: SN

DS30 Door Stopper SS

065-105-OST




GK01-005ASS Flush Pull Ring SS

MPC-GK01-005


# DOOR FITTING

VOLUME - 8




Material : Stainless Steel  
Finishing: SN

**8015 Pull Plate**  
004-EG0-000




Material : Stainless Steel  
Finishing: SN

**8015 Push Plate**  
004-MB0-000




Material : Stainless Steel  
Finishing: SN

**Pull Indicator**  
019-DL-U017




Material : Stainless Steel  
Finishing: SN

**Push Indicator**  
019-DL-U016




Material : Stainless Steel  
Finishing: SN

**Man Indicator**  
019-DL-U010




Material : Stainless Steel  
Finishing: SN

**Man and Woman Indicator**  
019-DL-U011




Material : Stainless Steel  
Finishing: SN

**Woman Indicator**  
019-DL-U012



Material : Stainless Steel  
Finishing: SN

**Wheel Chair Indicator**  
019-DL-U013




Material : Stainless Steel  
Finishing: SN

**No Smoking Indicator**  
019-DL-U014

\*All pictures shown are for illustration purpose only.

# DOOR CATCH & MAGNET


VOLUME - 1



Material : Brass  
Double Door Catch (Brass)




Double Roller Catch Chrome  
020-026-001



Super Magnet 15x3mm  
021-031-001




3.5 Kg PVC Magnet  
White 021-032-035  
Brown 021-033-035




5 Kg PVC Magnet (White)  
021-034-005



Material : Stainless Steel  
Sonnect Magnet (S/S)  
019-031-003



2095 Magnet S/S  
021-3x5-001




L Shape 30KG Magnet  
540-000-L08


30KG Magnet  
021-30-MN

\*All pictures shown are for illustration purpose only.






**ML120 Magnet Catch (218)**  
021-CTH-ML120




**Square Magnet (Double)(White)**  
021-035-002

**Square Magnet (Single)(White)**  
021-035-001



**ML 11 Round Magnet Catch**  
021-CTH-ML1


**ML 02 Round Magnet Catch**  
021-XSML-120



**ML 10 Magnet Catch Adjustable**  
021-H318-10



**Round Magnet (Single) MT-118**  
White 021-031-000  
Black 021-031-RBS




**B2 Magnet Touch Catch**  
020-024-058



**SAFETY Push Catch**  
White 019-022-002  
Black 019-007-006



**Mini Latch (L)**  
019-021-002



**Mini Latch (S)**  
019-021-001

ML-811-3M Heavy Duty Magnet Catch (Matt Black)

021-031-RWD




H827A-7 Magnet Round Catch (White)

002-021-240



50 x 150mm 80 x 150mm  
 50 x 200mm 80 x 200mm  
 50 x 250mm 80 x 250mm  
 80 x 300mm  
 80 x 400mm  
 80 x 500mm  
 80 x 600mm



**Material: Aluminium**

**Aluminium Air Hole**

B50 x 150mm B80 x 150mm  
 B50 x 200mm B80 x 200mm  
 B50 x 250mm B80 x 250mm  
 B80 x 300mm  
 B80 x 400mm  
 B80 x 500mm  
 B80 x 600mm




**Material: Aluminium**

**Aluminium Air Hole Black**

5/8" 300-100x5x8  
 6/8" 300-8810-18



19 x 8mm  
 35 x 8mm  
 53 x 8mm




**Air Hole Stainless Steel**

**Air Vent Cap 2" x 8" (Brown)**



**Air Vent Cap 2" x 8" (White)**




**60mm Round Air Hole (White)**





# TURNING PLATE ALUMINIUM



SIZE: 8", 10", 12", 14", 16", 18", 20", 24", 32", 40"



**TURNING PLATE**  
VOLUME - 2



**6" Revolving Fitting Black Metal**

301-TUP-B06



**3" Turning Plate Metal**

301-TUP-003



**3" Turning Plate Metal Black Thick**

301-TUP-THI



**X5616-138mm (Metal) Turning Plat**

301-TUP-616

\*All pictures shown are for illustration purpose only.



# JIG SAW BLADE

VOLUME - 1



**Makita D-34883 Jig Saw Blade (T144D)**

014-SNA-T144



**Makita D-34899 Jig Saw Blade (T244D)**

014-SNA-T244



**Makita T144D Jig Saw Blade (A-85684)**

014-HANS-T144D



**Makita T244D Jig Saw Blade (A-85690)**

014-H24-4D



**Makita T101B Jig Saw Blade (A-85634)**

014-101B-001



**Makita T101BR Jig Saw Blade (A-85715)**

014-101-BR



**Makita T101AO Jig Saw Blade (A-80400)**

014-H10-1AO



**Makita Jig Saw Blade (A-86577) For 58 For 4304**

014-3BEP-M10



**Makita T144DF Jig Saw Blade (A-85771)**

014-HANS-T101D

\*All pictures shown are for illustration purpose only.



# JIG SAW BLADE

VOLUME - 2



**Makita D-34908 Jig Saw Blade (T118D)**  
014-SNA-10



**Makita T118A Jig Saw Blade (A-85737)**  
014-HANS-NO10



**RENO T No.10 Jig Saw Blade For Makita**  
014-N10-006



**RENO T144D Jig Saw Blade**  
014-114-003




**RENO T244D Jig Saw Blade**  
014-244-005



**RENO T101AO Jig Saw Blade**  
014-RENO-101AO



**RENO T101D Jig Saw Blade**  
014-101-001



**RENO T101B Jig Saw Blade**  
014-118-002



**RENO T101BR Jig Saw Blade**  
014-RENO-101BR

\*All pictures shown are for illustration purpose only.

# JIG SAW BLADE

VOLUME - 3



**T144D (BOSCH) Jig Saw Blade**  
014-144-008




**T244D (BOSCH) Jig Saw Blade**  
014-244-009



**T101B (BOSCH) Jig Saw Blade**  
014-101-B



**T101BR (BOSCH) Jig Saw Blade**  
014-101-BR



**T101AO (BOSCH) Jig Saw Blade**  
014-101-AO



**T118 (BOSCH) Jig Saw Blade**  
014-118-A



\*All pictures shown are for illustration purpose only.



# SAW BLADE

VOLUME - 1



**TCT Saw Blade 300D(12'') x 3.2 x 72T For Chipboard (Germany)**  
014-72T-CHP




**TCT Saw Blade 300 x 3.2 x 30 x 72T For Wood (Germany)**  
014-72T-WP




**TCT Saw Blade 300 x 3.2 x 30 x 96T For Chipboard (Germany)**  
014-96T-CHP



**TCT Saw Blade 300 x 3.2 x 30 x 96T For Wood (Germany)**  
014-96T-WP



**TCT Saw Blade 250D (10'') x 3.2 x 30B x 100T For Aluminium (Germany)**  
014-100T-A10



**TCT Saw Blade 300 x 3.0 x 30 x 120T For Aluminium (Germany)**  
014-120T-A12



**Freud# LU3D-0600-300-3.2-30B (96T) Chirpaord**  
FREUD-96T-CP



**Freud# LU5E-0300-255-2.8-25.4N(100T) Alum**  
FREUD-100T-ALUM



**P-68002 Saw Balde (10'') 255 x 2.1mm x 100T For Alum (Makita)**  
014-TCT-100T(A)

\*All pictures shown are for illustration purpose only.




# SAW BLADE

VOLUME - 2



**P-67957 Saw Blade (7-1/4) 185 x 1.2mm x 40T For Wood (Makita)**  
014-TCT-48T(W)



**Circular Saw Blade (7-1/4\"/>**




**Circular Saw Blade 61/8\"/>**

**Circular Saw Blade 71/4\"/>**



**Circular Saw Blade 10\"/>**



**Circular Saw Blade For Alum 10\"/>**

014-100T-A10

**Circular Saw Blade For Alum 12\"/>**

013-200-028

## WOOD/PLYWOOD



**RENO Saw Blade 110x2.2x20x40T for Wood/Plywood 013-801-006**

**RENO Saw Blade 180x2.4x25.4x60T for Wood/Plywood 013-802-008**

**RENO Saw Blade 250x3x25.4x80T for Wood/Plywood 013-803-009**

**RENO Saw Blade 300x3.2x30x96T for Wood/Plywood 013-804-012**

## ALUMINIUM



**RENO Saw Blade 250x3x25.4x120T for Aluminium 013-200-609**

**RENO Saw Blade 300x3.2x30x120T for Aluminium 013-200-832**

\*All pictures shown are for illustration purpose only.

**Nylon Caster 1" 1/4 , 2", 2" 1/2**



Model	Size	Capacity KG
Without Move	1"1/4,2",2"1/2	20kg, 30kg, 40kg
Move	1"1/4,2",2"1/2	20kg, 30kg, 40kg
Move With Brake	1"1/4,2",2"1/2	20kg, 30kg, 40kg



Model	Size	Capacity KG
Without Move	2",2"1/2	50kg, 60kg
Move	2",2"1/2	50kg, 60kg
Move With Brake	2",2"1/2	50kg, 60kg

**Heavy Duty Caster Black**



Size: 2" ,2" 1/2

Model	Size	Capacity KG
Without Move	2",2"1/2	60kg, 70kg
Move	2",2"1/2	60kg, 70kg
Move With Brake	2",2"1/2	60kg, 70kg

Model 1: Without Move



Model 2: Move



Model 3: Move with Brake



**6" x6mm Heavy Nylon Caster**



Capacity 400Kgs



Without Move



Move White Brake



Without Move



Move with Brake



Move

Caster R-Black

Kg	3"	4"	5"
	75Kgs	95kgs	110kgs

Model	Size	Capacity KG
Without Move	2", 2", 5"	50kg, 60kg, 70kg
Move	2", 2", 5"	50kg, 60kg, 70kg
Move With Brake	2", 2", 5"	50kg, 60kg, 70kg

Model	Size	Capacity KG
Without Move	6"	400kgs
Move	6"	400kgs
Move With Brake	6"	400kgs

\*All pictures shown are for illustration purpose only.


# BOLT & NUT SCREW

VOLUME - 1




Applicable: Chairs, Tables, Bed Frames, Cabinets, etc.

**E-Nut M6 x 13mm (D-Nut) RB**



Applicable: Chairs, Tables, Bed Frames, Cabinets, etc.

**E-Nut M8 x 20mm RB**



Applicable: Chairs, Tables, Bed Frames, Cabinets, etc.

**JCBC (W) M6 x 50mm Screw (RB)**



**Minifix C/W Bolt (ZB)**



**Plastic Magics Screw - Black**



Applicable: Chairs, Tables, Bed Frames, Cabinets, etc.

**Tee Nut M6 (RB)**




Applicable: Chairs, Tables, Bed Frames, Cabinets, etc.

**Tee Nut M10**



**M4 Flat Washer 015-107-SM4**



**Chipboard Screw**

\*All pictures shown are for illustration purpose only.



# BOLT & NUT SCREW

VOLUME - 2



Size	Colour
4.0x20mm	RB
4.0x25mm	RB
4.0x30mm	RB
4.0x32mm	RB
4.0x38mm	RB
4.0x45mm	RB
4.0x50mm	RB
4.0x65mm	RB

Handle Screw



#8 x 2"  
#8 x 3"  
#8 x 4"

Nylon Wall Plug




Connecting Screw M6 x 41



Colour: Black, White  
Brown, Oak  
Nyatoh, L/Grey

Screw Cap



Color:  
White / Light Grey / Black / Maple / Walnut

Screw Sticker Cap

\*All pictures shown are for illustration purpose only.




**902C LED Light 240V/1.5W**  
White / Yellow

White **712-2W-E27**  
Yellow **712-LED-3#**



**LED Round Light 60 x 7mm Yellow (Set)**  
**712-LED-1.8W**

Model:1-3W  
Input: AC85-265V 50/60Hz  
Output: DC3-12V240mA ± 5%



**AC4134 Door Electronic Switch**  
**718-AC-4134**

Voltage capacity : 6V~250V




Door Open = Light on  
Door Closed = Light off



**Door On-Off Switch White**  
**718-VS-OFS**

Auto On-Off Switch For Sliding Door




**Open Door Switch**  
**718-410-001**

Door contact switch




Door Open = Light on  
Door Closed = Light off



**Infa-Red Sensor For LED Light**  
**37mm x 17mm**

**HLGS13003 (24W)**  
**HLGS16003 (60W)**



**PIR Sensor For LED Light**  
**37mm x 17mm**

**HLGS16005 (24W)**




**LED-320B Led Profile 3M**  
**(Black) 2112**


**510-016-EC(BLK)**

**Model 1**

Material : Aluminium  
 Colour : NA  
 Length : 3 meter



**2112 -3 Meter LED Profile (W)**





**Model 2 :  
 2020 LED Profile  
 3 Meter**

Material : Aluminium  
 Colour : NA  
 Length : 3 meter




**Model 3 :  
 Aluminium LED Profile (V)**

Material : Aluminium  
 Colour : NA  
 Length : 3 meter



**Model 4 :  
 Aluminium LED Profile (U)**

Material : Aluminium  
 Colour : NA  
 Length : 3 meter





2835 SMD LED Chip



**DD2835C 12V IP20 120L 3000K-5M**

**711-424-004**

**DD2835C 12V IP20 120L 4000K-5M**

**711-424-001**

**DD2835C 12V IP20 120L 6500K-5M**

**711-424-005**




**SLT35510-60 LED DRIVER 60W**

**012-2W-112**



**Laminate**

maica™



\*All pictures shown are for illustration purpose only.



**BFC FLUTED PANELS**  
Product Description

**OUR PRODUCT FEATURES & BENEFITS**

LOW-MAINTENANCE, ECO FRIENDLY, AND DURABLE



**Anti Mould & Termites**



**Waterproof**



**Durable**



**Low Maintenance**




**Easy Installation**




**Eco Friendly**

**COLOUR CHART**

(D SERIES FLUTED PANELS)




DP-001



DP-002



DP-003




DP-004




DS-001



DS-002



DS-003



DS-004



DS-007



DS-008



DW-009



DW-012



DW-013



DW-015



DW-018



**BFC FLUTED PANELS**  
Product Description

**D** SERIES  
FLUTED PANEL

Create smooth linear continuity in an interior space with our best-seller



**PROPERTIES**



Size:  
Length:

160mm x 25mm  
2900mm

**Applications**

Any kind of wall applications as decorative purposes for interior spaces.

**Technical Specifications**

**Material** : Bamboo Fiber, Wood powder, PVC, and other reinforcing additives

**Fire rating** : Available upon request

**Formaldehyde** : Formaldehyde free

**Surface Finish** : Film Lamination

12V<sup>max</sup>

CXT



Impacts Per Minute (IPM) 0-3500  
No Load Speed (RPM) 0-2600  
Max Fastening Torque 110 N.m (970 in.lbs.)  
Dimensions (L x W x H) 153 x 66 x 204mm  
Net Weight 1.0 - 1.2kg (2.3 - 2.6 lbs)  
Work Amount 250pcs With BL1021B  
Coarse Thread Wood Screw 45mm (Melapi)

**12Vmax Cordless Impact Driver**  
TD110DWYE

12V<sup>max</sup>

BL  
MOTOR  
XPT  
EXTREME PROTECTION TECHNOLOGY  
CXT



Impacts Per Minute (IPM) High:0-22500  
Low :0-6750  
No Load Speed (RPM) High: 0-1500 / Low: 0-450  
Max Fastening Torque Hard: 35 N.m (310 in.lbs.)  
Soft: 21 N.m (190 in.lbs.)  
Max Lock Torque 32 N.m (280 in.lbs.)  
Dimensions (L x W x H) 168 x 66 x 217mm  
Net Weight 1.1-1.3kg (2.4-2.8lbs)

**10mm (3/8") 12Vmax Cordless Hammer Driver Drill**  
HP332D

12V<sup>max</sup>

BL  
MOTOR  
XPT  
EXTREME PROTECTION TECHNOLOGY  
CXT



Impacts Per Minute (IPM) High:0-3900  
Low :0-1600  
No Load Speed (RPM) High: 0-3000 / Low: 0-1300  
Max Fastening Torque 135 N.m (1200 in.lbs.)  
Dimensions (L x W x H) 135 x 66 x 210mm  
Net Weight 0.97-1.1kg (2.1-2.5lbs)

**12Vmax Cordless Impact Driver**  
TD11D

12V<sup>max</sup>

BL  
MOTOR  
XPT  
EXTREME PROTECTION TECHNOLOGY  
CXT



Max Output: 250W  
Chuck Capacity 0.8-10mm (1/32-3/8")  
No Load Speed (RPM) High: 0-1500 / Low: 0-450  
Max Fastening Torque Hard: 35N.m (310 in.lbs.)  
Soft : 21 N.m (190 in.lbs.)  
Max Lock Torque 32 N.m (280 in.lbs.)  
Dimensions (L x W x H) 154 x 66 x 217mm  
Net Weight 1.0-1.2kg (2.3-2.6lbs)

**10mm (3/8") 12Vmax Cordless Driver Drill**  
DF332D

12V<sup>max</sup>



Capacity Concrete: 16mm (5/8")  
Steel: 10mm (3/8")  
Wood: 13mm (1/2")  
Impacts Per Minute (IPM) 0-4800  
No Load Speed (RPM) 0-680  
Dimensions (L x W x H) BL1021B: 250 x 74 x 187mm  
Net Weight 1.8-2.4kg (4.1-5.4lbs)

**16mm (5/8") 12Vmax Cordless Rotary Hammer**  
HR166D

12V<sup>max</sup>



Max Cutting Capacity at 90°  
Wood: 90mm (3-1/2")  
Aluminium: 20mm (13/16")  
Mild Steel: 10mm (3/8")  
Length of Stroke 23mm (7/8")  
Strokes Per Minute (SPM) 800-3000  
Dimensions (L x W x H) 237 x 76 x 206mm  
Net Weight 1.9-2.0kg (4.1-4.4lbs)

**12Vmax Cordless Jig Saw**  
JV103D

CORDLESS COMBO KIT

Paket kombo peralatan tanpa kord / 无绳工具套装

CLX224

12V<sup>max</sup>  
LITHIUM-ION  
CXT  
12V Litium-ion  
12V锂离子电池  
Teknologi Ekstrem Kompak  
紧凑极限技术



1 1x Standard Charger (DC10WD)  
Pengisian Standard (DC10WD)  
标准充电器 (DC10WD)

2 1x TD110D Cordless Impact Driver  
Pemutar Seku Impact Tanpa Kord  
无绳冲击电钻  
1x 1.5Ah Battery (BL1016)  
Baterai 1.5Ah (BL1016)  
1.5Ah 电池 (BL1016)

3 1x DF333D Cordless Driver Drill  
Gerudi Pemutar Seku Tanpa Kord  
无绳电钻  
1x 1.5Ah Battery (BL1016)  
Baterai 1.5Ah (BL1016)  
1.5Ah 电池 (BL1016)

4 1x Makita Tool Bag  
Beg Alat Makita  
Makita 工具箱

**Cordless Combo Kit**

TM30D  
Cordless Multi Tool



CP100D  
Cordless Multi Cutter





12Vmax

CXT



Capacity Pipe: 50mm (2")  
Wood: 50mm (2")  
Length Of Stroke 13mm (1/2")  
Stroke Per Minute (SPM) 0-3300  
Dimensions (L x W x H) 376 x 66 x 186mm  
Net Weight 1.3-1.5kg (2.8-3.3 lbs.)

**12Vmax Cordless Recipro Saw**  
JR105D

12Vmax

CXT



Max Cutting Capacity at 90  
Wood: 65mm (2-9/16")  
Aluminium: 4mm (5/32")  
Mild Steel: 2mm (1/16")  
Length of Stroke 18mm (11/16")  
Strokes Per Minute (SPM) 0-2900  
Dimensions (L x W x H) 232 x 76 x 196mm  
Net Weight 1.8-1.9kg (3.9-4.3lbs)

**12Vmax Cordless Jig Saw**  
JV101D

12Vmax

CXT



Oscillations Per minute (OPM) 6000-20000  
Oscillation Angle Left: 1.6° / Right: 1.6° / Total: 3.2°  
Dimensions (L x W x H) 277 x 65 x 98mm  
Net Weight 1.1-1.3kg (2.4-2.8lbs)

**12Vmax Cordless Multi Tool**  
TM30D

12Vmax

CXT



Max Cutting Capacity 6mm (1/4")  
No Load Speed (RPM) 300  
Dimensions (L x W x H) BL1021B: 272 x 66 x 120mm  
BL1041B: 291 x 66 x 121mm (11-1/2" x 2-5/8" x 4-3/4")  
Net Weight 0.72-0.88kg (1.6-1.9lbs)

**12Vmax Cordless Multi Cutter**  
CP100DWA

12Vmax

CXT



Max Dispensing Force 5000N (1100lbs)  
Holder Size 300ML  
(Optional Accessories 600ML, 800ML Holder)  
No Load Speed (RPM) 0-28mm/sec (0-66in/min)  
Dimensions (L x W x H) 404 x 108 x 259mm  
Net Weight 1.9-2.6kg (4.3-5.6lbs)

**12Vmax Cordless Caulking Gun**  
CG100DZA

12Vmax

CXT



Run Time (Hours) Up to: 12  
Luminous Flux 190lm  
Illuminance At 1m From The Light Source 170-4500lx  
Dimensions (L x W x H)  
With BL1016/BL1021B: 271 x 66 x 93mm  
With BL1041B: 290 x 66 x 93mm  
(11-3/8" x 2-5/8" x 3-5/8")  
Net Weight 0.61-0.78kg (1.3-1.7lbs)

**(AUAML106)**  
**12Vmax Cordless LED Flashlight**  
ML106

12Vmax

CXT

AC  
ALTERNATING  
CURRENT

3



Dimensions (L x W x H) 148 x 260 x 252mm  
(5-7/8 x 10-1/4 x 9-7/8")  
Net Weight 1.2-1.4kg (2.7-3.1lbs)  
Continuous Use (min) Low: 315 / Medium: 190 /  
High: 135 With BL1021B

**12Vmax Cordless Fan**  
CF100DZ



Capacity Dust Bag: 500ML  
Paper Pack: 330ML  
Max Air Flow 1.4m<sup>3</sup>/min  
Max Sealed Suction (Water Column) 5.0kPA(510mm)  
Suction Power Max: 32W / High: 20W / Normal 5W  
Dimensions (L x W x H) 960 x 112 x 150mm  
Net Weight 1.1 kg (2.5lbs)

**12Vmax Cordless Cleaner**  
CL107FDWYW

12Vmax

3







Capacity Dust: 8L / Water: 6L  
Max Air Flow 2.1m<sup>3</sup>/min  
Max Sealed Suction 9.8 kPa  
Suction Power 90W  
Dimensions (L x W x H) 366 x 334 x 368mm  
Net Weight 7.0kg (15.5lbs)

**18Vx2 Cordless Vacuum Cleaner (Wet/Dry)**  
DVC862Z



Capacity Dust: 8L  
Max Air Flow 2.1m<sup>3</sup>/min  
Max Sealed Suction 9.8 kPa  
Suction Power 90W  
Dimensions (L x W x H) 366 x 334 x 368mm  
Net Weight 7.7kg (17.1lbs)

**18Vx2 Cordless Vacuum Cleaner (Dry)**  
DVC863Z



Capacity Dust Bag: 500ML  
Paper Bag: 330ML  
Max Air Flow 1.4m<sup>3</sup>/min  
Max Sealed Suction (Water Column) 5.4kPA (551mm)  
Suction Power High: 30W / Low: 11W  
Dimensions (L x W x H) 1004 x 115 x 151mm  
Net Weight 1.3kg (2.9lbs)

**18V Cordless Cleaner**  
DCL182FRFW




**199038-1 Seat Nozzle Set**



175mm

**194566-1 Paper Filter Set For CL104D (5pcs/set)**



Capacity Dust Bag: 650ML  
Max Air Flow 1.4m<sup>3</sup>/min  
Max Sealed Suction (Water Column) 4.2kPA (428mmH<sub>2</sub>O)  
Suction Power High: 30W / Low: 11W  
Dimensions (L x W x H) 1004 x 115 x 151mm  
Net Weight 1.3kg (2.9lbs)

**18V Cordless Cleaner**  
DCL180ZB



Body only machine  
Voltage 18 v  
Noise sound pressure 75 dB(A)  
Noise K factor 3 dB(A)  
Orbits per Minute 14,000 / 11,000  
Orbit Diameter ø1.5 mm



Specifications:  
Voltage: 18 V  
Air temperature 150 - 550°C  
Air volume Mode 1: 120 L/min  
Mode 2: 200 L/min  
Length 173 mm  
Weight 0.8 kg

18V 



 2-Pole Motor

Capacity Steel: 13mm (1/2")  
Wood: 36mm (1-7/16")  
No Load Speed (RPM) High: 0-1300 / Low: 0-400  
Max Fastening Torque Hard: 42N.m / Soft: 27N.m  
Max Lock Torque 38N.m (340in lbs.)  
Stroke Per Minute (SPM) 0-3300  
Dimensions (L x W x H) 222 x 79 x 244mm  
Net Weight 1.7-2.0kg (3.7-4.4 lbs.)

### 13mm (1/2") 18V Cordless Driver Drill

DDF453

  18V 



**BL**  
MOTOR

**XPT**  
EXTREME PROTECTION TECHNOLOGY

Capacity Steel: 13mm (1/2")  
Wood: 38mm (1-1/2")  
Masonry: 13mm (1/2")  
Chuck Capacity 1.5-13mm (1/16-1/2")  
Impacts Per Minute (IPM) High: 0-30000 / Low: 0-7500  
Max Fastening Torque Hard: 54N.m (480 in lbs.)  
Soft: 30N.m (270 in lbs.)  
No Load Speed (RPM) High: 0-2000 / Low: 0-2000  
Max Lock Torque 60N.m (530 in lbs.)  
Dimensions (L x W x H) 182 x 79 x 261mm

### 13mm (1/2") 18V Cordless Hammer Driver Drill

DHP484

18V  
LITHIUM-ION

  18V



**XPT**  
EXTREME PROTECTION TECHNOLOGY

4-Pole Motor

Capacity Steel: 13mm (1/2")  
Wood: 76mm (3")  
Masonry: 16mm (5/8")  
Impacts Per Minute (IPM) High: 0-30000 / Low: 0-6000  
No Load Speed (RPM) High: 0-2000 / Low: 0-400  
Max Fastening Torque Hard: 91N.m / Soft: 58N.m  
Max Lock Torque 84N.m (750 in lbs.)  
Dimensions (L x W x H) 225 x 79 x 259mm  
Net Weight 2.2-2.6kg (4.8-5.7 lbs.)

### 13mm (1/2") 18V Cordless Hammer Driver Drill

DHP458

18V



4-Pole Motor

Capacity Steel: 13mm (1/2")  
Wood: 38mm (1-1/2")  
Masonry: 13mm (1/2")  
Chuck Capacity 1.5-13mm (1/16-1/2")  
Impacts Per Minute (IPM) High: 0-28500 / Low: 0-9000  
No Load Speed (RPM) High: 0-1900 / Low: 0-600  
Max Fastening Torque Hard: 62N.m (550 in lbs.)  
Soft: 36N.m (320 in lbs.)  
Max Lock Torque 54N.m (480 in lbs.)  
Dimensions (L x W x H) 198 x 79 x 249mm  
Net Weight 1.5-1.8kg (3.3-4.0 lbs.)

### 13mm (1/2") 18V Cordless Hammer Driver Drill

DHP482

18V 



**BL**  
MOTOR

**XPT**  
EXTREME PROTECTION TECHNOLOGY



Capacity Machine Screw: M4-M8 (5/32"-5/16")  
Standard Bolt: M5-M16 (3/16"-5/8")  
High Tensile Bolt: M5-M14 (3/16"-9/16")  
Coarse Thread (In Length): 22-125mm (7/8"-4-7/8")  
Impact Per Minute (IPM) 0-3800/0-2600/0-1100  
No Load Speed (RPM) 0-3600/0-2100/0-1100  
Max Fastening Torque 175N.m (1550 in lbs.)  
Dimensions (L x W x H) 117 x 79 x 236mm  
Net Weight 1.3-1.6kg (2.8-3.5 lbs.)

### 18V Cordless Impact Driver

DTD154

18V



Fastening Capacities  
Standard Bolt: M8-M16 (5/16"-5/8")  
High Tensile Bolt: M8-M12 (5/16"-1/2")  
Square Driver 12.7mm (1/2")  
Impact Per Minute (IPM) 0-3000  
No Load Speed (RPM) 0-2300  
Max Fastening Torque 190N.m (140 ft lbs.)  
Overall Length 176mm (6-15/16")  
Net Weight 1.4-1.8kg (3.2-3.9 lbs.)

### 12.7mm (1/2") 18V Cordless Impact Wrench

DTD150

18V



**XPT**  
EXTREME PROTECTION TECHNOLOGY

Capacity Machine Screw: M4-M8 (5/32"-5/16")  
Standard Bolt: M5-M16 (3/16"-5/8")  
High Tensile Bolt: M5-M12 (3/16"-1/2")  
Coarse Thread (In Length): 22-125mm (7/8"-4-7/8")  
Hex Shank 6.35mm (1/4")  
Impact Per Minute (IPM) 0-3500  
No Load Speed (RPM) 0-2900  
Max Fastening Torque 165N.m (1460 in lbs.)  
Dimensions (L x W x H) 137 x 79 x 238mm  
Net Weight 1.3-1.6kg (2.8-3.5 lbs.)

### 18V Cordless Impact Driver

DTD152

18V



Fastening Capacities  
Standard Bolt: M10-M16 (3/8"-5/8")  
High Tensile Bolt: M10-M14 (3/8"-9/16")  
Square Driver 12.7mm (1/2")  
Impact Per Minute (IPM) 0-3200  
No Load Speed (RPM) 0-2100  
Max Fastening Torque 230N.m (170 ft lbs.)  
Dimensions (L x W x H) 165 x 79 x 234mm  
Net Weight 1.5-1.8kg (3.3-4.0 lbs.)

### 12.7mm (1/2") 18V Cordless Impact Wrench

DTD251

18V 



**BL**  
MOTOR  
**XPT**  
EXTREME PROTECTION TECHNOLOGY

Capacity Steel: 13mm (1/2")  
Wood: 76mm (3")  
Masonry: 16mm (5/8")  
Chuck Capacity 1.5-13mm (1/16-1/2")  
Impacts Per Minute (IPM) High: 0-31500 / Low: 0-8250  
No Load Speed (RPM) High: 0-2100 / Low: 0-550  
Max Fastening Torque Hard: 115N.m (1020 in lbs.)  
Soft: 60N.m (530 in lbs.)  
Max Lock Torque 125N.m (1090 in lbs.)  
Dimensions (L x W x H) 205 x 79 x 249mm  
Net Weight 2.7-3.0kg (6.0-6.7 lbs.)

### 13mm (1/2") 18V Cordless Hammer Driver Driver

DHP481





Square Drive 12.7mm (1/2")  
Fastening Capacities Standard Bolt: M10-M20 (3/8"-3/4")  
High Tensile Bolt: M10-M16 (3/8"-5/8")  
Impact Per Minute (IPM) Hard: 0-3500/Medium: 0-2600/Soft:0-1800  
No Load Speed (RPM) High: 0-2000 / Low: 0-400  
Max Fastening Torque 280N.m (210 ft lbs.)  
No Load Speed (RPM) Hard: 0-2800/Medium: 0-2100/Soft: 0-1600  
Dimensions (L x W x H) 147 x 79 x 249mm  
Net Weight 1.5-1.8kg (3.3-4.0 lbs.)

### 12.7mm (1/2") 18V Cordless Impact Wrench

DTW285



Square Drive 19mm (3/4")  
Fastening Capacities Standard Bolt: M12-M30 (1/2"- 1-1/4")  
High Tensile Bolt: M10-M24 (3/8"-1")  
Impact Per Minute (IPM) Hard: 0-2200/Medium: 0-2000/Soft:0-1800  
No Load Speed (RPM) High: 0-1800 / Medium: 0-1000 Low: 0-900  
Max Fastening Torque 1050N.m (780 ft lbs.)  
No Load Speed (RPM) Hard: 0-1800/Medium: 0-1000/Soft: 0-900  
Dimensions (L x W x H) 229 x 91 x 289mm  
Net Weight 3.4-3.7kg (7.5-8.2 lbs.)

### 19mm (3/4") 18V Cordless Impact Wrench

DTW1001



Capacity Concrete: 24mm (15/16")  
Steel: 13mm (1/2")  
Wood: 27mm (1-1/16")  
Impact Per Minute (IPM) 0-4700  
No Load Speed (RPM) 0-950  
Dimensions (L x W x H) 328 x 85 x 213mm  
Net Weight 3.1-3.8kg (6.7-8.4 lbs.)

### 24mm (15/16") 18V Cordless Combination Hammer

DHP242



Capacity Concrete: 26mm (1")  
Steel: 13mm (1/2")  
Wood: 32mm (1-1/4")  
Impact Per Minute (IPM) 0-5000  
No Load Speed (RPM) 0-1250  
Dimensions (L x W x H) 350 x 116 x 232mm  
Net Weight 4.1-5.1kg (9.0-11.3 lbs.)

### 26mm (1") 18Vx2 Cordless Combination Hammer

DHR263



Capacity Concrete: 17mm (11/16")  
Steel: 10mm (3/8")  
Wood: 13mm (1/2")  
Impact Per Minute (IPM) 0-4800  
No Load Speed (RPM) 0-680  
Dimensions (L x W x H) 273 x 86 x 211mm  
Net Weight 2.1-2.8kg (4.6-6.2 lbs.)

### 17mm (11/16") 18V Cordless Rotary Hammer

DHR171

Fast Charger

**22 min.**

3.0Ah Battery (BL1830B)  
With battery fuel gauge  
备有电池电量计

Rapid Charger  
DC18RC (195586-8)  
Pengecas Pantas DC18RC  
快速充电器 DC18RC

18V LITHIUM-ION

### Rapid Charger (195586-8)

DC18RC

More battery size:

Li-ion Ah 6.0 5.0 4.0 3.0 2.0 1.5

18V LITHIUM-ION

3.0Ah Battery  
BL1830B (197600-6)  
Bateri 3.0Ah BL1830B  
3.0Ah 电池 BL1830B

LXT  
Teknologi Ekstrem Litium-ion  
锂离子技术

### 3.0Ah Battery (197600-6)

BL1830B



**BL MOTOR** **18V**



Collect Capacity: 6mm (1/4") / 8mm (3/8")  
 Plunge Capacity Trimmer Base: 0-40mm  
 Plunge Base: 0-35mm (0" - 1-3/8")  
 No Load Speed (RPM) 10000-30000  
 Dimensions (L x W x H) BL1850B: 134 x 89 x 226mm  
 Net Weight 1.8-2.1kg (3.9-4.6 lbs.)

**6mm (1/4") / 8mm (3/8") 18V Cordless Trimmer**  
**DRT50Z**

**18V** **3**



Pad Diameter 123mm (4-7/8")  
 Abrasive Disc Size 125mm (5")  
 Orbits Per Minute (OPM) 7000/9500/11000  
 Dimensions (L x W x H) 175 x 123 x 153mm  
 Net Weight 1.4-1.7kg (3.1-3.8 lbs.)

**125mm (5") 18V Cordless Random Orbit Sander**  
**DBO180Z**

**18V LITHIUM-ION** **18V X2** **36V**



**ADT BL MOTOR AFT** **BRAKE**

Wheel Diameter 180mm (7")  
 No Load Speed (RPM) 7800  
 Dimensions (L x W x H) 499 x 200 x 158mm  
 Net Weight 5.0-6.0kg (11.02-13.2 lbs.)

**180mm (7") 18Vx2 Cordless Angle Grinder**  
**DGA700Z**

**18V**



**ADT BL MOTOR AFT XPT** **EXTREME PROTECTION TECHNOLOGY**

Wheel Diameter 100mm (4")  
 No Load Speed (RPM) 8500  
 Dimensions (L x W x H) 362 x 117 x 140mm  
 Net Weight 2.08-2.69kg (4.59-5.94 lbs.)

**100mm (4") 18V Cordless Angle Grinder**  
**DGA405Z**

**18V**



**Top Slide Switch**  
 Suis gelangar atas 顶部滑动开关

**Convenient for left & right handed**  
 方便左右手操作 顶部滑动开关

Wheel Diameter 100mm (4")  
 No Load Speed (RPM) 11000  
 Dimensions (L x W x H) 317 x 118 x 118mm  
 Net Weight 1.9-2.51kg (4.19-5.54 lbs.)

**100mm (4") 18V Cordless Angle Grinder**  
**DGA402Z**

**2** **18V X2** **36V**



Capacity Pipe: 130mm (5-1/8")  
 Wood: 255mm (10")  
 Length Of Stroke 32mm (1-1/4")  
 Stroke Per Minute (SPM) High: 0-3000/Low: 0-2300  
 Dimensions (L x W x H) 449 x 116 x 243mm  
 Net Weight 4.0-4.7kg (8.9-10.3 lbs.)

**18Vx2 Cordless Recipro Saw**  
**DJR360Z**

**18V**



**BL MOTOR**

Capacity Wood: 135mm (5-5/16")  
 Steel: 10mm (3/8")  
 Length Of Stroke 26mm (1")  
 Stroke Per Minute (SPM) 800-3500  
 Dimensions (L x W x H) 266 x 77 x 208mm  
 Net Weight 2.4-2.7kg (5.3-6.0 lbs.)

**18V Cordless Jig saw**  
**DJV182Z**

**18V**



Capacity Wood: 135mm (5-5/16")  
 Steel: 10mm (3/8")  
 Length Of Stroke 26mm (1")  
 Stroke Per Minute (SPM) 0-2600  
 Dimensions (L x W x H) 257 x 73 x 208mm  
 Net Weight 2.7-3.0kg (6.0-6.7 lbs.)

**18V Cordless Jig Saw**  
**DJV180Z**

**BL MOTOR** **18V** **2**



**XPT** **EXTREME PROTECTION TECHNOLOGY**

Capacity Pipe: 130mm (5-1/8")  
 Wood: 255mm (10")  
 Length Of Stroke 32mm (1-1/4")  
 Stroke Per Minute (SPM) High: 0-3000/Low: 0-2300  
 Dimensions (L x W x H) 439 x 83 x 231mm  
 Net Weight 3.4-3.8kg (7.6-8.3 lbs.)

**18V Cordless Recipro Saw**  
**DJR187Z**



**18V**

Blade Diameter 165mm (6-1/2")  
 Max Cutting Capacity 90°:57mm (2 - 1/4")  
 45°:41mm (1-5/8")  
 50°:37mm (1-7/16)  
 No Load Speed (RPM) 5000  
 Dimensions (L x W x H) 350 x 170 x 238mm  
 Net Weight 3.0-3.3kg (6.6-7.3 lbs.)

**165mm (6-1/2") 18V Cordless Circular Saw**  
**DHS680Z**



**18V**

Blade Diameter 165mm (6-1/2")  
 Max Cutting Capacity 90°:56mm (2 - 3/16")  
 45°:40mm (1-9/16")  
 50°:38mm (1-1/2)  
 No Load Speed (RPM) 2500-6300  
 Dimensions (L x W x H) 346 x 241 x 272mm  
 Net Weight 4.4-5.1kg (9.8-11.2 lbs.)

**165mm (6-1/2") 18Vx2 Cordless Plunge Cut Saw**  
**DSP600Z**



**18V**

Planing Width 82mm (3-1/4")  
 Planing Depth 2.0mm (5/64")  
 No Load Speed (RPM) 14000  
 Dimensions (L x W x H) 333 x 157 x 160mm  
 Net Weight 3.2-3.5kg (7.1-7.9 lbs.)

**82mm (3-1/4") 18V Cordless Planer**  
**DKP180Z**



**18V**

Guide Bar Length 350mm (14")  
 Chain Pitch 9.5mm (3/8")  
 Chain Gauge 1.1/1.3mm (0.043"-0.050")  
 Chain Speed 0-20m/s (0-1200m/min) (0-3940 FPM)  
 Chain Oil Tank Volume 200ML (N/A US oz)  
 Dimensions (L x W x H) 773 x 215 x 235mm  
 Net Weight 4.7 (10.4 lbs.)

**350mm (14") 18Vx2 Cordless Chain Saw**  
**DUC353Z**



**18Vx2**

Guide Bar Length 250mm (10")  
 Chain Pitch 9.5mm (3/8")  
 Chain Gauge 1.3mm (0.050")  
 Chain Speed 8.3m/s (500m/min) (1650 FPM)  
 Chain Oil Tank Volume 85ML (N/A US oz)  
 Dimensions (L x W x H) 545 x 234 x 198mm  
 Net Weight 4.1-4.7 (9.0-10.3 lbs.)

**250mm (10") 18Vx2 Cordless Chain Saw**  
**DUC252Z**



**18V**

Max. cutting width of 260mm  
 5-position Adjustable cutting head  
 No Load Speed of 7,800rpm  
 Telescopic shaft 1,248mm to 1,436mm with loop-handle  
 Easy-loading bump and feed trimmer head  
 1.65mm four-leaf nylon line



**18V**

Blade Length 520mm (20-1/2")  
 Tooth Spacing 26mm (1")  
 Max Output 210W  
 Strokes Per Minute (SPM) 2700  
 Dimensions (L x W x H) 938 x 195 x 193mm  
 Net Weight 3.0-3.4 (6.6-7.5 lbs.)

**520mm (20-1/2") 18V Cordless Hedge Trimmer**  
**DUH523RFE**



**Nylon Cord For String Trimmer**  
**DA0000003**

**XPT**  
EXTREME PROTECTION TECHNOLOGY

12Vmax



Cutting Width 160mm (6-5/16")  
Depth Adjustment 15mm (9/16") / 20mm (13/16") / 25mm (1")  
Strokes Per Minute (SPM) 2500  
Dimensions (L x W x H) 329 x 177 x 131mm  
Net Weight 1.3-1.5 (2.8-3.3 lbs.)

**160mm (6.5/16") 12Vmax Cordless  
Grass Shear**

UM600DZ

**XPT**  
EXTREME PROTECTION TECHNOLOGY

12Vmax



Blade Length 200mm (7-7/8")  
Tooth Spacing 26mm (1")  
Strokes Per Minute (SPM) 2500  
Dimensions (L x W x H) 504 x 120 x 131mm  
Net Weight 1.3-1.5 (2.8-3.3 lbs.)

**200mm (7-7/8") 12Vmax Cordless  
Hedge Trimmer**

UH201DWAX





Continuous Rating Input 1650W  
Blade Diameter 260mm (10-1/4")  
Miter Angle 45° L / 52° R  
Max Cutting Capacity 90°: 90.5 x 95mm  
45°: 90.5 x 67 mm (3-9/16" x 2-5/8")  
Bevel Angle 45° L  
No Load Speed (RPM) 4600  
Dimensions (L x W x H) 530 x 476 x 532mm  
Net Weight 12.4kg (27.3 lbs.)



## 260mm (10-1/4") Compound Miter Saw

LS1040



Continuous Rating Input 1200W  
Blade Diameter 185mm (7-1/4")  
Max Cutting Capacity 90°: 64mm (2-1/2")  
45°: 42mm (1-5/8")  
No Load Speed (RPM) 5200  
Dimensions (L x W x H) 309 x 234 x 255mm  
Net Weight 3.8kg (8.5 lbs.)  
Power Supply Cord 2.5m (8.2 ft)

## 185mm (7-1/4") Circular Saw

HS7600



Continuous Rating Input 1300W  
Blade Diameter 110mm (4-3/8")  
Max Cutting Capacity 90°: 32mm (1-1/4")  
No Load Speed (RPM) 13800  
Dimensions (L x W x H) 227 x 209 x 166mm  
Net Weight 2.8kg (6.2 lbs.)  
Power Supply Cord 2.5m (8.2 ft)

## 110mm (4-3/8") Cutter

4100NH3



Continuous Rating Input 1050W  
Blade Diameter 185mm (7-1/4")  
Max Cutting Capacity 90°: 66mm (2-5/8")  
45°: 44mm (1-3/4")  
No Load Speed (RPM) 4900  
Dimensions (L x W x H) 284 x 231 x 243mm  
Net Weight 3.5kg (7.7 lbs.)  
Power Supply Cord 2.0m (6.6 ft)

## 185mm (7-1/4") Circular Saw

M5801G



Capacity Wood: 135mm (5-5/16")  
Steel: 10mm (3/8")  
Continuous Rating Input 720W  
Length of Stroke 26mm (1")  
Stroke Per Minute (SPM) 800-2800  
Dimensions (L x W x H) 236 x 73 x 207mm  
Net Weight 2.7kg (5.8 lbs.)  
Power Supply Cord 2.5m (8.2 ft)

## Jig Saw

4350CT



Continuous Rating Input 450W  
Max Cutting Capacity 90° Wood: 65mm (2-9/16") Steel: 6mm (1/4")  
Length of Stroke 18mm (11/16")  
Strokes Per Minute (SPM) 0-3100  
Dimensions (L x W x H) 214 x 75 x 202mm  
Net Weight 1.9kg (4.2 lbs.)  
Power Supply Cord 2.0m (6.6 ft)

## Jig Saw

M4301G



Continuous Rating Input 170W  
Pad Size 110 x 100mm (4-3/8" x 4")  
Abrasive Paper Size 114 x 140mm (4-1/2" x 5-1/2")  
Orbits Per Minute (OPM) 12000  
Dimensions (L x W x H) 116 x 110 x 129mm  
Net Weight 1.1kg (2.5 lbs.)  
Power Supply Cord 2.5m (8.2 ft)

## Finishing Sander

BO4510H



Continuous Rating Input 180W  
Pad Size 112 x 102mm (4-3/8" x 4")  
Abrasive Paper Size 114 x 140mm (4-1/2" x 5-1/2")  
Orbits Per Minute (OPM) 14000  
Dimensions (L x W x H) 110 x 112 x 133mm  
Net Weight 0.9kg (2 lbs.)  
Power Supply Cord 2.0m (6.6 ft)

## Finishing Sander

M9200G



Continuous Rating Input 240W  
Pad Size 123mm (4-7/8")  
Abrasive Paper Size 125mm (5")  
Orbits Per Minute (OPM) 12000  
Orbits Diameter 2.8mm (1/8")  
Strokes Per Minute (SPM) 24000  
Dimensions (L x W x H) 127 x 123 x 142mm  
Net Weight 1.1kg (2.4 lbs.)  
Power Supply Cord 2.0m (6.6 ft)

## 125mm (5") Random Orbit Sander

M9202G



Continuous Rating Input 230W  
 Capacity Machine Screw: M4 - M8 (5/32" - 5/16")  
 Standard Bolt: M5 - M14 (3/16" - 9/16")  
 High Tensile Bolt: M5 - M10 (3/16" - 3/8")  
 Coarse Thread (In Length): 22 - 90mm (7/8" - 3-1/2")  
 Driving Shank (Hex) 6.35mm (1/4")  
 Impacts Per Minute (IPM) 0-3200  
 No Load Speed (RPM) 4600  
 Max Fastening Torque 100N.m ( 74 ft. lbs.)  
 Dimensions (L x W x H) 184 x 67 x 192mm  
 Net Weight 0.99kg (2.2 lbs.)  
 Power Supply Cord 2.5m (8.2 ft)

**Impact Driver**  
**TD0101F**



Continuous Rating Input 1500W  
 Collet Capacity 12mm (1/2")  
 Base Diameter 160mm (6-1/4")  
 No Load Speed (RPM) 24000  
 Overall Height 210mm (8-1/4")  
 Net Weight 4.4kg (9.8 lbs.)  
 Power Supply Cord 5.0m (16.4 ft)

**12mm (1/2") Router**  
**3600H**



Continuous Rating Input 1650W  
 Collet Capacity 12mm (1/2")  
 Plunge Capacity 0-60mm (0- 2-3/8")  
 No Load Speed (RPM) 22000  
 Dimensions (L x W x H) 284 x 148 x 300mm  
 Net Weight 5.5kg (12.1 lbs.)  
 Power Supply Cord 2.0m (6.6 ft)

**12mm (1/2") Router**  
**M3600G**



Continuous Rating Input 530W  
 Collet Capacity 6mm (1/4")  
 No Load Speed (RPM) 30000  
 Dimensions (L x W x H) 82 x 90 x 199mm  
 Net Weight 1.5kg (3.3 lbs.)  
 Power Supply Cord 2.5m (8.2 ft)

**6mm (1/4") Trimmer**  
**3709**




Continuous Rating Input 530W  
 Collet Capacity 6mm (1/4")  
 Plunge Capacity 0-42mm (0- 1-5/8")  
 No Load Speed (RPM) 35000  
 Dimensions (L x W x H) 82 x 90 x 199mm  
 Net Weight 1.4kg (3.1 lbs.)  
 Power Supply Cord 2.0m (6.6 ft)

**6mm (1/4") Trimmer**  
**M3700G**



Continuous Rating Input 530W  
 Collet Capacity 6mm (1/4")  
 Plunge Capacity 0-42mm (0- 1-5/8")  
 No Load Speed (RPM) 35000  
 Dimensions (L x W x H) 82 x 90 x 199mm  
 Net Weight 1.6kg (3.5 lbs.)  
 Power Supply Cord 2.0m (6.6 ft)

**6mm (1/4") Trimmer**  
**M3701G**



Continuous Rating Input 720W  
 Capacity Steel High: 8mm (5/16") Low: 13mm (1/2")  
 Wood: High 25mm (1") Low: 40mm (1-9/16")  
 Concrete: 20mm (3/4")  
 Impact Per Minute (IPM) High: 0-58000 Low: 0-24000  
 No Load Speed (RPM) High: 0-2900 Low: 0-1200  
 Overall Length 362mm (14-1/4")  
 Net Weight 2.5kg (5.6 lbs.)  
 Power Supply Cord 2.5m (8.2 ft)

**20mm (3/4") 2-Speed Hammer Drill**  
**HP2050**



Continuous Rating Input 780W  
 Impact Energy EPTA-Procedure 05/2009: 2.4 J  
 Capacity Concrete: 24mm (15/16")  
 Core Bit: 54mm (2-1/8")  
 Steel: 13mm (1/2")  
 Wood: 32mm (1-1/4")  
 Impacts Per Minute (IPM) 0-4500  
 No Load Speed (RPM) 0-1100  
 Dimensions (L x W x H) 370 x 84 x 214mm  
 Net Weight 2.9-3.3kg (6.4-7.3 lbs.)  
 Power Supply Cord 4.0m (13.1 ft)

**24mm (15/16") Rotary Hammer**  
**HR2470X5**



Continuous Rating Input 800W  
 Impact Energy EPTA-Procedure 05/2009: 2.3 J  
 Capacity Concrete: 26mm (1")  
 Steel: 13mm (1/2")  
 Wood: 32mm (1-1/4")  
 Impacts Per Minute (IPM) 0-4500  
 No Load Speed (RPM) 0-1200  
 Dimensions (L x W x H) 362 x 71 x 194mm  
 Net Weight 2.7 (6 lbs.)  
 Power Supply Cord 5.0m (16.4 ft)

**Combination Hammer**  
**M8701X3G**

**Top Slide Switch**

Suis gelangsar atas 顶部滑动开关

**Convenient for left & right handed**

Mudah diguna dengan tangan kiri atau kanan 方便左右手使用



**Cotinuuous Rating Input 540W**  
**Wheel Diameter 100mm (4")**  
**No Load Speed (RPM) 12000**  
**Dimensions (L x W x H) 251 x 118 x 97mm**  
**Net Weight 1.6 (3.5 lbs.)**  
**Power Supply Cord 2.0m (6.6 ft)**

**100mm (4") Angle Grinder**  
**M0900G**



**Cotinuuous Rating Input 500W**  
**Capacity Concrete: 16mm (5/8")**  
**Steel: 13mm (1/2")**  
**Wood: 20mm (13/16")**  
**Impacts Per Minute (IPM) 0-48000**  
**No Load Speed (RPM) 0-3200**  
**Dimensions (L x W x H) 261 x 69 x 195mm**  
**Net Weight 1.7 (3.7 lbs.)**  
**Power Supply Cord 2.0m (6.6 ft)**

**16mm (5/8") Hammer Drill**  
**M0801G**

\*All pictures shown are for illustration purpose only.



## M18 FUEL



'Milwaukee' M18 FUEL Top Handle Jigsaw  
M18FJS-0



'Milwaukee' M18 Starter Pack  
(M18B5, M12-19C, MCB-M18(M))  
M18-501B



Milwaukee Packout Tool Box  
22.1"(L) x 16.1"(W) x 6.6"(H)  
48-22-8424



1pc MCB-M12



## M12



1pc M12B2 2.0ah Battery

1pc M120-C12C Battery Charger

'Milwaukee' M12 Starter Pack  
(M12B2, C12C, MCB-M12)  
M12-201B

## M12 FUEL



M12BID-0

"Milwaukee" 12V Compact  
Jammer Drill (6.0AH)

M12FPD-602C



M12CCS44-0

M12 FUEL™ 140MM  
CIRCULAR SAW  
(TOOL ONLY)



M12JIS-0

M12™ HIGH  
PERFORMANCE  
JIGSAW




6.0AH  
1pc



M12FMT-0  
M12 FUEL™  
MULTI-TOOL  
(TOOL ONLY)

# ALUMINIUM DOOR

VOLUME - 1






\*All pictures shown are for illustration purpose only.



# ALUMINIUM DOOR

VOLUME - 2










\*All pictures shown are for illustration purpose only.



# ALUMINIUM DOOR


VOLUME - 3



**Additional Charges:**  
A) Model: G2, G3, D1, C1, AJP1 = M.O.Q 15 sqft/door  
B) Model: SG19 = M.O.Q 18 sqft/door



### Straight Router Bit



Router Bit Size:

A	C
1/4	6mm
1/4	8mm
1/4	10.5mm
1/4	12mm
1/4	1/8"
1/4	1/4"
1/4	3/8"



### Straight Router Bit (Single Flute)



Router Bit Size:


A	C
1/4	3/32"
1/4	1/8"
1/4	5/32"
1/4	3/16"

### 90 degree V-Grooving Bit



	A	C
Green	1/4	1/4"
Green	1/4	3/8"

### Core Box Bit



	A	C
Green	1/4	1/4"
Green	1/4	3/8"




**T2002 1/4 X 3/8 Router Bit (2 flute) (Green)**  
**T2002 1/4 X 3/8 Router Bit (3 flute) (Green)**

Router Bit Size:

Model	A	C
2 Fluter	1/4	1/4"
2 Fluter	1/4	3/8"
3 Fluter	1/4	3/8"

**Double Bearing**

- 2 FLUTE   
3 FLUTE



**1/4x10 Router Bit (Oblique Blade)**



Router Bit Size:

Model	A	C
2 Fluter	1/4	10mm

**TCT 1/4 X 3/8 High Grade Router Bit 2BB RENO**

**More Sharper, More Lifetime Use**



Collet: 6mm/ 1/4"  
Diameter: 9.5mm/ 3/8"


\*Trimmer Router Use\*



**TCT 1/4 X 1/4 x 20mm Straight Bit (Two Bearing)**




**Straight Bit With Single Bearing (Green)**




**Chamfer Bit Router Bit (green)**

Router Bit Size:

Model	A
7 deg	1/4
15 deg	1/4
22.5deg	1/4
25 deg	1/4



**S 1/4 x 45 degree Router Bit (Dovetail)**





### TCT6020 High Grade Rounding Router Bit

R1.5



Router Bit Size:

Model	A	C
6020	1/4	R1.5
6020	1/4	R2.0


**\*Used edge-banding**

Router Bit Size:

Model	A	C
6020	1/4	3/16
6020	1/4	1/4"
6020	1/4	5/16"
6020	1/4	3/8"
6020	1/4	1/2"



### Rounding Over Bit (Green)




Router Bit Size:

	A	C
	1/4	1/8"
	1/4	3/16"
	1/4	1/4"
	1/4	3/8"
	1/4	1/2"

**\*\*Green Packing\*\***



### 45 Deg Router Bit With Bearing (Green) Angle 45°



**\*\*Green Packing\*\***




**Straight Router Bit 1/2" (12mm) (Green)**



Router Bit Size:

Cut Lt.	A	C
1"	1/2"	3/8"
1 1/2"	1/2"	1/2"
2"	1/2"	1/2"
3"	1/2"	1/2"

**Straight Router Bit with Single Bearing 1/2" (12mm) (Green)**



Router Bit Size:

Cut Lt.	A	C
1 1/2"	1/2"	1/2"
2"	1/2"	1/2"

**Straight Router Bit with Double Bearing 1/2" (12mm) (Green)**



Router Bit Size:

Cut Lt.	A	C
1 1/2"	1/2"	1/2"
2"	1/2"	1/2"

\*All pictures shown are for illustration purpose only.



**SOBAR Duster Air Gun**  
010-SO-BAR



**DG-10 Metal Air Duster Gun**  
014-GUN-60W



**HG-078 "HA GANG" Air Duster Gun**  
010-DG-10



**HG-016 6" "HA GANG" America Type Long Nose Plier**  
110-HG-016



**HG-029 8" "HA GANG" America Type Long Nose Plier**  
110-HG-029



**HG-017 "HA GANG" Multi Function Scissors 8" (Anti Slip) (HG-109)**  
001-HG-107



**HG-031 8" "HA GANG" America Type Combination Plier**  
110-HG-031



**HG-018 6" "HA GANG" America Type Combination Plier**  
110-HG-018



HANDS TOOLS  
VOLUME - 1

哈钢®  
Ha gang



CR10" Locking Pliers HG-013  
"HA GANG"  
001-CR-10

哈钢®  
Ha gang



HG-1014-09 "HA GANG" Rabbit Plier  
001-TINE-006

哈钢®  
Ha gang



HG-3021 "HA GANG" Multi-Function  
Scissors - 190mm  
124-008-000

哈钢®  
Ha gang



HG-304-08 "HA GANG" Adjustable  
Spanner-Chrome - 8"/200mm  
713-085-884

哈钢®  
Ha gang



HG-304-10 "HA GANG" Adjustable  
Spanner-Chrome - 10"/250mm  
713-095-884

哈钢®  
Ha gang



HG-3017 "HA GANG" Multi-Function  
Scissors - 9"/225mm  
110-HG-017

哈钢®  
Ha gang



HG-026 "HA GANG" Aviation Snip-  
Straight - 10"  
012-504-210

哈钢®  
Ha gang



HG-3028 "HA GANG" Black Oil Glass  
Cutter-360 Deg Rotating Cutter  
542-08-008


\*All pictures shown are for illustration purpose only.

# HANDS TOOLS

VOLUME - 2



**HG-070 "HA GANG" HackSaw Blade 12"/300mm**  
014-BAH-000



**HG-808 6" (- & +) "HA GANG" CRV Metal Head S/Driver Magnetic Tip**



**HG-310 "HA GANG" Anti-Fall Measuring Tape - 7.5m/25ft**  
110-HG310



**HG-065 "HA GANG" Magnetic Alum Spirit Level 12" 16" 24"**  
110-065-12  
110-HG-060  
110-HG-065



**HG-3568C "HA GANG" 2 Way S2 Telescopic ScrewDriver 6mm x 38mm (1-1/2)**  
012-668-150



**HG-3568A "HA GANG" 2 Way S2 Telescopic ScrewDriver 6mm x 150mm (6")**  
012-3568-A



**HG-808D "HA GANG 2 Way CRV T.S/Drive 3mm x 75mm(3) 808375**  
012-808-375



Size 1.5-10mm

**HG-203 "HA GANG" 9pcs S2 Ball Point Hex**  
110-HG-203




**HG-310XB 'HA GANG' ANTI-DROP RUBBER COATED Measuring Tape - 7.5M/25ft**  
110-310-XB

\*All pictures shown are for illustration purpose only.



Size 1.5-5mm

HG-203 (Pc) "HA GANG" S2 Ball Point Hex Wrench



Size 1.5-8mm

TLD-HF254H Folding Hex Key Set  
8pcs-Metric  
021-000-001



Torx Key/Allen Wrench (Set) 8pcs  
021-058-M4



HG-038 "HA GANG" H/Duty Hand Riveter-Single Spout  
110-HG-038



HG-1106 "HA GANG" Keel Piler Stud Crimper - 10"/255mm  
001-INCLINED-006



HG-6104-35 "HA GANG" Rubber Mounting Hammer-35#  
110-HG-6104



HG-1107 "HA GANG" Keel Forcerps-13"/330mm  
012-HG-6686



HG-209B "HA GANG" Square Milled Face Magnetic Claw Hammer  
412-070-020



HG-902S "HA GANG" Tap Tapper Twist Drill Bit Set (M3-M10)  
728-012-921

\*All pictures shown are for illustration purpose only.





P150  
P180  
P240  
P280  
P320

Sand Paper Sia-Silver/Black 1701



Model: P60, P80, P100, P120



Red Sand Paper 300mm x 50meter

**AKAIDO**<sup>®</sup>  
Better Alternative Of Power

WATERPROOF

SHOCK RESISTANCE

DUSTPROOF

ALLBOL-5G

4V1H1D (5 LINE)

- Unit Weight : **1.2kg**
- Laser Beam : **Green Laser Line \*5 + Down Point \*1**
- Levelling Accuracy : **±1mm / 5m**
- Down Point Accuracy : **±1mm / 1.2m**
- Perpendicular Accuracy : **90°±1'**
- Levelling Accuracy : **±1mm / 5m**
- Levelling Range : **Approximately ±2° (Plumb Leveling)**
- Visual Range (Indoor) : **30m (Depending on the ambient light, there may be a difference)**
- Power Supply : **DC4.5V / Lithium Batteries**
- Dimension : **Diameter Ø180 x Height 190mm**
- Continuous Working Time : **Approx 3 Hours**
- Accessories : **Suitcase, Charger, Goggle, Li-ion Battery, Angle Adapter, Instruction**

6  
MONTH  
WARRANTY

ALLBOL-5G 4V1H1D  
GREEN LASER LINE 5 LINE (AKAIDO)  
**AKD-5-LINE**

# HANDS TOOLS

VOLUME - 5



Multi-Cutter Saw Blade



EMT100C Laminate Cutter

016-EMT-100C



Virutex C015L Laminates Cutter

016-0C0-15L



GLM40M Laser Rangefinder

010-LASER-40M



3/8" Pneumatic Drill Top Lion

013-3/8-TOP



Prima 5" R/O Air Sander

010-PRIMA-5AS

\*All pictures shown are for illustration purpose only.



# ACCESSORIES

VOLUME - 1



Opening Positioner (Sucker)  
 014-HUG-016



Diamond Drill Bit




GT Glass & Til Drill Bit




Marble Hole Saw



90° Countersinks HSS  
 8.3mm 013-710-004  
 10.4mm 013-710-005



Step Drill Bit



YS0833802 Adjustable Countersink Bit  
 013-08338-02



RENO Wood Drill Bit (High Grade)

\*All pictures shown are for illustration purpose only.



# ACCESSORIES

VOLUME - 2

**STANLEY**

12-508 "STANLEY" Replacement Plane Irons (For 12-020-1 & 12-220-1)

12-504 "STANLEY" Replacement Plane Irons (For 12-060-1)

12-330 "STANLEY" Replacement Plane Irons (For 12-116-1)

12-202 "STANLEY" Replacement Plane Irons (For 12-102-1)

**Block Plane**



12-020 (160mm)



12-220 (180mm)



12-060 (160mm)



12-116 (180mm)



12-102 (140mm)

"STANLEY" Measuring Tape 8m/26ft



51-391 "STANLEY" Hammer  
340mm  
450g/16oz



Balancing Measurement-"STANLEY"  
16"/24"

8" Tower Pincer 200mm  
Heavy Duty "STANLEY"  
(84-288)



Record "STANLEY Tubing Cutter 1/8"-11/8" (93-020)



L-100 Cutter Blade No.10 0.7mm Pack(10pcs)  
F-125




AK-8742 Asaki Cutter



RX-38L CUTTER  
012-RX-38L



A-100 Cutter Blade (No.12) 0.5mm Pack(10pcs)



ZHENGYE CUTTER ZY-233  
BS-ATZ-52



48-22-1535 'MILWAUKEE' FASTBACK CAMO  
SPRING ASSISTED FOLDING KNIFE -7.5"  
510-103-006



HG-888 'HA GANG' UTILITY KNIFE -25MM  
001-SHV-KNF



Small-Sized Block Plane 4"/5"



Wood Block Plane  
180mm/280mm



73mm Wood Planer Film



Size: 73mm x 30mm

44mm Wood Planer Film



Size: 44mm x 2.3mm


22-078H "STANLEY" Handy File  
C/W Handle 8"



FHS-10 Handy  
File-Smooth



HG-3030-10 'HA GANG'  
FLAT FILE -10"/250MM



\*All pictures shown are for illustration purpose only.

# ACCESSORIES


VOLUME - 3



Applicable For: Aluminium, Wood, Acrylic, PVC

**3MMX10MM(KJ TYPE) Countersunk Drill Bit**  
013-3MM-10MM

Hole Size: 35mm  
Diameter: 12mm  $\phi$   
Min Wood: 16mm



**35mm Wood Drill Bit (High Grade With Stop)**  
013-500-035



Size: 12 - 32mm

**R'DEER Wood Chisel**



Size: 16 - 25mm

**Spade Drill Bit**




**BOSSMAN Auger Bit**  
5/8 6#x16mm  
3/4 6#x19mm  
7/8 6#x22mm



**BE59, Spade Drill Bit, 3/4"**  
013-BE5-934



**1/4" Hex Shank HSS G Metal Drill Bit**



**RENO HANS 2545 TCT Hole Saw With Spring**



Applicable For: Steel,Copper, Aluminium, Alloy, Wood, etc.

**JEFF 4mm HSS Center Sink Hole Drills**

\*All pictures shown are for illustration purpose only.

ACCESSORIES  
VOLUME - 4



Size: 35 - 79mm

Applicable For: Aluminium, Wood

AMS Hole Saw



Pilot Drill Bit For A4 Arbor AMS Hole Saw

014-A4-PDB



Hole Saw Arbor A4 AMS

014-A04-001



Size: 35 - 80mm

Applicable For: Aluminium, Wood

311 Hole Saw Blade



311-A4 Hole Saw Diameter

014-311-A4



Size: 33 - 79mm

Progressor Holesaw



Power Change Adapter (8mm Hex)  
(2608594253)

013-200-005



Size: 2 - 6mm

Applicable For: Metal, Wood, Plastic

2mm-6mm HSS-G Set (2607019114)

013-200-001



YK-80K Glass Cutter

012-YK-80K

\*All pictures shown are for illustration purpose only.



ACCESSORIES

VOLUME - 5



**D-08660 9pcs Assortment (5,6,8 Types)**  
MKT-D-08660



Size: 5 - 8mm



**D-30106 HSS Metal 5pcs Drill Bit Set (Metric)**  
MKT-D-30106



**RENO M62-HSS Drill Bit**  
014-A04-001

Applicable For: Metal, Wood, Plastic

Size: 2 - 12mm



**RENO 4CUT SDS-PLUS Drill Bit**

Size: 6 x 110mm  
6 x 160mm

Size: 8 x 110mm  
8 x 160mm



For SDS-Plus Hammers



**BI-Two SDS Plus Drill Bit (8.0mm x 170mm)**

110-203-080



**SDS-Plus Bit (2Cut)**

Size: 5.5 - 14 x 110 - 160mm



For SDS-Plus Hammers



**SDS Plus-1 S3 Drill Bit**

Size: 5.5 - 12 x 110 - 160mm



**4-Cut SDS-Plus Drill Bit**

4-Cut



For SDS-Plus Hammers

Size: 6 - 8 x 110 - 160mm



**Screw Magnetic Ring 1221**

015-105-038

\*Use: Driver Bits, Nut Drivers, Hex Wrenches,

Screwdrivers



Magnetic attraction



Extremely Strong Magnetic

\*All pictures shown are for illustration purpose only.

ACCESSORIES

VOLUME - 6



**D-33679 Screw Bit 65mm**  
013-200-060



**D-34833 Screw Bit 110mm**  
021-110-M5



**RENO PH2-25 Short S/Driver Bit**  
015-105-025



**RENO PH2-65mm Impact Double Ended Screwdriver bits**  
012-XDB-65#



**RENO PH2-110mm Impact Double Ended Screwdriver bits**  
110-HG-265



**RENO PH2-150/250mm Impact Double Ended Screwdriver bits**  
013-400-012/006



**RENO PH2-65mm Impact S/Driver Bit (Gold) magnet Ring**  
Lorem ipsum  
015-105-050



**RENO PH2-65MM S/DRIVER BIT (GOLD)**  
015-105-040



**Hexagon Chuck Adapter**  
013-701-065

\*All pictures shown are for illustration purpose only.

**ACCESSORIES**  
VOLUME - 7



**Universal Link Screw Bit**  
012-ULS-BIT



**M10\*1.5 Keytype Drill Chuck**  
013-780-010



**8" (200mm) KATA Cable Cutter**  
065-202-PVC



**48-22-2106 Hex Key Multi Bit**  
MIL-22-2106



**48-22-1905 General Purpose Utility Blade**  
MIL-22-1905



**BI-Metal Hole Saw**  
21 8"/54mm MIL-9626-54  
23 8"/60mm MIL-9630-60



**49-00-5463 Scraper Blade (1 1/2")**  
MIL-5463-112



**49-00-5460 Hackzall Blade-Wood (4")**  
MIL-00-5460



**48-00-1640 (Drywall) Access (4") SawZall Blade**  
MIL-DSB-1640

\*All pictures shown are for illustration purpose only.



ACCESSORIES  
VOLUME - 8



49-00-5410 (Multi Material) 4" Hackzall Blade  
MIL-HZB-5410



48-00-4182 (6") Sawzall Blade  
MIL-4182-614



48-00-4187 Thin Kerf Ice Hardened 9" x 14TPI  
MIL-00-4187



48-00-5035 (Wood) 6"/6TPI Sawzall Blade  
MIL-SZB-5035



49-22-3420 Torque Lock Locking Plier (Curve Jaw)  
MIL-22-3420



48-22-3522 Torque Plier (C Clamp Swival Jaw)  
MIL-SZB-5035



Squeegee (4Pc/Set)  
010-F30-AL



HG-233 "HA GANG" Trade Wall Stripper-8"/200mm  
110-203-010



HG-7118-02 "HA GANG" 50# S/Steel Scraper C/W TPR Handle-2"/50mm  
019-204-4BB

\*All pictures shown are for illustration purpose only.


ACCESSORIES  
VOLUME - 9



HG-7118-03 "HA GANG" 50# S/Steel Scraper C/W TPR Handle-3"/50mm  
019-206-6BB




LC-05 Scraper With Rubber  
001-LC-05



LC-01 Scraper  
001-LC-01



LXH105 Hand Glove - Baoshouwang  
LXH-105-HG



551-50-016 "NIETZ" Rubber Mallet  
-16oz (51032)  
012-573-024




"TWN" Circular Saw Blade-For Wood  
4" x 40T  
016-SYW-002



DUWELL Hammer 16oz "META"  
27mm  
012-562-602




Shape Ruler 6"  
012-40-7525



Shape Ruler 10"  
012-40-5019

ACCESSORIES  
VOLUME - 10

110 x 2.2 x 16mm



B-51649 2IN1 Grinding Wheel  
100 x 2.2 x 16mm (Makita)  
MKT-B-51649



100 x 0.8 x 16mm



Fast Cutting

B-45711 Thin Cut Off Wheel  
100 x 0.8 x 16mm (Makita)  
MKT-457-11



125 x 6.0 x 22 - 23mm



Grinding Disc 5" 2608600263  
(BOSCH)  
010-D28-111x



"ESICUT" Cutting Disc 4" x 1.2mm  
012-CD-4"



Sterling Tubing Cutter (NIETZ)  
012-682-8TC

ASSIST 宏迪




Assist Measurement Tape 7.5m  
63G-7525  
012-563-075



Feng Sui

Measurement Tape 5.0m (Feng Sui)  
Self Lock

012-563-050



10mm x 9yd

**Superior Mounting Tape**

- Strong, double sided PE foam tape
- Conformable, Can be used on texture surfaces such as painted cement or brick



Instruction :

1. Make sure all surface are clean & dry. Wipe out dust & oil.
2. Cut lengths needed from roll. Do not remove protective liner as yet.
3. Press tape into position on back of object to be mounted. Press firmly on liner for good adhesive contact.
4. Remove liner and press firmly into place on wall.

3M Grey PE Foam Tape 10mm x 9yd  
023-108-3MSMT



8mm Hole Puncher  
540-000-S08



**ACCESSORIES**  
VOLUME - 11




Size	Code
18mm	023-045-018
24mm	023-045-024
48mm	023-045-048


**Masking Tape (Yellow) x 20yd**




**Acrylic Foam Clear Tape 10mm x 9yd**  
023-AFCT-109




**2" (50mm) x (125g) (135g)- Stretch Film**  
001-NIC-002



**4"-100mm x 250gms (1" Core) Stretch Film**  
001-NIC-004



**1.5kg (1.3kg x 300gms) Stretch Film**  
001-NIC-015



**Recycle 500mm x 2.3kg x 300g (Core) Stretch Film**  
001-SF-23RC



**Silicone Tiub Gun**  
100-SIL-GUN



**VSP-Sucking-1 Single Sucker Lifter**  
30KG  
VSP-1-30KG



**VSP-Sucking-2 2 Way Sucker Lifter**  
80KG  
VSP-2-80KG

\*All pictures shown are for illustration purpose only.


ACCESSORIES  
VOLUME - 12



**VSP-Sucking-3 3 Way Sucker Lifter 145KG**  
VSP-3-145KG



**West CR-V Allen Wrench 4mm With Handle**



Model	Spec	(W)	(H)	Clamping range
019-DAC-100	4"	45mm	110mm	0 to 50mm
019-DAC-150	6"	60mm	145mm	0 to 63mm
019-DAC-175	7"	70mm	170mm	0 to 75mm

**Duratec A-Clamp**



Model	Spec	Maximum Length	Range of Clamping
019-002-F06	6"	330mm	0 to 160mm
019-002-F08	8"	375mm	0 to 200mm
019-002-F10	18"	626mm	0 to 445mm
019-002-F12	24"	777mm	0 to 600mm

**Quick F-Clamp**



Model	Material	Clamping Force
019-10-1A	Steel	50kg
019-10-2B	Steel	100kg
019-10-1D	Steel	180kg
019-12-130	Steel	227kg
019-122-65	Steel	340kg


**Quick Clamp**



**2.0G Upper (Steel) Cup Spray Gun**  
011-UC-2SG



**F75S Spray Gun - 1.5mm**  
011-F75S-115



**F75TP NICEMAN Sprac Gun (Top Tank) 5mm**  
011-071-150

\*All pictures shown are for illustration purpose only.

# ACCESSORIES

VOLUME - 13

Stair Rail Guide (Black) 1000-2250 (120kg)

**080-SRG-1000**



Faucet And Sink Installer (5 in 1)

**017-FC-SI**



90 Deg Red Iron Clip

**013-901-009**





# ACCESSORIES

VOLUME - 14

**TRIMMING ARTIFACT (YELLOW)**  
013-902-012



**400# GRINDING DISC**  
013-903-015



**WOODWORKING PLANER BIRD PLANER**  
540-100-402



**RENO M62-3.57MM(9/64) HSS DRILL BIT**  
013-200-066



**GLA-N CRV Quick Change Bit Holder**  
(1/4")

065-202-PVC

**STAPLE FOR NAIL**  
022-891-052



**RENO HOLE SAW(METAL/ALUM) WITH SPRING**



**SIZE:**  
20MM, 22MM, 25MM, 30MM, 35MM, 40MM,  
45MM, 53MM, 60MM

# **PVC Foam Board 15mm x1220x2440 (WHITE)**

**Density 0.55**

**Multi-purpose application:**




**Door Panels, Flush Door, Door Skins Partitions, Ceiling and Wall  
Exhibition Desk, Shelve in Supermarket Interior Lining For Automobiles  
Cabinet, Furniture and Modular Kitchen Advertisement Board and  
Sign Board Architectural Decoration and Upholstery  
Concrete formwork, bulding pillar/template**

**Thickness: 15mm**

**Density: 0.55g / cm<sup>3</sup>**

**Length: 2440mm Width: 1220mm**





## Why choose us Pvc Foam Board?

### Features:

**New, Light Weight, Good tenacity and High Rigidity NO Maintenance,  
NO Pollution and NO Deformation Fire, Chemical and High Impact Resistance  
Water and Moisture Proof Excellent Heat, Sound and Electrical Insulation  
Easy to Process, Cut, Saw, Drill, Screw, Nail, Glue, Stamp, Paint etc  
Firm and Durable, Termite Proof and Fungus Resistance, Long Life  
Wide range of dimension and thickness Contain NO Lead, UV Stabilized,  
Environmental Friendly**



Anti-Mould



UV Protection



Low Maintenance



Water Proof



Smooth Surface



Fire-retardant



Eco-Friendly



Recyclable



Long-Lasting



Sound Insulation



Anti-Static



Anti-Corrosive



Easy Clean



Lightweight



Weather-Resistant



Drilling



Milling



Sawing



Cutting



Nailing



Bending



Stamp ...



Screw ...



Gluing



Stapling




Taping



Painting



**Use too:**



Compare	PVC	Wood	Steel Formwork	Plywood Formwork
Recycle	Recyclable	Non-recyclable	Recyclable	Non-recyclable
Fire resistant	Yes	No	Yes	No
Rodent and Termite proof	Yes	No	Yes	No
Water Proof	Yes	No	Yes	No
Anti-Corrosion	Very good	Bad	Bad	Bad
Weather Resistant	Yes	No	Yes	No
Self-extinguishing	Yes	No	Yes	No
Light-weight	Light	Heavy	Heavy	Heavy
Smooth Surface	Yes	No	No	No
Protect or extract work	No	Yes	Yes	Yes
No shrinkage or swelling	Yes	No	No	No
Life-Cycle	Long	Short	Long	Short
Indoor/ outdoor Application	Both	Indoor	Both	Indoor

**Description:**

**PVC board are made by foaming and pressing into shape.**

**The main material used are PVC resin, other materials like Calcium Powder and Additives. PVC boards are the best and ideal material for Advertising, Decoration and Furniture Industry, it has many advantages such as smooth surface, moisture proof and heat-resistant, anticorrosive, ametabolic, nontoxic and recyclable. PVC board covers not only wood features, but also also very light and can be printed, engraved easily, more ECO- friendly than wood.**

\*All pictures shown are for illustration purpose only.



**Super Glue BS8502**  
100-580-20g



HM11-3003 120c-150c  
HM16505 160c-180c  
HM13070 120c-150c (Transparent)

**HM Hot-Melt Glue (25kg/Ctn)**



**Ottergel Wood Stain 1/3 Quart**



**Ottergel Wood Stain 1 Quart**



**NC Sealer White SW2288 5 Litres**  
NCS-2288-Wht  
**NC Sealer White SW2288 20 Litres**  
100-2288-20L



**NC Gloss White 2001 5 Litres**  
100-NC2-001  
**NC Gloss White 2001 20 Litres**  
100-NC2001-20LT



**NC Clear C233X5LTS**  
100-NCC-233



\*All pictures shown are for illustration purpose only.



NC Sealer 238X5LTS  
100-NCS-238



Thinner 11 Litres (TBS-115) / 1073 NC  
THI-12.5-LIT



T555-11K x 12 Litres (Thinner)  
THI-12-LTS



Thinner x 2.5 Litres (TB Toluene) TB-3  
THI-2.5-LIT



T555-2.2 x 2.5 Litres (Thinner)  
THI-2.5-LTS



Thinner x 330ML -TB  
THI-TB-330



Eracoat Glass Paint (Glassicoat)  
Curing Agent BH-1X500LT  
ERA-CUR-500



Eracoat Glassicoat 1 Litre





**VT-222 Silicone White (450ML)**  
102-688-480



**VT-230 Vital Nails (300ML)**  
102-VT-230



**Silicone Transparent (Acrylic) VT-210 "No Acid"**  
102-688-G02



**288 (277) Silicone Transparent VT-201**  
**White** 102-288-G01  
**Clear** 102-288-G02  
**Black** 102-288-G03



**"Putty" Wood Filler (500g)**  
**White** VT-460  
**Natural** VT-462  
**Teak** VT-462



**All Purpose MS Sealant (VT-621)**  
VT-621-WHT



### Vital (VT-224) Gap Filler

Content: 450gm  
Carton Quantity: 24 cartridges/carton  
Available Colors:



\*All pictures shown are for illustration purpose only.



KEROSENE-13L-NT x 13 Litres  
KRS-13-LTS



KEROSENE x 2.5 Litres  
KRS-2.5-LIT



KEROSENE x 330ML-TUR  
(Turpentine)  
KRS-330-ML

**WHITE Furniture Marker**  
016-WHT-FM



**WOODKARE**®

\*All pictures shown are for illustration purpose only.



### SOLID 8000 CA GLUE

100-80-00



### RENO 311 Glue

Mode	Code
DAB	100-DAB-300
DAA	100-DAA-300



### DONSON 820 GLUE

100-DS-820



### 505A Spray Glue 12kg Donson

100-0505-120



\*For Spray



### TS505 Spray Glue 10kg


100-222-120



\*For Spray







# OUR LOCATION



## Puchong

No.1, Jalan Utama 2/8,  
Taman Perindustrian,  
Puchong Utama, 47100 Puchong,  
Selangor D.E.  
Tel: 03-8068 2585 / 03-8052 1315  
Mobile: 012-328 9332 /017-308 2323

## Ampang

No. 58 Jalan 4,  
Taman Industri Pandah Indah,  
55100 Kuala Lumpur.  
Tel: 03-4297 2585  
Mobile: 012-687 4931

## Balakong

No. 22-G, Jalan Tengah,  
Cheras Selatan 118,  
43200 Cheras,  
Selangor D.E.  
Tel: 03-9076 9566  
Mobile: 012-235 9332

## Bandar Teknologi

No. 48 Jalan 1/9 Seksyen 1,  
Bandar Teknologi Kajang,  
43500 Semenyih, Selangor D.E.  
Tel: 03-8727 8158  
Mobile: 016-228 9932

## Batu Caves

No.21 Jalan SG1/9 Taman Sri,  
Gombak, 68100 Batu Caves,  
Selangor D.E.  
Tel: 03-6178 3983  
Mobile: 012-266 1699

## Kajang

No.64 Jalan SC3,  
Pusat Perindustrian Sungai Chua,  
43000 Kajang, Selangor.  
Tel: 03-8211 3606  
Mobile: 012-366 5176

## Kepong

No.56 Jalan Development, Taman  
Kepong, 52100 Kuala Lumpur,  
Wilayah Persekutuan.  
Tel: 03-6279 9368  
Mobile: 016-223 2585

## Klang Sentosa

No.29G & 31G,  
Jalan Bendahara 3/KS7,  
Taman Sejati, Off Jalan Raja Nong,  
41200 Klang, Selangor D.E.  
Tel: 03-5166 7052  
Mobile: 016-262 2585

## Muar

No.4, Jalan Seri 1,  
Taman Sri Bakri II,  
84000 Muar, Johor.  
Tel: 06-986 9166  
Mobile: 017-683 0916

## Sungai Buloh

AL 129-1 Jalan Welfare U19,  
Kampung Baru Sungai Buloh,  
47000 Sungai Buloh, Selangor D.E.  
Tel: 03-6140 1649  
Mobile: 012-329 7931 / 012-310 4332

## Subang 2

No.54, Jalan Apollo U5/189,  
Bandar Pinggiran Subang,  
Seksyen U5, 40150 Shah Alam,  
Selangor D.E.  
Tel: 03-7734 2585  
Mobile: 012-203 6692

## Serdang

No.12, Jalan BS 14/1,  
Taman Bukit Serdang, Seksyen 14,  
Perdagangan Bukit Serdang,  
43300 Seri Kembangan,  
Selangor D.E.  
Tel: 03-8940 6925  
Mobile: 012-226 9123

## Klang Utama

No.38, Jalan Sungai Keramat 1A,  
Taman Klang Utama, 42100  
Klang, Selangor D.E  
Mobile: 017-238 6619

## Teamstar (Melaka) Sdn.Bhd.

ROC No. : 201501001317 (1126649-K)  
No.16, Jalan PB 1A,  
Taman Puncak Bertam,  
75260 Melaka.  
Tel: 06-337 3166  
Mobile: 012-916 3933

## Teamstar Furniture Fittings Sdn.Bhd. Rawang

ROC No. : 202201009757 (1455454-A)  
No. 38 & 40, Jalan Setia Rawang 1,  
Taman Setia Rawang,  
48000 Rawang, Selangor.  
Tel: 03-6090 0577  
Mobile : 018-232 2737

## Teamstar Furniture Hardware Sdn.Bhd. Batu Pahat

ROC No. : 202201009712 (1455409-H)  
No.23 & 24 (Ground Floor),  
Jalan Komersil Pantai 3,  
Pusat Komersil Pantai,  
83000 Batu Pahat, Johor.  
Tel: 07-432 0055  
Mobile: 011-6988 8688

## Teamstar (Seremban) Sdn.Bhd.

ROC No. : 201501023475 (1148804-A)  
Lot 1508/436 (Ground Floor),  
Jalan Temiang, 70200 Seremban,  
Negeri Sembilan.  
Tel: 06-763 6613  
Mobile: 011-2316 3331

## Seremban 2

No.17, Ground Floor Jalan S2 C1,  
Sports Complex Square, Seremban 2,  
70300 Seremban,  
Negeri Sembilan.  
Tel: 06-601 1670  
Mobile: 011-1112 8588

## Seremban Jaya

No 509, Jalan SJ 9/1,  
Taman Seremban Jaya,  
70450 Seremban,  
Negeri Sembilan Darul Khusus.  
Tel: 06-678 6131  
Mobile: 018-987 2663

